

安装要求

- 调试基础库 1.9.2
- 不校验合法域名 web-view 业务域名 TLS 版本以及 HTTPS 证书

获取代码

```
git clone https://github.com/chenbei360/pin.app.v6
```

修改配置

把根目录 config.js.bak 文件名 改成 config.js

config.js

```
var config =
{

  apiUrl: "http://test.pintuan-xcx.cn/api/",
  miniUrl: "http://test.pintuan-xcx.cn/mini/",

  app: {
    url: "w5.pintuan-xcx.cn",
    name: "拼购",
    icon_url: "https://cdn.notestore.cn/w3/logo.png"
  },

  share_text: {
    title: '风靡全国的拼团商城，优质水果新鲜直供，快来一起“拼购”吧',
    path: 'pages/index'
  }
};
```

app.json

```
"window": {
  "navigationBarTitleText": "拼购"
},
```

app.js

```
//app.js
function debugConsole(e) {
  console.log(e);
}

var loginCode = null,
    fileAir = require('./config.js');

App({
  onLaunch: function () {
    var that = this;
    wx.getStorage({
      key: 'userInfo',
      success: function (res) {
        that.globalData.userInfo = res.data;
      },
      fail: function (res) {
        debugConsole(res);
      }
    });

    wx.getSystemInfo({
      success: function (res) {
        debugConsole(res);
        that.globalData.windowHeight = res.windowHeight;
        that.globalData.windowWidth = res.windowWidth;
        that.globalData.device = res.model;
        if (res.model.search("iPhone X") != -1) {
          that.globalData.isIphonex = true;
        }
      },
    });
  },

  login: function (successCallback, failCallback) {
    var that = this;

    wx.login({
      success: res => {
        // 发送 res.code 到后台换取 openId, sessionKey, unionId
        if (res.code) {
          debugConsole("app wx.login success" + res.code);

          loginCode = res.code;
        }
      }
    });
  }
});
```

```

        that.getWxUserInfo(successCallback, failCallback);

    } else {
        debugConsole('获取用户登录态失败:' + res.errMsg);
    }
},

fail: function () {
    debugConsole('wx.login fail');
}
});
},

getUserInfo: function (successCallback, failCallback) {
    console.log("app.getUserInfo");
    var that = this;
    wx.checkSession({
        success: function () {
            if (!wx.getStorageSync("token")) {
                that.login(successCallback, failCallback);
                return;
            }

            if (that.globalData.userInfo == null) {
                wx.getStorage({
                    key: 'userInfo',
                    success: function (res) {
                        that.globalData.userInfo = res.data;
                        successCallback(that.globalData.userInfo);
                    },
                    fail: function (res) {
                        that.login(successCallback, failCallback);
                    }
                });
            } else {
                successCallback(that.globalData.userInfo);
            }
        },

        fail: function () {
            console.log("app.checkseesion fail");
            // 登录
            that.login(successCallback, failCallback);

            // 通知
            var tokenUtils = require('./utils/token.js')
            tokenUtils.run(function() {}, function() {}, function() {});
        },
    },

```

```

        complete: function () {
            console.log("app.checksession complete");
        }
    });

},

getWxUserInfo: function (successCallback, failCallback) {
    var that = this;

    wx.getUserInfo({
        success: res => {

            debugConsole("app wx.getUserInfo success");

            if (that.isLogining) {
                return;
            }

            that.isLogining = true;

            wx.request({
                url: this.globalData.miniUrl + "v1.0/login",
                data: {
                    code: loginCode,
                    rawData: res.rawData,
                    signature: res.signature,
                    iv: res.iv,
                    encryptedData: res.encryptedData
                },
                success: function (response) {
                    debugConsole(response);

                    that.globalData.userInfo = res.userInfo

                    if (response.data.result == 'ok') {
                        wx.setStorage({
                            key: "userInfo",
                            data: res.userInfo
                        });

                        wx.setStorage({
                            key: 'token',
                            data: response.data.token,
                            success: function () {
                                successCallback(res.userInfo);
                            }
                        });
                    }
                }
            });
        }
    });
}

```

```

        }
    },
    complete: function (res) {
        that.isLogining = false;
    }
});
},
fail: function () {
    debugConsole("app wx.getUserInfo fail");
},
complete: function (e) {
    debugConsole("app wx.getUserInfo complete");
    debugConsole(e);
    if (e.errMsg !== "getUserInfo:ok") {
        failCallback();
    }
}
});
},

getImageUrlInfo: function (page, image_url, loadingCallback, successCallback,
failCallback) {
    var that = this, image_url_c = "image_" + image_url, image_w_h =
wx.getStorageSync(image_url_c);

    if(image_w_h){
        successCallback(image_w_h)
    }else{
        loadingCallback();
        const ImgLoader = require('/libs/img-loader/img-loader.js')
        page.imgLoader = new ImgLoader(page);
        page.imgLoader.load(image_url, function (err, imgs) {
            image_w_h = imgs.ev.detail;
            wx.setStorageSync(image_url_c, image_w_h);
            successCallback(image_w_h);
        });
    }
},

/**
 * 计算宽高
 */
wxAutoImageCal: function (originalWidth, originalHeight) {
    var windowHeight = , windowHeight = ;
    var autoWidth = , autoHeight = ;
    var results = {};

    windowHeight = this.globalData.windowHeight;
    windowHeight = this.globalData.windowHeight;

```

```

    if (originalWidth > windowWidth) {
      autoWidth = windowWidth;
      autoHeight = (autoWidth * originalHeight) / originalWidth;
      results.imageWidth = autoWidth;
      results.imageheight = autoHeight;
    } else {
      results.imageWidth = originalWidth;
      results.imageheight = originalHeight;
    }

    debugConsole(results);
    return results;
  },

  share: function (data) {
    var share_text = this.globalData._.config.share_text,
        share_type = '分享给好友',
        that = this,
        path = data.path || share_text.path,
        title = data.title || share_text.title;

    return {
      title: title,
      path: path,
      withShareTicket: true,
      success: function (res) {
        if (res.shareTickets != undefined && res.shareTickets.length > 0) share_type = "分享给群聊";
        that.handlerShare(share_type, 1, path);
      },
      fail: function (res) {
        that.handlerShare(share_type, , path);
      }
    }
  },

  handlerShare(share_type, share_status, path) {
    var token = wx.getStorageSync("token");
    wx.request({
      url: this.globalData.apiUrl + 'v1.0/users/share',
      method: "POST",
      data: {
        share_type: share_type,
        share_status: share_status,
        share_url: path
      },
      header: {
        'AccessToken': token
      }
    })
  }
}

```

```

    });
},

urlEncode(param, key, encode) {
    if (param == null) return '';
    var paramStr = '';
    var t = typeof (param);
    if (t == 'string' || t == 'number' || t == 'boolean') {
        paramStr += '&' + key + '=' + ((encode == null || encode) ?
encodeURIComponent(param) : param);
    } else {
        for (var i in param) {
            var k = key == null ? i : key + (param instanceof Array ? '[' + i + ']' : '.' +
i)
            paramStr += this.urlEncode(param[i], k, encode)
        }
    }
    return paramStr;
},

goHome: function () {
    wx.switchTab({
        url: './index',
    });
},

goOrders: function () {
    wx.switchTab({
        url: './orders',
    });
},

globalData: {
    userInfo: null,
    isIphonex: false,
    apiUrl: fileAir.config.apiUrl,
    miniUrl: fileAir.config.miniUrl,
    device: "",
    windowHeight: "",
    windowWidth: "",
    _: fileAir
}
})

```

app.json

```
{
  "pages": [
    "pages/index",
    "pages/groups",
    "pages/orders",
    "pages/checkout",
    "pages/personal",
    "pages/goods",
    "pages/addresses",
    "pages/address",
    "pages/order",
    "pages/group",
    "pages/webview",

    "pages/develop/goods",
    "pages/backup/goods"
  ],
  "window": {
    "backgroundColor": "#fff",
    "navigationBarBackgroundColor": "#FF4C42",
    "navigationBarTextStyle": "white",
    "navigationBarTitleText": "拼购"
  },
  "tabBar": {
    "backgroundColor": "#FFF",
    "selectedColor": "#FF4C42",
    "color": "#777",
    "list": [
      {
        "pagePath": "pages/index",
        "text": "首页",
        "iconPath": "./images/home.png",
        "selectedIconPath": "./images/select_home.png"
      },
      {
        "pagePath": "pages/groups",
        "text": "我的团",
        "iconPath": "./images/groups.png",
        "selectedIconPath": "./images/select_groups.png"
      },
      {
        "pagePath": "pages/orders",
        "text": "我的订单",

```



```

        "iconPath": "./images/orders.png",
        "selectedIconPath": "./images/select_orders.png"
    },
    {
        "pagePath": "pages/personal",
        "text": "我的",
        "iconPath": "./images/personal.png",
        "selectedIconPath": "./images/select_personal.png"
    }
]
},
"networkTimeout": {
    "request": 10000,
    "downloadFile": 10000
},
"debug": false
}

```

config.js

```

var config =
{

    apiUrl: "http://test.pintuan-xcx.cn/api/",
    miniUrl: "http://test.pintuan-xcx.cn/mini/",

    app: {
        url: "pintuan-xcx.cn",
        name: "拼购",
        icon_url: "//pintuan-xcx.cn/v1.0/logo.png"
    },

    share_text: {
        title: '风靡全国的拼团商城，优质水果新鲜直供，快来一起“拼购”吧',
        path: 'pages/index'
    },

    error_text: {
        : "服务器可能中暑了，请稍后再试",
        1: "您还没有填写收货信息哦~",
        2: "Oops！这个团已经不在地球上了，快去首页火拼吧！",
        3: "您还没有参加过任何团哦，赶快去首页火拼吧！",
        4: "商品已下架或不存在，赶快去首页看看吧！",
        5: "您的地址信息不完整，请先完善地址信息吧~",
        6: "订单信息错误~",
    }
}

```

```

7: "暂时没有物流信息",
8: "获取快递信息失败, 请稍后再试",
9: "获取订单失败, 请稍后再试!",
10: "您还没有优惠券哦~",
11: "您还没有填写联系人信息哦~~"
},

order_status: {
  : "待支付",
  1: "已支付, 未确认",
  2: "已确认, 待发货",
  3: "配送中",
  4: "已签收",
  5: "交易已取消",
  6: "未发货退款处理中",
  7: "未发货退款成功",
  8: "已发货退款处理中",
  9: "已发货退款成功"
},

page_offset: ,

page_size: 30,

pullload_text: {
  load_text: "正在玩命的加载...",
  no_orders: "没有更多的订单了...",
  no_tuan_orders: "没有更多的团订单了...",
  no_goods: "没有更多了..."
},

pullload_last_text: {
  bottom_text: " 继续向上滑将切换到下一个频道",
  bottom_text_ready_to_next_channel: " 松开按键切换到下一个频道",
  change_channel_tip: "正在加载下一个频道"
},

tuan_status: {
  : {
    desc: "团购进行中",
    tips_title: {
      : "快来入团吧",
      1: "入团成功",
      2: "开团成功"
    },
  },
  tips_detail: {

```

```

        : "就差你了",
        1: "快去邀请好友加入吧",
        2: "快去邀请好友加入吧"
    }
},
1: {
    desc: "团购成功",
    tips_title: {
        : "来晚了一步！该团已被挤爆",
        1: "团购成功",
        2: "团购成功"
    },
    tips_detail: {
        : "求人不如求自己，自己当团长吧！",
        1: "我们会尽快为您发货，请耐心等待",
        2: "我们会尽快为您发货，请耐心等待"
    }
},
2: {
    desc: "团购失败",
    tips_title: {
        : "来晚了一步！",
        1: "团购失败",
        2: "团购失败"
    },
    tips_detail: {
        : "",
        1: "",
        2: ""
    }
}
},

group_text: {
    : "还差%s人组团成功",
    1: "我也要参团",
    2: "我也开个团，点此回商品列表。"
},

pay_text: {
    success: "支付成功",
    fail: "支付失败",
    cancel: "支付未完成，请重新支付"
},

// mall_service: [
//     {

```

```

//      type: "全场包邮",
//      desc: "所有商品均无条件包邮"
//    },
//    {
//      type: "7天退换",
//      desc: "满足相应条件时，消费者可申请7天无理由退换货"
//    },
//    {
//      type: "48小时发货",
//      desc: "若超时未发货，消费者将会收到至少3元无门槛代金券"
//    }
//  ],

  group_image_url: "//pintuan-xcx.cn/v1.0/avatar_4_64.png"
};

module.exports = {
  config: config
}

```

project.config.json

```

{
  "description": "项目配置文件。",
  "packOptions": {
    "ignore": []
  },
  "setting": {
    "urlCheck": false,
    "es6": true,
    "postcss": true,
    "minified": true,
    "newFeature": true,
    "autoAudits": false
  },
  "compileType": "miniprogram",
  "libVersion": "1.9.4",
  "appid": "",
  "projectname": "weipin6",
  "isGameTourist": false,
  "condition": {
    "search": {
      "current": -1,
      "list": []
    }
  },

```

```

"conversation": {
  "current": -1,
  "list": []
},
"plugin": {
  "current": -1,
  "list": []
},
"game": {
  "currentL": -1,
  "list": []
},
"miniprogram": {
  "current": 3,
  "list": [
    {
      "id": ,
      "name": "个人中心",
      "pathName": "pages/personal",
      "query": ""
    },
    {
      "id": 1,
      "name": "商品详情",
      "pathName": "pages/goods",
      "query": "goods_id=340"
    },
    {
      "id": -1,
      "name": "新增地址",
      "pathName": "pages/address",
      "query": ""
    },
    {
      "id": 3,
      "name": "确认订单",
      "pathName": "pages/checkout",
      "query": "goods_id=340&sell_type=1"
    },
    {
      "id": -1,
      "name": "地址列表",
      "pathName": "pages/addresses",
      "query": ""
    },
    {
      "id": -1,
      "name": "订单列表",
      "pathName": "pages/orders",

```

```

        "query": "",
      },
      {
        "id": 7,
        "name": "订单详情",
        "pathName": "pages/order",
        "query": "id=14"
      },
      {
        "id": -1,
        "name": "团列表",
        "pathName": "pages/groups",
        "query": ""
      },
      {
        "id": 8,
        "name": "团详情",
        "pathName": "pages/group",
        "query": "id=14"
      },
      {
        "id": 9,
        "name": "确认订单",
        "pathName": "pages/checkout",
        "query": "goods_id=340&sell_type=1"
      },
      {
        "id": -1,
        "name": "网页",
        "pathName": "pages/webview",
        "query": "url="
      }
    ]
  }
}

```

address.js

```

// pages/address.js
//获取应用实例
const app = getApp(), addressEnglishNames = ['HOME', 'WORK'], addressChinaNames = ['家庭', '公司'];
var addressId = , goodsId = , sellType = , dataVersion =
wx.getStorageSync('data_version'), serveDataVersion, regions =

```

```

wx.getStorageSync('regions');

Page({
  data: {
    old_value: "",
    isLoading: true,
    isOperate: false,
    adTypes: addressChinaNames,
    adTypeIdx: ,
    showAuthModal: false,
    addressNames: addressEnglishNames
  },

  // 数据版本
  loadDataVersion: function (successCallback, failCallback) {
    var that = this;
    wx.request({
      url: app.globalData.apiUrl + 'v1.0/project/data_version?type=region_list',
      success: function (res) {
        serveDataVersion = res.data.data_version.version;
        successCallback();
      },
      fail: function (res) {
        failCallback();
      },
      complete: function (res) {
      }
    });
  },

  laodRegions: function (successCallback, failCallback) {
    var that = this;
    wx.request({
      url: app.globalData.apiUrl + 'v1.0/project/regions',
      success: function (res) {
        regions = res.data.regions;
        successCallback();
      },
      fail: function (res) {
        failCallback();
      },
      complete: function (res) {
      }
    });
  },

  loadAddress: function (successCallback, failCallback) {
    var that = this;

```

```

wx.request({
  url: app.globalData.apiUrl + "v1.0/users/address/" + addressId,
  header: {
    'AccessToken': wx.getStorageSync("token")
  },
  success(res) {
    successCallback(res);
  },
  fail: function (res) {
    failCallback();
  },
  complete: function (res) {
    that.setData({ isLoading: false, isOperate: false });
  }
});
},

```

```

loadData: function() {
  var that = this;

  app.getUserInfo(function (res) {

  }, function () {
    that.setData({
      showAuthModal: true,
    });
  });

  that.loadDataVersion(function(){

    if (dataVersion != serveDataVersion){
      that.loadRegions(function(){
        wx.setStorageSync('data_version', serveDataVersion),
        wx.setStorageSync('regions', regions);

        if (addressId){
          that.loadAddressEvent();
        } else {
          that.setData({ isLoading: false }),
          that.initProvince();
        }

      },function(){});
    }else{

```



```

        if (addressId) {
            that.loadAddressEvent();
        } else {
            that.setData({ isLoading: false }),
            that.initProvince();
        }

    }
},function(){});
},

loadAddressEvent: function() {
    var that = this;
    that.loadAddress(function (res) {
        var adTypeIdx = ;
        if (res.data.address.address_name == that.data.addressNames[]) {
            adTypeIdx =
        } else if (res.data.address.address_name == that.data.addressNames[1]) {
            adTypeIdx = 1;
        }

        var provinceId = res.data.address.province_id,
            cityId = res.data.address.city_id,
            areaId = res.data.address.district_id,
            provinces = [{ 'region_name': '选择省份' }],
            citys = [{ "region_name": "选择城市" }],
            areas = [{ "region_name": "选择地区" }],
            area = regions[3],
            city = regions[2],
            provinceIdx, areaIdx, cityIdx;

        regions[1].map(function (province) {
            provinces.push(province);
        });

        for (var ii = ; ii < city.length; ii++) {
            if (provinceId == city[ii].parent_id) {
                citys.push(city[ii]);
            }
        }
        for (var iii = ; iii < area.length; iii++) {
            if (cityId == area[iii].parent_id) {
                areas.push(area[iii]);
            }
        }
    }
}

```

```

    for (var ii = ; ii < citys.length; ii++) {
        if (cityId == citys[ii].region_id) {
            cityIdx = ii;
            break;
        }
    }
    for (var iiii = ; iiii < areas.length; iiii++) {
        if (areaId == areas[iiii].region_id) {
            areaIdx = iiii;
            break;
        }
    }
    for (var ii = ; ii < provinces.length; ii++) {
        if (provinceId == provinces[ii].region_id) {
            provinceIdx = ii;
            break;
        }
    }
}

```

```

    that.setData({ provinces: provinces, citys: citys, areas: areas, address:
res.data.address, old_value: [provinceIdx, areaIdx, cityIdx], adTypeIdx: adTypeIdx});

```

```

    }, function () {

    });
},

```

```

handlerAddress: function (addressData, url, method, successCallback, failCallback) {
    var that = this;

    if (this.data.isOperate)
    {
        console.log("快");
        return true;
    }
}

```

```

this.setData({isLoading: true,isOperate: true});
wx.request({
    url: url,
    header: {
        'AccessToken': wx.getStorageSync("token")
    },
    method: method,
    data: addressData,
    success(res) {
        successCallback(res);
    }
}

```

```

    },
    fail: function (res) {
        failCallback();
    },
    complete: function (res) {
        that.setData({isLoading: false,isOperate: false});
    }
});
},

```

//添加地址 || 或者修改地址

```

listenFormSubmit: function (e) {
    var that = this;
    var formData = e.detail.value;

    if (!formData.receive_name.trim()) {
        this.setData({ 'receive_name_tip': true });
    } else {
        this.setData({ 'receive_name_tip': false });
    }

    if (!formData.mobile.trim()) {

        this.setData({ 'mobile_tip': true });
    } else {
        this.setData({ 'mobile_tip': false });
    }

    if (!/^d{11}$/.test(formData.mobile.trim())) {

        this.setData({ 'mobile_tip': true });
    } else {
        this.setData({ 'mobile_tip': false });
    }

    if (!formData.address_name.trim()) {

        this.setData({ 'adType_tip': true });
    } else {
        this.setData({ 'adType_tip': false });
    }

    if (!formData.province.trim()) {
        this.setData({ 'province_tip': true });
    } else {
        this.setData({ 'province_tip': false });
    }
}

```

```

if (!formData.city.trim() && !this.data.province_tip) {
  this.setData({ 'city_tip': true });
} else {
  this.setData({ 'city_tip': false });
}

if (!formData.district.trim() && !this.data.city_tip && !this.data.province_tip) {

  this.setData({ 'district_tip': true });
} else {
  this.setData({ 'district_tip': false });
}

if (!formData.address.trim()) {
  this.setData({ 'adinfo_tip': true });
} else {
  this.setData({ 'adinfo_tip': false });
}

if (this.data.receive_name_tip || this.data.mobile_tip || this.data.province_tip ||
this.data.city_tip || this.data.district_tip || this.data.adType_tip ||
this.data.adinfo_tip) {
  return false;
}

var url = "./addresses", goOrder = goodsId && goodsId != "undefined" && sellType &&
sellType != "undefined";

if (goOrder)
{
  url += "?goods_id=" + goodsId,
  url += "&sell_type=" + sellType;
}

if (!addressId) {
  this.handlerAddress(formData, app.globalData.apiUrl + "v1.0/users/address", "POST"
, function (res){

    if (res.data.result == 'ok'){
      if (goOrder){
        url += "&address_id=" + res.data.address_id;
      }
    }

    wx.redirectTo({
      url: url,
    });

  }, function(){

```

```

    });
  } else {
    this.handlerAddress(formData, app.globalData.apiUrl + "v1.0/users/address/" +
addressId, "PUT"
    , function (res) {

      if (goOrder){
        url += "&address_id=" + addressId;
      }

      wx.redirectTo({
        url: url,
      });

    }, function () {

    });
  }
},

initProvince: function() {
  var provinces = [{ 'region_name': '选择省份' }];
  var citys = [{ "region_name": "选择城市" }];
  var areas = [{ "region_name": "选择地区" }];
  regions[1].map(function (province){
    provinces.push(province);
  });
  this.setData({ provinces: provinces, citys: citys, areas: areas });
},

areaPickerChange: function (e) {
  var province_idx = e.detail.value[0],
    city_idx = e.detail.value[1],
    district_idx = e.detail.value[2],
    citys = [],
    areas = [],
    province_id,
    city,
    area,
    city_id;

  // 省份
  if (e.detail.value[0] != this.data.old_value[0]) {
    citys = [{ "region_name": "选择城市" }],
    areas = [{ "region_name": "选择地区" }];
    if (this.data.provinces[province_idx].region_id != undefined) {
      province_id = this.data.provinces[province_idx].region_id,
      city = regions[2];
      for (var ii = 0; ii < city.length; ii++) {

```

```

        if (province_id == city[ii].parent_id) {
            citys.push(city[ii]);
        }
    }
}

this.setData({ old_value: [province_idx, , ] });
this.setData({ citys: citys, areas: areas });

if (this.data.provinces[this.data.old_value[]].region_id) {
    this.setData({ 'province_tip': false });
} else {
}
return;
}

//城市
if (e.detail.value[1] != this.data.old_value[1]) {

    areas = [{ "region_name": "选择地区" }];

    if (this.data.citys[city_idx] != undefined) {
        city_id = this.data.citys[city_idx].region_id,
        area = regions[3];
        for (var ii = ; ii < area.length; ii++) {
            if (city_id == area[ii].parent_id) {
                areas.push(area[ii]);
            }
        }
    }

    this.setData({ old_value: [province_idx, city_idx, ] });
    this.setData({ areas: areas });

    if (this.data.citys[this.data.old_value[1]].region_id) {
        this.setData({ 'city_tip': false });
    } else {
    }
    return;
}
}

if (e.detail.value[2] != this.data.old_value[2]) {
    this.setData({ old_value: [province_idx, city_idx, district_idx] });
}

if (this.data.areas[this.data.old_value[2]].region_id) {
    this.setData({ 'district_tip': false });
} else {
}

```

```

},

adTypesChange: function (e) {
    var adTypeIdx = e.detail.value;
    this.setData({
        adTypeIdx: adTypeIdx
    })
},

finish: function (e) {
    if (!this.data.old_value[]) {
        this.setData({ "province_tip": true });
        return false;
    } else {
        if (this.province_tip)
            this.setData({ "province_tip": false });
    }

    if (!this.data.old_value[1]) {
        this.setData({ "city_tip": true });
        return false;
    } else {
        if (this.city_tip) this.setData({ "city_tip": false });
    }

    if (!this.data.old_value[2]) {
        this.setData({ "district_tip": true });
        return false;
    } else {
        if (this.district_tip) this.setData({ "district_tip": false });
    }
    this.closeRegion();
},

receive_function: function (e) {
    if (!e.detail.value.trim()) {
        this.setData({ 'receive_name_tip': true });
    } else {
        this.setData({ 'receive_name_tip': false });
    }
},

mobile_function: function (e) {
    if (!e.detail.value.trim()) {
        this.setData({ 'mobile_tip': true });
    } else {
        this.setData({ 'mobile_tip': false });
    }
}

```

```

        if (!/^\\d{11}$/.test(e.detail.value.trim())) {

            this.setData({ 'mobile_tip': true });
        } else {
            this.setData({ 'mobile_tip': false });
        }
    },

    adinfo_function: function (e) {
        if (!e.detail.value.trim()) {
            this.setData({ 'adinfo_tip': true });
        } else {
            this.setData({ 'adinfo_tip': false });
        }
    },

    onLoad: function (options) {
        addressId = this.options.address_id,
        goodsId = this.options.goods_id,
        addressId = this.options.address_id,
        sellType = this.options.sell_type;

        wx.setNavigationBarTitle({
            title: addressId ? '编辑地址' : '添加新地址'
        })

        this.loadData();
    },

    openRegion: function (e) {
        this.setData({
            isRegionOpen: true
        })
    },

    closeRegion: function (e) {
        this.setData({
            isRegionOpen: false
        })
    },

    deleteAddressEvent: function(e) {
        var that = this,url = "./addresses", goOrder = goodsId && goodsId != "undefined" &&
sellType && sellType != "undefined";
        console.log(goodsId)
        that.cancelCallback = function () {
            that.setData({ showWinpopModal: true });
        }
    }
}

```



```

    },

    that.confirmCallback = function () {

        that.setData({ isLoading: true, isOperate: true });
        wx.request({
            url: app.globalData.apiUrl + "v1.0/users/address/" + addressId,
            method: "DELETE",
            header: {
                'AccessToken': wx.getStorageSync("token")
            },
            success(res) {
                if (res.data.result == 'ok') {

                    if (goOrder) {
                        url += "?sell_type=" + sellType + "&goods_id="
                            + goodsId + "&address_id=" + addressId;
                    }

                    wx.redirectTo({
                        url: url,
                    });
                }
            },
            fail: function (res) {
            },
            complete: function (res) {
                that.setData({ isLoading: false, isOperate: false })
            }
        });

    },

    that.setData({ showWinpopModal: true, winpopContent: "确定删除这个地址吗?" })

},

onReady: function () {

},

onShow: function () {

},

```

```

onHide: function () {

},

onUnload: function () {

},

onPullDownRefresh: function () {

},

onReachBottom: function () {

}

})

```

address.json

```

{
  "navigationBarTitleText": " ",
  "enablePullDownRefresh": true,
  "navigationBarBackgroundColor": "#F8F8F8",
  "navigationBarTextStyle": "black",
  "usingComponents": {
    "page-loading": "../..component/page-loading/page-loading",
    "net-error-tips": "../..component/net-error-tips/net-error-tips",
    "auth-dialog": "../..component/auth-dialog/auth-dialog",
    "winpop-mask": "../..component/wincpop-mask/wincpop-mask"
  }
}

```

address.wxml

```

<page-loading isLoading="{{isLoading}}" isOperate="{{isOperate}}"></page-loading>

```

```

<view class="body" wx:if="{{!isLoading || isOperate}}">
  <view class="div mod_container">
    <view class="div wx_bar">
      <view class="div wx_bar_back">
        <navigator id="back" url="javascript:void(0);"></navigator>
      </view>
      <view class="div wx_bar_tit">收货地址</view>
    </view>
    <form bindsubmit="listenFormSubmit" bindreser="listenFormReser" report-submit="true">
      <view class="div wx_wrap">
        <view class="address_new">
          <view class="p">
            <label for="name"><view class="span tit">收货人</view>
              <input id="name" name="receive_name"
value="{{address.receive_name}}" placeholder="名字" type="text"
bindblur='receive_function' placeholder-class="i_placeholder"/>
              <view class="span" id="updateTip1" style="color: #F43530;
{{!receive_name_tip ? 'display: none;' : ''}}">请填写姓名</view>
            </label>
          </view>

          <view class="p">
            <label for="mobile"><view class="span tit">手机号码</view>
              <input id="mobile" name="mobile" value="{{address.mobile}}"
placeholder="手机号码" type="number" bindblur='mobile_function' placeholder-
class="i_placeholder"/>
              <view class="span" id="updateTip2" style="color: #F43530;
{{!mobile_tip ? 'display: none;' : ''}}">请填写正确的手机号</view>
            </label>
          </view>

          <view class="p">
            <label><view class="span tit">选择地区</view>
              <view class="input __border
{{provinces[old_value[0]].region_name ? '' : 'i_placeholder'}}" id="address_text"
name="address_text" bindtap="openRegion">
                <block wx:if="{{provinces[old_value[0]].region_name}}">
{{provinces[old_value[0]].region_name}} {{citys[old_value[1]].region_name}}
{{areas[old_value[2]].region_name}}</block>
                <block wx:else>选择地区</block>
              </view>

              <input disabled="true" name="province"
value="{{provinces[old_value[0]].region_id}}" class="hide"/>
              <input disabled="true" name="city"
value="{{citys[old_value[1]].region_id}}" class="hide"/>
            </label>
          </view>
        </view>
      </view>
    </form>
  </view>
</view>

```

```

        <input disabled="true" name="district"
value="{{areas[old_value[2]].region_id}}" class="hide"/>
        <view class="span" id="updateTip2" style="color: red;
{{!province_tip ? 'display: none;' : ''}}">请填写正确的省</view>
        <view class="span" id="updateTip2" style="color: red;
{{!city_tip ? 'display: none;' : ''}}">请填写正确的市</view>
        <view class="span" id="updateTip2" style="color: red;
{{!district_tip ? 'display: none;' : ''}}">请填写正确的区</view>
    </label>
</view>

    <view class="p" id="adType">
        <view class="label" for="adType"><view class="span tit">地址类
别</view>
        <picker bindchange="adTypesChange" value="{{adTypeIdx}}"
range="{{adTypes}}" class='__border'>
            <!-- i_placeholder -->
            <view class="picker">
                {{adTypes[adTypeIdx]}}
                <input disabled="true" name="address_name"
value="{{addressNames[adTypeIdx]}}" class="hide"/>
            </view>
        </picker>
        <view class="span" id="updateTip7" style="color: #F43530;
{{!adType_tip ? 'display: none;' : ''}}">请选择家庭/公司</view>
    </view>
</view>

    <view class="p">
        <view class="label" for="adinfo"><view class="span tit">详细地
址</view>
        <input id="adinfo" name="address" value="{{address.address}}"
placeholder="详细地址" type="text" bindblur='adinfo_function' placeholder-
class="i_placeholder"/>
        <view class="span" id="updateTip6" style="color: #F43530;
{{!adinfo_tip ? 'display: none;' : ''}}">请填写详细地址</view>
    </view>
</view>

    <view class="p action">
        <button class="submit" id="add" formType="submit">确认</button>
        <block wx:if="{{address.address_id}}">
            <button class="submit hidden" style="background-color: #F43530;"
id="deletes" bindtap="deleteAddressEvent" data-address_id="{{address.address_id}}">删
除</button>

```

```

        </block>
    </view>

    <!-- start -->
    <view class="address_select" style="{{isRegionOpen ? '' :
'display:none;'}}">
        <view class="area_ctrl slideInUp" catchtap="stopclose">
            <view class="div area_btn_box">
                <view class="div area_btn larea_cancel" bindtap="close"
style="visibility:hidden;">取消</view>
                <view class="div area_btn larea_finish" bindtap="finish">完成
                </view>
            </view>

            <picker-view bindchange="areaPickerChange" value="{{old_value}}"
wx:if="{{isRegionOpen}}">
                <picker-view-column class="selectItem">
                    <view class="tooth" wx:for="{{provinces}}"
wx:key="index">{{item.region_name}}</view>
                </picker-view-column>
                <picker-view-column class="selectItem">
                    <view class="tooth" wx:for="{{citys}}"
wx:key="index">{{item.region_name}}</view>
                </picker-view-column>
                <picker-view-column class="selectItem">
                    <view class="tooth" wx:for="{{areas}}"
wx:key="index">{{item.region_name}}</view>
                </picker-view-column>
            </picker-view>
        </view>

    <!-- end -->

    </view>
</view>
</view>
</form>
</view>
</view>

<auth-dialog showAuthModal="{{showAuthModal}}" bind:confirm="loadData"></auth-dialog>

<winpop-mask showWinpopModal="{{showWinpopModal}}" winpopContent="{{winpopContent}} "
bind:cancelCallback="cancelCallback" bind:confirmCallback="confirmCallback"></winpop-
mask>

```

addresses.js

```
// pages/addresses.js
//获取应用实例
const app = getApp();

var goodsId = , addressId = , sellType = ;
Page({

  data: {
    isLoading: true,
    isOperate: false,
    showAuthModal: false
  },

  loadData: function () {
    var that = this;

    app.getUserInfo(function (res) {

    }, function () {
      that.setData({
        showAuthModal: true,
      });
    });

    wx.request({
      url: app.globalData.apiUrl + 'v1.0/users/addresses',
      header: {
        'AccessToken': wx.getStorageSync("token")
      },
      success: function (res) {

        that.setData({
          addressList: res.data.address_list
        });

        that.setData({
          isNoNetError: true
        });
      },
      fail: function (res) {
        that.setData({
          isNoNetError: false
        });
      },
      complete: function (res) {
```

```

        wx.stopPullDownRefresh();
        that.setData({
            isLoading: false
        });
    }
});
},

onPullDownRefresh: function () {
    this.loadData();
},

onLoad: function (options) {
    goodsId = options.goods_id || false,
    sellType = options.sell_type || false,
    addressId = options.address_id || false;

    this.setData({
        goods_id: goodsId,
        address_id: addressId,
        sell_type: sellType,
        address_id: addressId
    }),
    this.loadData();
},
setDefaults: function (obj) {
    var idx = obj.currentTarget.dataset.index, that = this , url;

    if (goodsId && goodsId != "undefined" && sellType && sellType != "undefined"){

        url = "./checkout?goods_id=" + goodsId + "&sell_type=" + sellType

        if (that.data.addressList[idx].address_id){
            url += "&address_id=" + that.data.addressList[idx].address_id
        }

        wx.redirectTo({
            url: url,
        })

        return;
    }

    wx.request({
        url: app.globalData.apiUrl + "v1.0/users/addresses/" +
that.data.addressList[idx].address_id,
        method: "PUT",
    })
}

```

```

    data: {status : "DEFAULT"},
    header: {
        'AccessToken': wx.getStorageSync("token")
    }
});

for (var i = ; i < that.data.addressList.length; i++){
    that.data.addressList[i].status = (i == idx ? "DEFAULT" : "COMMON");
}
that.setData({ addressList: that.data.addressList });

},
edit: function (e) {
    var url = "address?address_id=" + e.target.dataset.address_id;
    if (goodsId && sellType){
        url += "&goods_id=" + goodsId + "&sell_type=" + sellType;
    }
    wx.redirectTo({
        "url": url,
    });
},

onReady: function () {

},

onShow: function () {

},

onHide: function () {

},

onUnload: function () {

},

onReachBottom: function () {

}
})

```


addresses.json

```
{
  "enablePullDownRefresh": true,
  "navigationBarTitleText": "管理收货地址",
  "navigationBarBackgroundColor": "#F8F8F8",
  "navigationBarTextStyle": "black",
  "usingComponents": {
    "page-loading": "../component/page-loading/page-loading",
    "net-error-tips": "../component/net-error-tips/net-error-tips",
    "auth-dialog": "../component/auth-dialog/auth-dialog"
  }
}
```

addresses.wxml

```
<page-loading isLoading="{{isLoading}}" isOperate="{{isOperate}}"></page-loading>

<view class="body">
  <view class="div_block div" style="height: 257px;"></view>
  <view class="div_add_address_red">
    <view class="inner_red div">
      <navigator hover-class="none" url="{{goods_id != 'undefined' && goods_id ?
'./address?goods_id=' + goods_id + '&sell_type=' + sell_type : './address'}}" class="a
add_text_red" style="color:white" id="new">新增地址</navigator>
    </view>
  </view>

  <view class="div_wx_bar">
    <view class="div_wx_bar_back">
      <view class="a " id="listPageback" href="javascript:void(0);"></view>
    </view>
    <view class="wx_bar_act div ">
      <view href="javascript:void(0);" class="a wx_bar_new" style="display: none;"
id="_new"></view>
    </view>
  </view>
  <view class="div_wx_wrap">
    <view class="div_address_list" id="addressList" style="-webkit-transform-origin:
0px 0px; opacity: 1; -webkit-transform: scale(1, 1);">
      <view avalonctrl="div address">
```

```

<view class="div address">

  <block wx:key="item" wx:for="{{addressList}}">

    <view class="div wrap_address">
      <view class="span address_name">{{item.address_name == "HOME" ?
"家庭" : "公司"}}</view>
      <view class="span none" wx:if="{{item.status == 'DEFAULT'}}">默
认</view>
    </view>
    <view class="ul {{goods_id != 'undefined' && goods_id && address_id
== item.address_id ? 'marginleft bg_color' : ''}}" addid="4" rgid="330108"
level="undefined" addetail="世界包装中心1号楼402乐其" type="0" bindtap="setDefaults" data-
index="{{index}}">
      <view class="li add_li"><view
class="strong">{{item.receive_name}}</view></view>
      <view class="li">{{item.mobile}}</view>
      <view class="li add_li_font"><view class="span" style="display:
inline;">{{item.province}}</view>{{item.city}}</view></view>
      <view class="li add_li_font"><view class="span" style="display:
inline;">{{item.address}}</view></view>
      <view style="display:none" class="li
def_add_id">{{item.address_id}}</view>
      <view class="li edit" catchtap="edit" data-
address_id="{{item.address_id}}">编辑</view>
      <view class="span icon_address1 {{address_id == item.address_id
? 'bg_color' : ''}}" wx:if="{{goods_id != 'undefined' && goods_id}}"></view>
      <view class="span {{item.status == 'DEFAULT' ? 'icon_address' :
''}}" wx:else></view>
    </view>
  </block>
</view>

  <view class="div margin_footer"></view>
</view>
</view>
</view>
</view>

<auth-dialog showAuthModal="{{showAuthModal}}" bind:confirm="loadData"></auth-dialog>

```

checkout.js

```

// pages/checkout.js
//获取应用实例

```

```

const app = getApp();
var sellType = , goodsId = , addressId = , groupOrderId = , orderId = ,
    order = require('../utils/order.js')

Page({

  data: {
    isLoading: false,
    isBannering: false,
    isGroupHelp: false,
    isNoNetError: true,
    isPayDisable: false,
    isCancelPay: false,

    showPage: false,
    _: app.globalData._.config
  },

  loadAddresses: function (successCallback, failCallback) {
    var that = this;
    wx.request({
      url: app.globalData.apiUrl + 'v1.0/users/addresses',
      header: {
        'AccessToken': wx.getStorageSync("token")
      },
      success: function (res) {
        successCallback(res);
      },
      fail: function (res) {
      },
      complete: function (res) {
      }
    });
  },

  setIsGroupHelp: function() {
    this.setData({"isGroupHelp" : true});
  },

  goodsDetail: function() {
    var that = this;
    wx.request({
      url: app.globalData.miniUrl + 'v1.0/goods/' + goodsId,
      success: function (res) {

        if (res.data.result == 'fail') {

          that.setData({ showWinpopModal: true, showWinpopCancel: false, winpopContent:

```

```

that.data._.error_text[4] })),
    that.setData({ isLoading: false, isOperate: false })

    } else if (res.data.result == 'ok') {

        that.setData({
            goods: res.data.goods,
            showPage: true
        });

    } else {

        that.setData({ showWinpopModal: true, showWinpopCancel: false, winpopContent:
that.data._.error_text[] })

    }

    that.confirmCallback = function(){
        app.goHome();
    }

    that.setData({
        isNoNetError: true
    });
},
fail: function (res) {
    that.setData({
        isNoNetError: false
    });
},
complete: function (res) {
    wx.stopPullDownRefresh();
    that.setData({
        isLoading: false
    });
}
});
},

orderBanner: function () {
    var that = this;
    wx.request({
        url: app.globalData.apiUrl + 'v1.0/banners/order',
        success: function (res) {
            that.setData({
                banner: res.data.banner
            });
        }
    });
});

```

```

},

closeBanner: function (e) {
  this.setData({ 'isBannering': false });
},

loadData: function() {
  var that = this;

  this.goodsDetail(),

  this.orderBanner(),

  this.loadAddresses(function(res){
    if (res.data['result'] == "ok") {
      if (res.data.address_list.length > ){

        var address = that.addressSort(res.data.address_list, addressId);
        that.setData({ "address": address }), addressId = address.address_id;
      }
    }
  },function(){});

},

//跳转地址页面
redirectAddresses: function () {

  if(orderId){
    wx.showToast({ title: "订单已生成，信息不可更改", icon: "none" });
    return;
  }

  var url;

  if (this.data.address != undefined && this.data.address.address_id != undefined &&
this.data.address.address_id > ) {
    url = "addresses?sell_type=" + sellType + "&goods_id=" + goodsId;
    url += "&address_id=" + this.data.address.address_id;
  } else {
    url = "address?goods_id=" + goodsId + "&sell_type=" + sellType;
  }

  wx.navigateTo({
    url: url
  })
}

```

```

    });
},

onLoad: function (options) {
    var that = this;
    goodsId = options.goods_id,
    sellType = options.sell_type,
    addressId = options.address_id,
    groupOrderId = options.group_order_id,
    orderId = ;

    this.setData({
        sell_type: sellType,
        goods_id: goodsId
    });

    app.getUserInfo(function (res) {

        that.setData({
            isLoading: true,
            isBannering: true
        }),

        setTimeout(function () {
            that.closeBanner();
        }, 3500),

        that.loadData();

    }, function () {
        that.setData({
            showAuthModal: true,
            showPage: true
        });
    });
},

btnOrderDone: function () {
    if (!this.data.address) return false;
    if (this.data.isPayDisable) return true;

    var that = this, createOrderData;
    this.setData({ "isPayDisable": true });

    if (orderId){

```

```

        that.pay();
        return;
    }

    createOrderData = {
        "goods_id": goodsId,
        "address_id": addressId,
        "groupbuy": sellType == 1 ? 1 : ,
        "group_order_id": groupOrderId ? groupOrderId :
    };
    wx.request({
        url: app.globalData.apiUrl + 'v1.0/users/orders',
        method: "POST",
        header: {
            'AccessToken': wx.getStorageSync("token")
        },
        data: createOrderData,
        success: function (res){
            if(res.data.result == "ok"){
                orderId = res.data.order_id,
                that.pay();
            }else{

                if (res.data.result == "fail")
                {
                    that.setData({ showWinpopModal: true, showWinpopCancel: false,
winpopContent: res.data.error_info });
                    // wx.showToast({ title: res.data.error_info, icon: "none" });
                }else{
                    that.setData({ showWinpopModal: true, showWinpopCancel: false,
winpopContent: that.data._.error_text[] });
                    // wx.showToast({ title: that.data._.error_text[0], icon: "none" });
                }

                that.confirmCallback = function (){
                }

                console.log(res);

                that.setData({ "isPayDisable": false });
            }
        },
        fail: function (res) {
            that.setData({ "isPayDisable": false });
        },
        complete: function (res) {
        }
    }

```

```

});

},

// 请求支付参数
pay: function (e) {
  var that = this;
  order.pay(orderId,function(res){

    if (res.data.result == 'fail') {

      that.setData({ showWinpopModal: true, showWinpopCancel: false, winpopContent:
res.data.error_info });

    } else if (res.data.result == 'ok') {
      order.goPay(res.data.param, function () {
        // 支付成功
        order.paySuccess(orderId)

      }, function (res) {

        that.setData({ "isPayDisable": false })
        console.log(res)
      }, function (res) {
        if (res.errMsg == "requestPayment:fail cancel") {
          that.setData({ "isCancelPay": true }),
            wx.showToast({ title: app.globalData._.config.pay_text.cancel, icon:
"none" });
        }
      });
    } else {

      that.setData({ showWinpopModal: true, showWinpopCancel: false, winpopContent:
that.data._.error_text[] }),

      that.confirmCallback = function () {
        that.setData({ "isPayDisable": false })
      }

    }
  },function(res){
    that.setData({ "isPayDisable": false })
  },function(res){

  });
},

onReady: function () {

```



```

},

onShow: function () {

},

onHide: function () {

},

onUnload: function () {

},

onPullDownRefresh: function () {

},

onReachBottom: function () {

},

addressSort: function (list, address_id) {
    var address;
    if (list.length == 1) {
        return list[];
    }
    if (list.length <= ) {
        return null;
    }

    for (var i in list) {
        if (undefined != address_id) {
            if (list[i]['address_id'] == address_id) {
                address = list[i];
            }
        } else if (list[i]['status'] == "DEFAULT") {
            address = list[i];
        } else if (i >= list.length - 1) {
            address = list[];
        }
    }
    return address;
}

```

```
}
})
```

checkout.json

```
{
  "navigationBarBackgroundColor": "#F8F8F8",
  "navigationBarTextStyle": "black",
  "navigationBarTitleText": "确认订单",
  "usingComponents": {
    "page-loading": "../../component/page-loading/page-loading",
    "net-error-tips": "../../component/net-error-tips/net-error-tips",
    "group-help": "../../component/group-help/group-help",
    "winpop-mask": "../../component/wincpop-mask/wincpop-mask",
    "auth-dialog": "../../component/auth-dialog/auth-dialog"
  }
}
```

checkout.wxml

```
<page-loading isLoading="{{isLoading}}" isOperate="{{isOperate}}"></page-loading>

<view class="body checkout" wx-if="{{showPage}}">
  <view class="div" style="display: block;">
    <view class="div wx_wrap">

      <view bindtap="redirectAddresses" hover-class="none">
        <view class="a send_address">

          <view class="div" id="sendTo">
            <view class="div address address_defalut" style="{{address ? ''
: 'display: none;'}}">
              <view class="div address_name_order">
                <view class="span">{{address.address_name == "WORK" ? "公司":
"家庭"}}</view>
              </view>

              <view class="h3">
                <view class="b send_margin">送至</view>
                <view class="br"></view>
              </view>
            </view>
          </view>
        </view>
      </view>
    </view>
  </view>
</view>
```

```

</view>

<view id="editAddBtn" adid="4" class="ul">
  <view class="li">
    <view class="strong">{{address.receive_name}}</view>
    {{address.mobile}}
  </view>
  <view class="li">{{address.address}}</view>
</view>
</view>

<view class="div address_new" style="display: none;">
  <view class="h4 lou_userinfo">本人信息:<view class="strong
name_lou">{{address.mobile}}&nbsp;&nbsp;&nbsp;{{address.mobile}}</view></view>
</view>

<view class="div address text_center" style="{{!address ? '' :
'display: none;'}}">
  <view class="span"> <view class="strong">您还没有收货地址哦,点击
新增地址</view></view>
</view>
</view>
</view>
</view>
</view>
<block wx:if="{{ goods }}">
  <view class="div order">
    <view class="div order_bd">
      <view id="orderList" class="div order_glist">
        <view class="div only">
          <view class="div order_goods">
            <view class="div order_goods_img">
              <image mode="aspectFill" class="img" alt=""
src="{{goods.image_url}}" />
            </view>
            <view class="div order_goods_info">
              <view class="div order_goods_name"><view
id="tuanLbl"></view>{{goods.goods_name}}</view>
              <view class="div order_goods_attr">
                <view class="div order_goods_attr_item">
                  <view id="goodsPrice" class="div
order_goods_price2">
                    <view class="i">□</view>
                    <block wx:if="{{sell_type ==
1}}">{{goods.group_price}}</block>
                    <block
wx:else>{{goods.alone_price}}</block>
                    <view class="i"
style="display:none;">/8个</view>
                  </view>
                </view>
              </view>
            </view>
          </view>
        </view>
      </view>
    </view>
  </view>
</block>

```

```

        </view>
        <view class="p order_goods_attr_item"><view
id="skuLast" class="span"></view><view class="i"></view></view>
        </view>
    </view>
</view>
</view>
</view>
</view>
</view>
<view class="div" id="pay_area" style="opacity: 1;">
    <view class="div total">快递 : <view class="small">□</view>0.00 总价 : <view
id="totalPrice" class="span total_price"><view class="i">□</view>
        <block wx:if="{{sell_type == 1}}">{{goods.group_price}}</block>
        <block wx:else>{{goods.alone_price}}</block></view></view>
    <view class="pay2 div ">
        <!-- <view class="div pay2_hd">请选择支付方式</view> -->
        <view class='h_20'></view>

        <view id="payList" class="div pay2_list">
            <view id="goTenPay" class="div pay2_item pay2_wx
pay2_selected">

                <view class="span pay2_item_state"></view>
                <view class="span pay2_item_ico"></view>
                <view class="span pay2_item_tit">微信支付</view>
            </view>
        </view>

        <view class='h_20'></view>

        <form name="theForm" id="theForm" class="form" report-
submit="true" bindsubmit="btnOrderDone">
            <view>
                <button formType="submit" class="pay2_btn"
id="btn_order_done" style="{{isPayDisable || !address ? 'opacity: 0.4;' : ''}} " >
                    <block wx:if="{{isPayDisable}}">正在支付 请稍候</block>
                    <block wx:elif="{{isCancelPay}}">继续支付</block>
                    <block wx:else>立即支付</block>
                </button>
            </view>
        </form>
    </view>
</view>
</block>

</view>
<view class='h_20'></view>

```

```

        <import src="./base/group-step.wxml" />
        <template is="step" data="{{setIsGroupHelp: setIsGroupHelp,step: 2}}" />

</view>

    <view class="div widget slide_widget_tip {{isBannering && banner.open == '1' ?
'slide_tip' : ''}}" bindtap="closeBanner" hidden="{{!goods}}">
        <view class="div title">
            <view class="p">温馨提示</view>
        </view>
        <view class="div content">
            <view class="p">
                {{banner.desc}}
            </view>
        </view>
    </view>

    <view class="section modaled" hidden="{{!isBannering || banner.open ==
'0'}}"></view>
</view>

<group-help isGroupHelp="{{isGroupHelp}}"></group-help>

<net-error-tips isNoNetError="{{isNoNetError}}" bind:loadData="loadData"></net-error-
tips>

<winpop-mask showWinpopModal="{{showWinpopModal}}"
showWinpopCancel="{{showWinpopCancel}}" winpopContent="{{winpopContent}}"
bind:cancelCallback="cancelCallback" bind:confirmCallback="confirmCallback"></winpop-
mask>

<auth-dialog showAuthModal="{{showAuthModal}}" bind:confirm="loadData"></auth-dialog>

```

goods.js

```

// pages/goods.js
//获取应用实例
const app = getApp();
var goodsId = ;

Page({

```

```

/**
 * 页面的初始数据
 */
data: {
  isLoading: true,
  isOperate: false,
  isNoNetError: true,
  goods: {},
  gallery: [],
  image_w_h: {},

  shareAnimationData: null,
  showShareModalStatus: false,

  isNoNetError: true,
  qrcodeUrl: null, //海报地址
  showPosterModal: false,

  _: app.globalData._.config,

  current: 1,
  showAuthModal: false,

  showPage: false
},

loadData: function() {
  var that = this;

  wx.request({
    url: app.globalData.miniUrl + 'v1.0/goods/' + goodsId,
    success: function (res) {
      if (res.data.result == 'fail'){

        that.setData({ showWinpopModal: true, showWinpopCancel: false, winpopContent:
that.data._.error_text[4] }),
        that.setData({ isLoading: false, isOperate: false })

      }else if(res.data.result == 'ok'){
        that.setData({
          goods: res.data.goods,
          gallery: res.data.gallery,
          isShowOut: >= parseInt(res.data.goods.goods_stock),
          showPage: true
        });

        app.getImageUrlInfo(that, that.data.gallery[0].img_url
          , function () {

```

```

        that.setData({ isOperate: true })
      }, function (image_w_h) {
        that.setData({ isLoading: false, isOperate: false, image_w_h:
app.wxAutoImageCal(image_w_h.width, image_w_h.height) })
      }, function () {
        that.setData({ isLoading: false, isOperate: false })
      });
      that.setData({
        isNoNetError: true
      });
    }else{

      that.setData({ isLoading: false, isOperate: false }),
      that.setData({ showWinpopModal: true, showWinpopCancel: false,
winpopContent: that.data._.error_text[]})

    }

    that.confirmCallback = function(){
      that.goHome();
    }

  },
  fail: function (res) {
    that.setData({
      isNoNetError: false
    });
    that.setData({ isLoading: false, isOperate: false })
  },
  complete: function (res) {
    wx.stopPullDownRefresh();
  }
});
},
showShareModal: function () {

  this.setData({
    isNoScroll: true
  });
  // 显示遮罩层
  var animation = wx.createAnimation({
    duration: 100,
    timingFunction: "ease",
    delay:
  });
  animation.translateY(300).step();

```

```

    this.setData({
      shareAnimationData: animation.export(),
      showShareModalStatus: true
    });

    setTimeout(function () {
      animation.translateY().step();
      this.setData({
        shareAnimationData: animation.export()
      })
    }.bind(this), 100);
  },

  hideShareModal: function () {

    this.setData({
      isNoScroll: false
    });
    // 隐藏遮罩层
    var animation = wx.createAnimation({
      duration: 200,
      timingFunction: "linear",
      delay:
    });

    animation.translateY(300).step();
    this.setData({
      shareAnimationData: animation.export(),
    })
    setTimeout(function () {
      animation.translateY().step();
      this.setData({
        shareAnimationData: animation.export(),
        showShareModalStatus: false
      });
    }.bind(this), 200);
  },

  onLoad: function (options) {
    goodsId = options.goods_id;

    //处理 扫描二维码打开时候带的参数
    var scene = decodeURIComponent(options.scene);

    if (scene != "undefined"){
      goodsId = scene;
    }
  }

```



```

    this.loadData();
  },

  onPullDownRefresh: function() {
    this.loadData();
  },

  previewImage: function (e) {
    var idx = e.currentTarget.dataset.idx;
    var gallery = [];

    for (var i = 0; i < this.data.gallery.length; i++) {
      gallery[i] = this.data.gallery[i].img_url;
    }

    wx.previewImage({
      current: gallery[idx],
      urls: gallery
    })
  },

  bindchange: function (e) {
    var current = e.detail.current + 1;
    this.setData({ current: current });
  },

  /*返回首页*/
  goHome: function () {
    app.goHome();
  },

  /**
   * 生命周期函数--监听页面初次渲染完成
   */
  onReady: function () {

  },

  /**
   * 生命周期函数--监听页面显示
   */
  onShow: function () {

  },

  /**
   * 生成分享海报
   */

```

```

shareQrcode: function () {
    var that = this;
    that.hideShareModal();

    that.setData({
        qrcodeUrl: app.globalData.miniUrl + "v1.0/wxacode/" + goodsId + "?page=" +
"pages/goods",
        posterUrl: app.globalData.miniUrl + "v1.0/goods/poster/" + goodsId,
        showPosterModal: true
    });
},

onShareAppMessage: function () {
    return app.share({ title: this.data.goods.goods_name, path: "pages/goods?goods_id="
+ goodsId });
},

})

```

goods.json

```

{
    "enablePullDownRefresh": true,
    "navigationBarTitleText": "商品详情",
    "navigationBarBackgroundColor": "#F8F8F8",
    "navigationBarTextStyle": "black",
    "usingComponents": {
        "page-loading": "../../component/page-loading/page-loading",
        "net-error-tips": "../../component/net-error-tips/net-error-tips",
        "mall-service": "../../component/mall-service/mall-service",
        "qrcode-poster": "../../component/qrcode-poster/qrcode-poster",
        "auth-dialog": "../../component/auth-dialog/auth-dialog",
        "winpop-mask": "../../component/wincpop-mask/wincpop-mask"
    }
}

```

group.js

```

// pages/group.js
//获取应用实例
const app = getApp();

```

```

var groupId = , util = require('../utils/util.js'), cron = require('../utils/cron.js');
Page({

  data: {
    isLoading: true,
    isOperate: false,
    qrcodeUrl: null,
    isHideLoadMore: true,
    isNoNetError: true,
    _: app.globalData._.config,

    showPosterModal: false,
    shareAnimationData: null,
    showShareModalStatus: false,

    showPage: false,

    showAuthModal: false
  },

  countdown: function (expire_time) {
    if (this.timer) clearTimeout(this.timer);
    var times = (expire_time - new Date().getTime() / 1000) * 1000, that = this;

    // if (times <= 0)
    // {
    //   cron.run(function () {}, function () {}, function ()
    {wx.startPullDownRefresh();})
    //   return;
    // }

    util.countdowns(this, [times], function(i) {
      that.data.group_order.status == '0' &&
      cron.run(function() {}, function() {}, function() {wx.startPullDownRefresh();})

    });
  },

  setIsGroupHelp: function () {
    this.setData({ "isGroupHelp": true });
  },

  loadData: function () {
    var that = this;

```

```

//请求订单列表
that.data.group_order = null;
wx.request({
  url: app.globalData.apiUrl + 'v1.0/users/groups/' + groupId,
  header: {
    'AccessToken': wx.getStorageSync("token")
  },
  success: function (res) {
    var group_title_class, group_detail_class, is_buy = false, group_but_url,
    group_but_text, tips_tit, tips_detail, group_type;

    if (res.data.result == 'fail') {
      that.setData({ showWinpopModal: true, showWinpopCancel: false, winpopContent:
that.data._.error_text[2] }),
      that.setData({ isLoading: false, isOperate: false })

    }else if(res.data.result == 'ok') {

      group_title_class = res.data.group_order.status == '2' ? 'tips_err' :
res.data.group_order.status == '1' ? 'tips_succ tips_succ2' : 'tips_succ tips_succ2',

      group_detail_class = res.data.group_order.status == '2' ? 'tm_err' :
res.data.group_order.status == '1' ? 'tm_succ' : 'tm_tm';

      for (var i = ; i < res.data.group_order.users.length; i++) {
        if (res.data.group_order.caller_id == res.data.group_order.users[i].user_id)
        {
          is_buy = true;
        }
      }

      if (res.data.group_order.status == '0') {
        if(!is_buy) {
          group_but_url = 'checkout?sell_type=1&goods_id=' +
res.data.group_order.order.goods_id + "&group_order_id=" +
res.data.group_order.group_order_id;
          group_but_text = that.data._.group_text[1];
        } else {
          group_but_url = '';
          group_but_text = that.data._.group_text[1].replace("%s",
(res.data.group_order.require_num - res.data.group_order.people));

```

```

    }
  } else {
    group_but_url = 'index';
    group_but_text = that.data._.group_text[2];
  }

  if(!is_buy) {
    group_type = ;
  } else if (res.data.group_order.users[].user_id !=
res.data.group_order.caller_id) {
    group_type = 1;
  } else {
    group_type = 2;
  }

  tips_tit =
that.data._.tuan_status[res.data.group_order.status]['tips_title'][group_type],
  tips_detail =
that.data._.tuan_status[res.data.group_order.status]['tips_detail'][group_type];

  res.data.group_order.tips_tit = tips_tit,
  res.data.group_order.tips_detail = tips_detail,
  res.data.group_order.group_but_text = group_but_text,
  res.data.group_order.group_but_url = group_but_url,
  res.data.group_order.group_detail_class = group_detail_class,
  res.data.group_order.group_title_class = group_title_class;

  if (res.data.group_order.status == '0')
  {
    that.countdown(res.data.group_order.expire_time);
  }

  that.setData({
    group_order: res.data.group_order,
    showPage: true
  });

} else {

  that.setData({ isLoading: false, isOperate: false }),
  that.setData({ showWinpopModal: true, showWinpopCancel: false,
winpopContent: that.data._.error_text[] })

}

```

```

        that.confirmCallback = function () {
            that.goHome();
        }

        that.setData({
            isNoNetError: true
        });
    },
    fail: function (res) {
        that.setData({
            isNoNetError: false
        });
    },
    complete: function (res) {
        wx.stopPullDownRefresh();
        that.setData({
            isLoading: false
        });
    }
});
},

goHome: function () {
    app.goHome();
},

redirect: function (e) {
    util.redirect(e.currentTarget.dataset.url);
},

showShareModal: function () {

    this.setData({
        isNoScroll: true
    });
    // 显示遮罩层
    var animation = wx.createAnimation({
        duration: 100,
        timingFunction: "ease",
        delay:
    });

    animation.translateY(300).step();
    this.setData({
        shareAnimationData: animation.export(),
    });
}

```

```

        showShareModalStatus: true
    });

    setTimeout(function () {
        animation.translateY().step();
        this.setData({
            shareAnimationData: animation.export()
        })
    }.bind(this), 100);
},

hideShareModal: function () {

    this.setData({
        isNoScroll: false
    });
    // 隐藏遮罩层
    var animation = wx.createAnimation({
        duration: 200,
        timingFunction: "linear",
        delay:
    });

    animation.translateY(300).step();
    this.setData({
        shareAnimationData: animation.export(),
    })
    setTimeout(function () {
        animation.translateY().step();
        this.setData({
            shareAnimationData: animation.export(),
            showShareModalStatus: false
        });
    }.bind(this), 200);
},

onLoad: function (options) {
    groupId = options.id;

    //处理 扫描二维码打开时候带的参数
    var scene = decodeURIComponent(options.scene);

    if (scene != "undefined") {
        groupId = scene;
    }

    var thisPage = this;
    app.getUserInfo(function (res) {
        thisPage.setData({

```

```

        userInfo: res,
    });
    thisPage.loadData()
}, function () {
    ;
    thisPage.setData({
        showAuthModal: true,
        isLoading: false,
        isOperate: false,
        showPage: true
    });
});

},

onReady: function () {

},

onShow: function () {

},

onHide: function () {

},

onUnload: function () {

},

onPullDownRefresh: function () {
    this.loadData();
},

onReachBottom: function () {

},

onShareAppMessage: function () {

},

```



```

/**
 * 生成分享海报
 */
shareQrcode: function () {
    var that = this;
    that.hideShareModal();

    that.setData({
        qrcodeUrl: app.globalData.miniUrl + "v1.0/wxacode/" + groupId + "?page=" +
"pages/group",
        posterUrl: app.globalData.miniUrl + "v1.0/group/poster/" + groupId,
        showPosterModal: true
    });
},

onShareAppMessage: function () {
    if (this.data.group_order.status == 1 || this.data.group_order.status == 8) {
        var desc = '您参加的' + this.data.group_order.order.order_goods.goods_name + '目前还差'
+ (this.data.group_order.require_num - this.data.group_order.people) + '人,快去叫上身边的小伙伴一起' + app.globalData._.config.app.name;
        return app.share({ title: this.data.group_order.order.order_goods.goods_name,
desc: desc, path: "pages/group?id=" + groupId });
    } else {
        return app.share({ title: "", desc: "", path: "pages/group?id=" + groupId });
    }
}

})

```

group.json

```

{
  "navigationBarTitleText": "拼团详情",
  "enablePullDownRefresh": true,
  "navigationBarBackgroundColor": "#F8F8F8",
  "navigationBarTextStyle": "black",
  "usingComponents": {
    "page-loading": "../../component/page-loading/page-loading",
    "net-error-tips": "../../component/net-error-tips/net-error-tips",
    "qrcode-poster": "../../component/qrcode-poster/qrcode-poster",
    "group-help": "../../component/group-help/group-help",
    "winpop-mask": "../../component/wincpop-mask/wincpop-mask",
    "auth-dialog": "../../component/auth-dialog/auth-dialog"
  }
}

```

group.wxml

```

<page-loading isLoading="{{isLoading}}" isOperate="{{isOperate}}"></page-loading>

<wxs src="../../libs/tools.wxs" module="tools" />

<view class="body" id="group" wx-if="{{showPage}}">
  <view class="div" id="group-container" style="display: block;">
    <view class="div explain_modal" >
      <view class="i explain_lou explain_icon" style="display:none"></view>
      <view class="i explain_tuan explain_icon" style="display:none"></view>
      <view class="div" id="showExplain">
        <view class="div showBg" id="showBg">
          </view>
        </view>
      </view>
    <view class="div content">
      <view class="div H5_con" id="group_title">
        </view>

        <!--拼团失败-->
        <view class="div H5_con" id="group_title" hidden="{{!group_order}}">
          <view class="div tips topStateWrap {{group_order.group_title_class}}">
            <!--tips_succ tips_err-->
            <view class="div tips_ico"></view>
            <view class="div tips_tit">{{group_order.tips_tit}}</view>
            <view class="div tips_txt">{{group_order.tips_detail}}</view>
          </view>
        </view>
      </view>
    </view>
  </view>
</view>

```

```

<view class=" div H5_con" hidden="{{!group_order}}">
  <view id="group_detail" class="div tm
{{group_order.group_detail_class}}" hidden="{{!group_order}}">
    <!--tm_succ tm_err-->
    <view class="a goItemPage" bindtap="redirect" data-
url="goods?goods_id={{group_order.order.goods_id}}">
      <view class="div td tuanDetailWrap">
        <view class="div td_img">
          <image class="img" alt=""
src="{{group_order.order.order_goods.image_url + '?x-oss-
process=image/resize,w_380,h_380'}}" mode="aspectFill" />
        </view>
        <view class="div td_info margin_height">
          <view class="p
td_name">{{group_order.order.order_goods.goods_name}}</view>
          <view class="p tuan_goods_cx"></view>
          <view class="p td_mprice"><view class="tuanTotal
span">{{group_order.require_num}}</view>人团 : <view class="i">[]</view>
          <view
class="b">{{group_order.order.order_goods.group_price}}</view></view>
          <view class="p"></view>
          <view class="p td_num"></view><view class="div img_out"
id="img_out"></view></view></view></view>
        </view>
        <view class="div pp">
          <view class=" div pp_users" id="pp_users">
            <block wx:key="item" wx:for="{{group_order.users}}">
              <view class="a pp_users_item pp_users_normal_1" href="#"
wx:if="{{index == 0}}">
                <image class="img" alt="" src="{{item.avatar}}"/>
              </view>
              <view class="a pp_users_item pp_users_normal_2" href="#"
wx:elif="{{index == 1}}">
                <image class="img" alt="" src="{{item.avatar}}"/>
              </view>
              <view class="a pp_users_item" href="#" wx:else>
                <image class="img" alt="" src="{{item.avatar}}"/>
              </view>
            </block>

            <block wx:key="item" wx:for="{{group_order.require_num -
group_order.people}}">
              <view class="a pp_users_item" href="#">
                <image class="img" alt="" src="{{_.group_image_url}}"/>
              </view>
            </block>
          </view>
          <view class=" div pp_tips" id="flag_1_a" style="{{group_order.status
== 1 || group_order.status == 9 || group_order.status == 2 || group_order.status == 5

```

```

|| group_order.status == 6 ? 'display:none;' : ''}}">对于诸位大侠的相助，团长感激涕零</view>
      <view class="div pp_tips" id="flag_0_a" style="{{group_order.status
== 1 || group_order.status == 9 || group_order.status == 2 || group_order.status == 5
|| group_order.status == 6 ? 'display:none;' : ''}}">还差<view
class="b">{{group_order.require_num - group_order.people}}</view>人，盼你如南方人盼暖
气~</view>
      <view class="div pp_state" id="flag_0_b" style="{{group_order.status
== 1 || group_order.status == 9 || group_order.status == 2 || group_order.status == 5
|| group_order.status == 6 ? 'display:none;' : ''}}" wx:if="{{clock[0] &&
clock[0].length}}">
        <view class="div pp_time">
          剩余<view id="ti_time_hour" class="span">{{clock[0][0]}}</view>:<view
class="span" id="ti_time_min">{{clock[0][1]}}</view>:<view class="span"
id="ti_time_sec">{{clock[0][2]}}</view>结束
        </view>
      </view>
      <!--<view class="pp_state_txt" id="flag_1_b" style="display:none;">
团购成功，卖家将尽快发货</view> -->
    </view>
    <view class="div pp_list">
      <block wx:key="item" wx:for="{{group_order.users}}">
        <view id="div showYaoheList">
          <view class="div div pp_list_item pp_list_item_1" wx:if="{{index
== 0}}">
            <image class="img pp_list_avatar" alt=""
src="{{item.avatar}}" />
            <view class="div pp_list_info" id="pp_list_info">
              <view class="span pp_list_name">团长<view
class="b">{{item.nickname}}</view></view>
              <view class="span
pp_list_time">{{tools.formatTimeStamp(item.join_time)}}开团</view></view>
            </view>
            <view class="div div pp_list_item pp_list_item_2"
wx:elif="{{index == 1}}">
              <image class="img pp_list_avatar" alt=""
src="{{item.avatar}}" />
              <view class="div pp_list_info" id="pp_list_info">
                <view class="span pp_list_name"><view
class="b">{{item.nickname}}</view></view>
                <view class="span
pp_list_time">{{tools.formatTimeStamp(item.join_time)}}参团</view></view>
              </view>
              <view class="div div pp_list_item" wx:else>
                <image class="img pp_list_avatar" alt=""
src="{{item.avatar}}" />
                <view class="div pp_list_info" id="pp_list_info">
                  <view class="span pp_list_name"><view

```

```

class="b">{{item.nickname}}</view></view>
        <view class="span
pp_list_time">{{tools.formatTimeStamp(item.join_time)}}参团</view></view>
        </view>
        </view>
    </block>

    <view id="chamemeber" class="div pp_list_blank"
style="display:none;">
    还差
        <view class="span"></view> 人，让小伙伴们都来组团吧！
    </view>
</view>
</view>

    <view id="shareit" bindtap="groupShareUp" class="div" style="{{share_down ?
'display:block;' : 'display:none;'}}">
        <image class="arrow" src="//pintuan-xcx.cn/v1.0/share-it.png"/>
        <view class="div img-share">
            <view class="div img-arrow"></view>
            <view class="div img-head">分享至朋友圈</view>
            <view class="div img-body">咻的一下就成团！</view>
        </view>
        <view id="describe" class="div describe">
        </view>
    </view>

    <import src="./base/group-step.wxml" />
    <template is="step" data="{{setIsGroupHelp: setIsGroupHelp,step: 0}}" />

    <view class="div mod_footer" id="mod_footer">
        <view class="div mod_footer_lk">
            <view class="a on" href="index.html" id="shop_name"
bindtouchstart="goHome" data-url="index">{{_.app.name}}</view>
            <view class="a" href="groups.html" bindtouchstart="redirect" data-
url="groups">我的团</view>
        </view>
        <view class="div mod_footer_logo">
            <view class="span">{{_.app.url}}</view>
        </view>
    </view>
    <view style="height:72px;"></view>
    <view class="br"></view>
    <view class="br"></view>
    <view class="br"></view>
    <view class="br"></view>

```

```

        <view class="div H5_con fixopt" id="fixopt" style="display: block;">
            <view hidden="{{!group_order.group_but_url}}" class="a fixopt_btn
bottomBtn" bindtap="redirect" data-url="{{group_order.group_but_url}}"
href="index.html">{{group_order.group_but_text}}</view>

            <button style="padding-left:0px;padding-right:0px;font-size:12px;"
hidden="{{group_order.group_but_url}}" class="a fixopt_btn bottomBtn" hover-class="none"
catchtap="showShareModal">{{group_order.group_but_text}}</button>
        </view>
    </view>
</view>
</view>

<view class="commodity_screen" bindtap="hideShareModal"
wx:if="{{showShareModalStatus}}"></view>
<view animation="{{shareAnimationData}}" class="commodity_attr_box share-modal"
wx:if="{{showShareModalStatus}}">

<button open-type='share' class="item">

    <view class="image-wrap">
        <image src="//pintuan-xcx.cn/v1.0/share_user_icon.png"></image>
    </view>

    <view class="text">发给朋友</view>
</button>

<view class="item" bindtap='shareQrcode'>
    <view class="image-wrap">
        <image src="//pintuan-xcx.cn/v1.0/share_qrcode_icon.png"></image>
    </view>

    <view class="text">生成海报</view>
</view>

<view class="cancel-btn" hover-class='hover-effect' bindtap='hideShareModal'>取消</view>
</view>

<group-help isGroupHelp="{{isGroupHelp}}"></group-help>
<qrcode-poster showPosterModal="{{showPosterModal}}"
goods="{{group_order.order.order_goods}}" qrcodeUrl="{{qrcodeUrl}}"
posterUrl="{{posterUrl}}"></qrcode-poster>
<net-error-tips isNoNetError="{{isNoNetError}}" bind:loadData="loadData"></net-error-
tips>

<winpop-mask showWinpopModal="{{showWinpopModal}}"
showWinpopCancel="{{showWinpopCancel}}" winpopContent="{{winpopContent}}"

```

```
bind:cancelCallback="cancelCallback" bind:confirmCallback="confirmCallback"></winpop-mask>
```

```
<auth-dialog showAuthModal="{{showAuthModal}}" bind:confirm="loadData"></auth-dialog>
```

groups.js

```
// pages/groups.js
//获取应用实例
const app = getApp();

Page({
  data: {
    isLoading: true,
    isOperate: false,
    isNoNetError: true,
    groups: [],
    isHideLoadMore: true,
    isNoNetError: true,
    _: app.globalData._.config
  },

  loadData: function () {
    var that = this;
    //请求订单列表
    that.data.groups = [];
    wx.request({
      url: app.globalData.apiUrl + 'v1.0/users/groups',
      header: {
        'AccessToken': wx.getStorageSync("token")
      },
      data: { offset: that.data.groups.length, size: 30 },
      success: function (res) {
        if (res.data.result == 'ok') {
          that.setData({
            groups: res.data.group_orders
          });

          that.setData({
            isNoNetError: true
          });
        }

        fail: function (res) {
```

```

        that.setData({
            isNoNetError: false
        });
    },
    complete: function (res) {
        wx.stopPullDownRefresh();
        that.setData({
            isLoading: false
        });
    }
});

loadMore: function() {
    var that = this;
    that.setData({
        isHideLoadMore: false
    });

    wx.request({
        url: app.globalData.apiUrl + 'v1.0/users/groups',
        header: {
            'AccessToken': wx.getStorageSync("token")
        },
        data: { offset: that.data.groups.length, size: 15 },
        success: function (res) {
            if (res.data.result == 'ok') {
                that.setData({
                    groups: that.data.groups.concat(res.data.group_orders)
                });
            }
        },
        fail: function (res) {
        },
        complete: function (res) {
            that.setData({
                isHideLoadMore: true
            });
        }
    });
},

toDetail: function (e) {
    var url = e.currentTarget.dataset.url + "?id=" + e.currentTarget.dataset.id;
    wx.navigateTo({
        url: url
    });
},

```



```

onLoad: function (options) {
  this.loadData();
},

onReady: function () {

},

onShow: function () {

},

onHide: function () {

},

onUnload: function () {

},

onPullDownRefresh: function () {
  this.loadData();
},

/**
 * 页面上拉触底事件的处理函数
 */
onReachBottom: function () {
  if (this.data.isHideLoadMore) {
    this.loadMore();
  }
},

onTabItemTap: function (item) {
  wx.startPullDownRefresh();
}
})

```

groups.json

```
{
  "navigationBarTitleText": "我的拼团",
  "enablePullDownRefresh": true,
  "navigationBarBackgroundColor": "#F8F8F8",
  "navigationBarTextStyle": "black",
  "usingComponents": {
    "page-loading": "../../component/page-loading/page-loading",
    "net-error-tips": "../../component/net-error-tips/net-error-tips",
    "auth-dialog": "../../component/auth-dialog/auth-dialog",
    "right-service": "../../component/right-service/right-service",
    "winpop-mask": "../../component/wincpop-mask/wincpop-mask",
    "load-more": "../../component/load-more/load-more"
  }
}
```

groups.wxml

```

<view class="body" id="groups">
  <view class="div con">
    <block wx:key="item" wx:for="{{groups}}">
      <view class="div mt_order " id="groups">
        <view class="div groups_line"></view>
        <view class="div mt_g" data-url="./group" data-
id="{{item.group_order_id}}" bindtap="toDetail">
          <view class="div mt_g_img">
            <view class="a" href="group.html?id=2071596">
              <image mode="aspectFill" class="img"
src="{{item.order_goods.image_url + '?x-oss-process=image/resize,w_380,h_380'}}"
/></view> </view>
              <view class="div mt_g_info">
                <view class="p mt_g_name">{{item.order_goods.goods_name}}</view>
                <view class="p mt_g_price">成团价 : <view class="span"> <view
class="b"> <view class="small">□</view>{{item.order_amount}}</view>/件</view><view
class="i"></view> </view> </view> </view>
                <view class="div mt_status">
                  <view class="span
mt_status_txt">{{_.tuan_status[item.status].desc}}</view>
                  <view class="mt_status_lk1 " href="order.html?id=9272403" data-
url="order" data-id="{{item.order_id}}" bindtap="toDetail">查看订单详情 </view>
                  <view class="mt_status_lk1 marg_right" href="group.html?id=2071596"
data-url="./group" data-id="{{item.group_order_id}}" bindtap="toDetail">查看团详情 </view>
                </view>
              </view>
            </block>

            <view class="div mt_nogroups" wx:if="{{!isLoading && groups.length == 0 &&
isNoNetError}}">
              <view class="h4">您还没有任何相关团购哦</view>
            </view>
          </view>

          <right-service></right-service>

          <view class="div" style="visibility:hidden "></view>
        </view>
        <net-error-tips isNoNetError="{{isNoNetError}}" bind:loadData="loadData"></net-error-
tips>
        <load-more isHideLoadMore="{{isHideLoadMore}}"></load-more>

```

index.js

```
// pages/index.js
//获取应用实例
const app = getApp()
Page({
  data: {
    isLoading: true,
    isOperate: false,
    banner: [],
    goods: [],
    isHideLoadMore: true,
    isNoNetError: true,
  },
  bannerList: function () {
    var that = this;
    //请求广告列表
    that.data.banner = [];

    wx.request({
      url: app.globalData.apiUrl + 'v1.0/banners',
      success: function (res) {
        that.setData({
          banner: res.data.banners
        });
      },
      fail: function (res) {
        that.setData({
          isNoNetError: false
        });
      }
    });
  },
  goodsList: function() {
    var that = this;
    //请求商品列表
    that.data.goods = [];
    wx.request({
      url: app.globalData.apiUrl + 'v1.0/goods',
      data: { offset: that.data.goods.length, size: 30},
      success: function (res) {
        that.setData({
          goods: res.data.goods
        });

        that.setData({
          isNoNetError: true
        });
      }
    });
  }
});
```

```

    },
    fail: function (res) {
        that.setData({
            isNoNetError: false
        });
    },
    complete: function (res) {
        wx.stopPullDownRefresh();
        that.setData({
            isLoading: false
        });
    }
    });
},

loadData: function() {
    var that = this;
    this.bannerList(),this.goodsList();
},

onPullDownRefresh: function() {
    this.loadData();
},

/**
 * 页面上拉触底事件的处理函数
 */
onReachBottom: function () {
    if (this.data.isHideLoadMore) {
        this.loadMore();
    }
},

loadMore: function () {
    var that = this;
    that.setData({
        isHideLoadMore: false
    });
    wx.request({
        url: app.globalData.apiUrl + 'v1.0/goods',
        data: { offset: that.data.goods.length, size: 15 },
        success: function (res) {
            that.setData({
                goods: that.data.goods.concat(res.data.goods)
            });
        },
        fail: function (res) {

        },

```

```

        complete: function (res) {

            that.setData({
                isHideLoadMore: true
            });
        }
    });
},

onLoad: function (options) {
    this.loadData();
},

onTabItemTap: function (item) {
    wx.startPullDownRefresh();
},
onShareAppMessage: function () {
    return app.share({ title: "", desc: "", path: "" });
},
bannerClick: function (e) {
    var bannerType = e.currentTarget.dataset.banner_type, targetUrl =
e.currentTarget.dataset.target_url;

    switch (bannerType) {
        case "1":
            wx.navigateTo({
                url: targetUrl,
            });
            break;

        case "2":
            wx.navigateTo({
                url: './webview?url=' + targetUrl,
            });
            break;

        default:
            break;
    }

}

})

```

index.json

```
{
  "enablePullDownRefresh": true,
  "navigationBarBackgroundColor": "#FF4C42",
  "usingComponents": {
    "page-loading": "../component/page-loading/page-loading",
    "net-error-tips": "../component/net-error-tips/net-error-tips",
    "load-more": "../component/load-more/load-more"
  }
}
```

index.wxml

```
<!--index.wxml-->
<page-loading isLoading="{{isLoading}}" isOperate="{{isOperate}}"></page-loading>

<view class="container" wx-if="{{!isLoading || isOperate}}">
  <view class="for-margin-top"></view>
  <!--banner广告区域-->
  <view class="banner portal-banner-bg">
    <swiper autoplay="true" interval="5000" indicator-active-color="#d81e06"
circular="true" >
      <block wx:for="{{banner}}" wx:key="id">
        <swiper-item data-banner_type="{{item.banner_type}}" data-
target_url="{{item.target_url}}" bindtap="bannerClick">
          <image src="{{item.image_url}}" style="width:100%;height:100%;"
mode='aspectFill'></image>
        </swiper-item>
      </block>
    </swiper>

    <view class="swiper-count">{{swiperCount}}</view>
  </view>

  <view class="for-margin-top"></view>

  <!--goods商品列表 -->
  <block wx:key="item" wx:for="{{goods}}">
    <view style="" class="goods_list tuan-new div">
      <view class="tuan_g div {{goods.length==index+1 ? 'tuan_g_last' : ''}}">
        <view class="i"></view>
        <navigator hover-class="none" url="./goods?goods_id={{item.goods_id}}">

```

```

        <view class="tuan_g_img div">
            <image data-id="goods_img" class="loadThumb img" mode="widthFix"
src="{{item.image_url}}" data-id="goods_img" style='width:100%;height:100%;'></image>
        </view>

        <view class="tuan_goods_info div">
            <view class="p tuan_goods_name">{{item.goods_name}}</view>
            <view class="p tuan_goods_cx">
                <view class="span"></view>
            </view>
        </view>

        <view class="tuan_goods_core div">
            <view class="tuan_goods_btn div">
                <view class="span">去开团</view>
            </view>

            <view class="tuan_goods_price">
                <view class="red span">
                    <view class="small">□</view>
                    <span>{{item.group_price}} </span>
                </view>
                <view class="span group-desc"> {{item.group_number}}人团.单买
价{{item.alone_price}}元</view>
            </view>
        </view>
    </navigator>
</view>
</block>
</view>

<net-error-tips isNoNetError="{{isNoNetError}}" bind:loadData="loadData"></net-error-
tips>
<load-more isHideLoadMore="{{isHideLoadMore}}"></load-more>

```

order.js

```

// pages/order.js
//获取应用实例
const app = getApp();
var orderId = ,
    order = require('../utils/order.js');

Page({

```



```

data: {
  isLoading: true,
  isOperate: false,
  isNoNetError: true,
  order: {},
  _: app.globalData._.config,
  showPage: false
},

loadData: function() {
  var that = this;
  wx.request({
    url: app.globalData.apiUrl + 'v1.0/users/orders/' + orderId,
    header: {
      'AccessToken': wx.getStorageSync("token")
    },
    success: function (res) {
      if (res.data.result == 'fail') {

        that.setData({ showWinpopModal: true, showWinpopCancel: false, winpopContent:
that.data._.error_text[6] })

      } else if (res.data.result == 'ok') {
        that.setData({
          order: res.data.order,
          showPage: true
        });
      }

      that.confirmCallback = function () {
        app.goOrders();
      }

      that.setData({ isLoading: false, isOperate: false })

      that.setData({
        isNoNetError: true
      });
    },
    fail: function (res) {
      that.setData({
        isNoNetError: false
      });
    },
    complete: function (res) {
      wx.stopPullDownRefresh();
    }
  });
},

```

```

orderReceive: function (e) {
  var that = this, orderId = e.currentTarget.dataset.order_id;
  order.receive(that,orderId, function (res) {
    if (res.data.result == 'ok') {
      that.prevPageRefresh(),
      wx.startPullDownRefresh();
    }
  }, function (res) {
  });
},

orderCancel: function(e) {
  var that = this;
  order.cancel(that,orderId, function (res) {
    if (res.data.result == 'ok') {
      that.prevPageRefresh(),
      wx.startPullDownRefresh();
    }
  }, function (res) {
  });
},

orderBuy: function (e) {
  if (this.data.isPayDisable) return true;

  this.setData({ "isPayDisable": true });
  var that = this;
  orderId = e.currentTarget.dataset.order_id,
  order.pay(orderId, function (res) {

    if (res.data.result == 'fail') {
      that.setData({ "isPayDisable": false }),
      that.setData({ showWinpopModal: true, showWinpopCancel: false, winpopContent:
res.data.error_info });

    }else if (res.data.result == 'ok') {
      order.goPay(res.data.param, function () {
        // 支付成功
        that.prevPageRefresh(),
        order.paySuccess(orderId)

      }, function () {

        that.setData({ "isPayDisable": false })
        console.log(res)
      }, function () {

```

```

        });
        }else {
            that.setData({ showWinpopModal: true, showWinpopCancel: false, winpopContent:
that.data._.error_text[] })
        }

        that.confirmCallback = function () {
            that.setData({ "isPayDisable": false }),
            wx.startPullDownRefresh();
        }
    }, function () {

    }, function () {

    });
},

expressShow: function (e) {
    var that = this, orderId = e.currentTarget.dataset.order_id;

    this.setData({ showExpressModal: true, IsLoadingExpress: true, Express: null,
isNoNetErrorExpress: false });

    order.express(orderId, function (res) {
        if (res.data.result == 'ok') {
            that.setData({ Express: res.data.shipping });
        } else {

            that.setData({ isNoNetErrorExpress: true });

        }
    }, function (res) {

        that.setData({ isNoNetErrorExpress: true });

    }, function (res) {

        that.setData({ IsLoadingExpress: false });
    });
},

onPullDownRefresh: function () {
    this.loadData();
},

onLoad: function (options) {
    orderId = options.id;
    this.loadData();
}

```

```

    },

    onReady: function () {

    },

    onShow: function () {

    },

    onHide: function () {

    },

    onUnload: function () {

    },

    onReachBottom: function () {

    },

    prevPageRefresh: function () {
        var pages = getCurrentPages(),
            prevPage = pages.length - 2;

        if (prevPage >= 0 && pages[prevPage].route == "pages/orders") {
            pages[prevPage].onPullDownRefresh();
        }
    }

    })

```

order.json

```

{
  "enablePullDownRefresh": true,
  "navigationBarTitleText": "订单详情",
  "navigationBarBackgroundColor": "#F8F8F8",
  "navigationBarTextStyle": "black",
  "usingComponents": {
    "page-loading": "../../component/page-loading/page-loading",
    "net-error-tips": "../../component/net-error-tips/net-error-tips",
    "auth-dialog": "../../component/auth-dialog/auth-dialog",
    "express-dialog": "../../component/express-dialog/express-dialog",
    "right-service": "../../component/right-service/right-service",
    "winpop-mask": "../../component/wincpop-mask/wincpop-mask"
  }
}

```

order.wxml

```

<page-loading isLoading="{{isLoading}}" isOperate="{{isOperate}}"></page-loading>

<express-dialog showExpressModal="{{showExpressModal}}" shippingInfo="{{Express}}"
  isLoading="{{IsLoadingExpress}}" isNoNetError="isNoNetErrorExpress"
  _="{{_}}"></express-dialog>

<wxs src="../../libs/tools.wxs" module="tools" />

<view class="body" wx-if="{{showPage}}">

  <view class="div mod_container" ms-class="exp_overflow:!express_hide">
    <view id="detailCon" class="div wx_wrap" ms-visible="order.order_id !=
    undefined">
      <!-- ms-class="state_1: order.total_status == 2" ms-class-1="state_2:
      order.total_status == 3" ms-class-2="state_3: order.total_status == 4"-->
      <view class="div state {{order.state_class}}">
        <view class="div state_step" >
          <view class="ul">
            <view class="li state_step_1 "> </view>
            <view class="li state_step_2"> </view>
            <view class="li state_step_3"> </view>
          </view>
          <view class="span state_arrow">
            <view class="i state_arrow_i"> </view>
            <view class="i state_arrow_o"> </view>

```

```

        </view>
        </view>
        <view class="div address">
            <view class="div address_row" ms-if="order.lucky_status == '3' ||
order.lucky_status == '0' || order.pay_status != 2 || order.order_status != 1">
                <view class="div address_tit">订单状态： </view>
                <view class="div address_cnt">
                    <view
class="b">{{_.order_status[order.order_status]}}</view>
                    </view>
                </view>
                <view class="div address_row">
                    <view class="div address_tit">总额： </view>
                    <view class="div address_cnt">
                        <view class="span address_price">{{order.order_amount}}
</view>
                        <view class="span address_paytype">{{payment_provider}}
</view>
                    </view>
                </view>
                <view class="div address_row">
                    <view class="div address_tit">送至： </view>
                    <view class="div address_cnt">{{order.shipping_address}}
</view>
                </view>
                <view class="div address_row">
                    <view class="div address_tit">收货人： </view>
                    <view class="div address_cnt">{{order.receive_name + ' ' +
order.mobile}} </view>
                </view>
                <view class="div address_row">
                    <view class="div address_tit">订单编号： </view>
                    <view class="div address_cnt" id="canselect">{{order.order_sn}}
</view>
                </view>
                <view class="div address_row">
                    <view class="div address_tit">下单时间： </view>
                    <view class="div address_cnt">{{order.order_time}} </view>
                </view>
                <!--<view class="div address_row" ms-if="coupons.length>0">
                    <view class="div address_tit">优惠信息□ </view>
                    <view class="div address_cnt posi_rela"> <view
class="span">{{coupons[0].event_desc}} </view>
                    <view class="span coupon_icon_order" ms-
if="order.coupons.length>0"> </view> </view>
                </view-->
                <view class="div address_row" ms-
visible="order.shipping_status>=1">
                    <view class="div address_tit">配送方式： </view>

```

```

        <view class="div address_cnt">{{order.shipping_name}}
        <view class="br"></view>{{order.tracking_number}} </view>
    </view>

    <!--<view class="div address_row" ms-if = "order.pay_status == 2 &&
order.order_status == 1 && lucky_status != '0'">
        <view class="div address_tit">抽奖状态□ </view>
        <view class="div address_cnt" style="color:#1aad19;font-weight:
bold">{{getPrize()}} </view>
    </view>-->

</view>
<view class="div state_btn" hidden="{{!(order.order_status==0)}}">
    <view class="a state_btn_1" href=""
        ms-click="orderCancel(order.order_id)" data-
order_id="{{order.order_id}}" bindtap="orderCancel">取消订单 </view>
    <view class="a state_btn_2" href=""
        ms-click="orderBuy(order.order_id)" bindtap="orderBuy" data-
order_id="{{order.order_id}}" id="btn_order_done">去支付 </view>
</view>
<!-- <view class = "state_btn" ms-visible = "order.total_status == 1 ||
order.total_status == 2">
    <view class="state_btn_2" href="">售后服务 </view>
</view> -->
<view class="div state_btn" hidden="{{!(order.order_status==10 ||
order.order_status==3)}}">
    <view class="a state_btn_1" hidden="{{!(order.order_status==10 ||
order.order_status==3)}}"" ms-click="expressShow" bindtap = "expressShow" data-
order_id="{{order.order_id}}">查看物流 </view>
    <view class="a state_btn_3" data-order_id="{{order.order_id}}"
bindtap = "orderReceive" hidden="{{!(order.order_status==3)}}"" ms-
click="orderReceive(order.order_id)">确认收货 </view>
</view>
<view class="div state_btn"> </view>
</view>
<view class="div ptit">商品信息
</view>
<view class="div order order_height">
    <view class="div order_bd">
        <view class="div order_glist">
            <navigator
url="goods?goods_id={{order.order_goods.goods_id}}">
                <view class="div order_item">
                    <view href="" class="a order_goods"
style="float:left;border-bottom:none;">
                        <view class="div order_goods_img">
                            <image mode="aspectFill" class="img"
src="{{order.order_goods.image_url + '?x-oss-
process=image/resize,w_380,h_380'}}"></image>

```

```

        </view>
    </view>
    <view class="div order_goods_info">
        <view class="a order_goods" ms-
click="showGoods(item.goods_target, item.goods_id)">
            <view class="div
order_goods_name">{{order.order_goods.goods_name}} </view>
            <view class="div order_goods_attr">
                <view class="br"></view>
                <view class="div order_goods_attr_item">
                    <view class="div order_goods_price"> <view
class="i">[] </view>{{order.order_goods.market_price}}
                    <!--<view ms-if="specDesc"
class="i">/{{specDesc}} </view> </view>-->
                </view>
            </view>
        </view>
    </view>
</navigator>
<!--<view class="div" ms-if="group_target != 'group_li.html' &&
order.pay_status != 0">
    <view class ="a mt_status_lk marg_right" ms-
href="{{group_target}}?id={{order.group_order_id}}" ms-if="isShowGroupDetail">查看团详情
</view>

    </view>-->
    <view class="div" wx:if="{{order.group_order_id != 0 &&
order.pay_status != 0}}">
        <navigator
url="group?id={{order.group_order_id}}&order_id={{order.order_id}}" >
            <view class ="a mt_status_lk marg_right" ms-
href="{{group_target}}?id={{order.group_order_id}}&order_id={{order.order_id}}" ms-
if="isShowGroupDetail">查看团详情 </view>
        </navigator>
    </view>
</view>
</view>
</view>

<right-service></right-service>

</view>
</view>
</view>

<winpop-mask showWinpopModal="{{showWinpopModal}}"
showWinpopCancel="{{showWinpopCancel}}" winpopContent="{{winpopContent}} "

```



```
bind:cancelCallback="cancelCallback" bind:confirmCallback="confirmCallback"></winpop-mask>
```

orders.js

```
// pages/orders.js
//获取应用实例
const app = getApp();
var order = require('../utils/order.js')
//orderType = 0,

Page({

  data: {
    isLoading: true,
    isOperate: false,
    isNoNetError: true,
    orders: [],
    isHideLoadMore: true,
    isNoNetError: true,
    showExpressModal: false,
    _: app.globalData._.config,
    navStatus: null
  },

  loadData: function () {
    var that = this;
    //请求订单列表
    that.data.orders = [];
    wx.request({
      url: app.globalData.apiUrl + 'v1.0/users/orders',
      header: {
        'AccessToken': wx.getStorageSync("token")
      },
      data: { order_status: (that.data.navStatus == null ? "" :
that.data.navStatus),offset: that.data.orders.length, size: 30 },
      success: function (res) {
        if (res.data.result == 'ok') {
          that.setData({
            orders: res.data.order_list
          });
        }

        that.setData({
          isNoNetError: true
        })
      }
    })
  }
})
```

```

    });
  },
  fail: function (res) {
    that.setData({
      isNoNetError: false
    });
  },
  complete: function (res) {
    wx.stopPullDownRefresh();
    that.setData({
      isLoading: false
    });
  }
});
},

onPullDownRefresh: function () {
  this.loadData();
},

onReachBottom: function () {
  if (this.data.isHideLoadMore) {
    this.loadMore();
  }
},

loadMore: function () {
  var that = this;
  that.setData({
    isHideLoadMore: false
  });
  wx.request({
    url: app.globalData.apiUrl + 'v1.0/users/orders',
    header: {
      'AccessToken': wx.getStorageSync("token")
    },
    data: { offset: that.data.orders.length, size: 15 },
    success: function (res) {
      if (res.data.result == 'ok') {
        that.setData({
          orders: that.data.orders.concat(res.data.order_list)
        });
      }
    },
    fail: function (res) {

    },
    complete: function (res) {

```

```

        that.setData({
            isHideLoadMore: true
        });
    }
});
},

navChange: function(e) {
    var navStatus = e.currentTarget.dataset.nav_status;
    if ('3' == navStatus){
        navStatus = null;
    }
    this.setData({ navStatus: navStatus,isLoading: true,isOperate: true }),
    this.loadData()
},

onLoad: function (options) {
    this.setData({ navStatus: options.order_type || null}),
    this.loadData();
},

orderReceive: function (e) {
    var that = this, orderId = e.currentTarget.dataset.order_id;
    order.receive(that,orderId, function (res) {
        if (res.data.result == 'ok') {
            wx.startPullDownRefresh();
        }
    }, function (res) {
    });
},

orderCancel: function(e) {
    var that = this, orderId = e.currentTarget.dataset.order_id;
    order.cancel(that,orderId, function (res) {
        if (res.data.result == 'ok') {
            wx.startPullDownRefresh();
        }
    }, function (res) {
    });
},

orderBuy: function(e) {
    if (this.data.isPayDisable) return true;

    this.setData({ "isPayDisable": true });
    var that = this, orderId = e.currentTarget.dataset.order_id;

    order.pay(orderId,function(res) {

```

```

        if (res.data.result == 'fail') {

            that.setData({ showWinpopModal: true, showWinpopCancel: false, winpopContent:
res.data.error_info });

        } else if(res.data.result == 'ok') {
            order.goPay(res.data.param,function(){
                // 支付成功
                order.paySuccess(orderId)

                }, function (res) {

                    that.setData({ "isPayDisable": false })
                    console.log(res)
                },function() {

                });
        } else {
            that.setData({ showWinpopModal: true, showWinpopCancel: false, winpopContent:
that.data._.error_text[] })
        }

        that.confirmCallback = function () {
            wx.startPullDownRefresh(),
            that.setData({ "isPayDisable": false })
        }

        },function() {

        },function() {

        });
    },

    expressShow: function(e) {
        var that = this, orderId = e.currentTarget.dataset.order_id;

        this.setData({ showExpressModal: true, IsLoadingExpress: true, Express: null,
isNoNetErrorExpress: false});

        order.express(orderId, function (res) {
            if (res.data.result == 'ok'){
                that.setData({ Express: res.data.shipping});
            }else{

                that.setData({isNoNetErrorExpress:true});

            }
        }
    }

```

```

    }, function (res){

        that.setData({ isNoNetErrorExpress: true });

    },function(res){

        that.setData({ IsLoadingExpress: false});
    });

},

onTabItemTap: function (item) {
    this.setData({ navStatus: null }),
    wx.startPullDownRefresh();
},

onReady: function () {

},

onShow: function () {
    //wx.startPullDownRefresh();
},

onHide: function () {

},

onUnload: function () {

}

})

```

orders.json

```

{
  "enablePullDownRefresh": true,
  "navigationBarTitleText": "我的订单",
  "navigationBarBackgroundColor": "#F8F8F8",
  "navigationBarTextStyle": "black",
  "usingComponents": {
    "page-loading": "../../component/page-loading/page-loading",
    "net-error-tips": "../../component/net-error-tips/net-error-tips",
    "auth-dialog": "../../component/auth-dialog/auth-dialog",
    "express-dialog": "../../component/express-dialog/express-dialog",
    "right-service": "../../component/right-service/right-service",
    "winpop-mask": "../../component/wincpop-mask/wincpop-mask",
    "load-more": "../../component/load-more/load-more"
  }
}

```

orders.wxml

```

<!--index.wxml-->
<page-loading isLoading="{{isLoading}}" isOperate="{{isOperate}}"></page-loading>

<express-dialog showExpressModal="{{showExpressModal}}" shippingInfo="{{Express}}"
isLoading="{{IsLoadingExpress}}" isNoNetError="isNoNetErrorExpress" _="{{_}}"></express-
dialog>

<wxs src="../../libs/tools.wxs" module="tools" />

<view class="body">
  <view class="div" id="orders" ms-controller="root">

    <!-- <include src="common/express.wxml"/> -->

    <view class="div nav_fixed">

      <view class="a fixed_nav_item {{navStatus == 3 || navStatus == undefined
? 'nav_cur' : ''}}" data-nav_status="3" bindtap="navChange">
        <view class="span nav_txt">全部订单</view>
      </view>

      <view class="a fixed_nav_item {{navStatus == 0 ? 'nav_cur' : ''}}" data-
nav_status="0" bindtap="navChange">
        <view class="span nav_txt nav_payment">待付款
          <view class="b nav_payment_num" style="display:none;"></view>
        </view>

```

```

        </view>

        <view class="a fixed_nav_item {{navStatus == 1 ? 'nav_cur' : ''}}" data-
nav_status="1" bindtap="navChange">
            <view class="span nav_txt nav_receiving">待收货
                <view class="b nav_receiving_num" style="display:none;"></view>
            </view>
        </view>
    </view>
</view>

<view class="div" id="dealliststatus1" ms-class="scroll_coup:confirm_code">
    <view class="div order" ms-repeat-order="orders" wx:key="" wx:for-
item="order" wx:for="{{orders}}" >
        <view class="div order_hd">
            {{tools.formatTimeStamp(order.order_time)}}
        </view>
        <view class="div order_bd ">
            <view class="div order_glist">
                <navigator url="./order?id={{order.order_id}}" >
                <view class='a' ms-href="order.html?id={{order.order_id}}">
                    <view class="div order_goods" data-url=""

                        <view class="div order_goods_img ">

                            <image mode="aspectFill" class="img" alt=""
src="{{order.order_goods.image_url + '?x-oss-
process=image/resize,w_380,h_380'}}"></image>
                        </view>

                            <view class="div order_goods_info">
                                <view class="div
order_goods_name">{{order.order_goods.goods_name}}</view>
                                <view class="div order_goods_attr">
                                    <view class="div order_goods_attr_item">
                                        <view class="div order_goods_price">
                                            <view class="i">
</view>{{order.order_goods.market_price}}
                                            <view class="i">/件</view>
                                        </view>数量 : 1
                                    </view>
                                </view>
                            </view>
                        </view>
                    </navigator>
                    <view class="div order_ft">
                        <view class="div order_total">
                            <view class="span order_total_info">共1件商品，免运

```

```

    费</view>
        <view class="span order_price">实付：
            <view class="b"><view class="small">
</view>{{order.order_amount}}</view>
            </view>
            <view class="span coupon_icon"
wx:if="order.coupons.length>0"></view>
            </view>
            <view class="div order_opt">
                <view class="div " wx:if = "order.pay_status == 2 &&
order.order_status == 1">

                    </view>
                    <view class="div" wx:if = "order.pay_status != 2 ||
order.order_status != 1">

                        <view class="span
order_status">{{_.order_status[order.order_status]}}</view>
                        </view>
                        <view class="div order_btn"
hidden="{{!(order.order_status==0)}}">

                            <view class="a order_btn_buy"
wx:click="orderBuy(order)" bindtap="orderBuy" data-order_id="{{order.order_id}}">去支
付</view>

                                <view class="a" data-
order_id="{{order.order_id}}" bindtap="orderCancel">取消订单</view>
                                </view>
                                <view class="div order_btn"
hidden="{{!(order.order_status==10 || order.order_status==3)}}">

                                    <view class="a order_btn_receive"
hidden="{{!(order.order_status==3)}}" data-order_id="{{order.order_id}}" bindtap
="orderReceive" ms-click="(order.order_id)">确认收货</view>

                                        <view class="a "
hidden="{{!(order.order_status==10 || order.order_status==3)}}" data-
order_id="{{order.order_id}}" bindtap = "expressShow">查看物流</view>
                                        </view>
                                    </view>
                                </view>
                            </view>
                        </view>
                    </view>
                </view>
            </view>

            <view class="div wrap_position" ms-class="pullUp_hide:pullUp_hide" ms-
class="pullUp_show:pullUp_show">
                <!--
                    <view class="div posi_abso" ms-class="up:isloading" wx:if="{{is_over
== 0 && pullDown == 1 && page.load == 1}}">

```



```

        <view class="div center " id="center_pullup">
            <view class="span">
                <image class="img_rotate"
src="
/xhBQAAACBjSFJNAAB6JgAAgIQAAPoAAACA6AAAdTAAAOpgAAA6mAAAF3CculE8AAAAABmJLR0QAAAAAAAD5Q7t/A
AAACXBIXMAAAAsSAAALegHS3X78AAAGwLEqVRo3u2af4wdVRXHP2/XLm1BTMCCtGNLEQS6nUoVEiIwUEkMDTGZB
qq0J0rQSBSE4sMKhEMW5aQCtg0W6w9Qp4Gm/AGUMRL5IabJiKSgQnWEVi1gy0CXrcJCiuiybPnjztv03jfv7XvPN
wYSvskme879ce53709z7rmvQskQkRnACcB0Vd1Xpq2ekoksBXYDMbBHRJa/Z8kAa4Fp2f9TM/ndRUZEjhSRD7VQ9
a0W/JEW+p4uIrNKJ5MZug/YCwyJyMp0jDbpfwkwCKQiEovIEaWRAS4HfKAC9AFrRWR+l4jMAELgg5nqDGB1mWS0s
eReYH03yGQDt5fu3DLJ3FugW5Qtj44hIicBFxUU3VMaGVV9CHiwoGitiEz9H/isLxjLM8DtpZHJ8A3gLU53F7iiE
xaZLzqjyI6qjpZKRlV3AhsKiq4VkaPaJDIVWFNQ9EtVfbjdsXXqNL8N2KHJICB3Ld1uS37JklcBsy3df4Er0xlUx
fpS04GNwBJgBzCgqvcVNRSRrwI/stT7gY+p6vNZnaXAncBBwAhwoarek5UdjPEph1h9rFHVvQ1sngrcDHwaEyJdo
KpDtXJ7Zq4GlgIfAFxgi4g8ICLzCvq+HfhTwceZUxNU9W5MFHA6MLNGJMNhBUQGgRsKSMwWkc3AY5j91QssAm5pN
jNbgbMKBJ4K3AZcp6qv50qfCfwm6xzg78ACVf0PLaDA3pdU9Y5c+TSgClzLgRgvjxdUdXyZ9uZLPM87DvAKGvUAp
wArPM/7t+d5T8VxPBbH8W7P8x7PPsrDwApVfb0Vipm9ezF7ZAi4UVU3ZSQnuctAyLMkp/SoItfxXE87vvsmeKdv
gdgcllqjfa0sExVk1YH3ipEZCawGTizSbX9wF3Apao6XFN0GLCqjgArReQnmHD9nAad9W088/HdJgP8bBIiTwGXq
erv7IJKk0a1KPZm4NgGVQ5W1Te6yURE9LJ8VdgLCLBRVceK2jb1M9mx3A98E7D3wm+7TSTDA5Y8g1klx6vqzxsRg
eb7okZoBBN7bQYGgMWYu0niEoiACZemaadhjmJR1V0l2Xof/xdUAETkEuAawGLSdwyzvL6mqo+WpBB169YtwlWn5
tF8bw8CA9Vq9baKiJyI8RuVFmwAvAjMUDw3S3yQyJbMzo8UmbwP9PcD8NogAzGrDSKc4sk0bvcD8Hkyw2M5X3q0qg
yWTeQkzM61iFHiyR1X/BqwAngVeneTvjd5J0R0hWq20AedL9iYb0x4gqFarz5c9rvfRKVre+Gma9gGXAudijmhxH
KflcL9VhGHYh7m/nAZsA9YEQTdCNTJpmhYFnFscxzmVBDI3Ad/KqYYwPnBjEARjzdo2DTTJ2XpukjwBbqI2c/T
dNpdB8XWvIRmGvBH8IwbHY1KCaTpumH0zTdgDm2z27Qdgho6XrcJl5ooF8IbA3DcHMYhr0LKkxYZmmaVjDR8GpMw
qER/gksdxzn191mEobhAuAXwNFnqr2JybfdeATBeELSJrMSK+NhYRT4ITDg0M4wQJIKJwJfAFJgk+u6Lc9WFEU9G
L+1ALjf9/1tGaFaIuNq6jm4eawPgmD8WcUm0yg7AybHfKXjOM/UFEmS9ANPANMz1aPAWa7rthRRRFg0iQN7ZAw4x
/f98dk0w3AWJidxAcWH1e4gCI6uCfae+UtBg13A5xzHWZwnkuHWHBEw+bFT7Q7i0K7LrRRdBQTN3sPsCGKor6aI
giCF4MgWI5J+j1eMLYdWB3k8R1ge/b/q5jrjcr/j0PfbvSRJsgSTiLMx7nvi0P5UHMm7gJE4jp+04/iTuXpvYK7Ee
RwHXGZ3GATBtozQCg6keP+BWyRjqJu67BCYA7zs0M6bBYMLSZKpGMdpPwY96Lru4hyZ3wMn58q3e563MDc7twJfL
/gYH/d9/+Ui22EYTsfKsfceQTDhlaAuB+A4zv6MdTnCUUDkLc9PY+FlrzAkq8HlgGH53SHAgp8pchwdo9V1TW9
itAkiQzMeGgJQ2u6+60dL2WPMGe7/v/ygjZuCiKopNpE508aaym/rjch3nm6AQ/pv7g6QHWVRVHUzqWxPTJJkpwCf
LGg6DrXdYc7YeL7/ijlyxNMtv/zpZEBvkz9obEd+GknRHKEHsEkyYvsLUZmuEBXbdVJTToJVmBeBPF4rk8wtHPBDA
0td193aBSL4vr8LuAqT4QdzHR4ojYzruvswfuN04B0u63b15ya+738f830uz2B8zV/bad/WadEu4jgexKSNanjF8
7zD0+lvMpT9Ey37AfcHZRordWYA4jj+LMbz/9nzvLbf9tvB00XbJi+MSyc4AAAAAE1FTkSuQmCC"/></view>
                <view class="span loading-text">正在加载中...</view>
            </view>
        </view>
-->

        <view class="div no-orders-at-all" wx:if="{{!isLoading &&
orders.length == 0 && isNoNetError}}">
            <view class="div head-block">
                <view class="div blank-icon"></view>
                <view class="hint">您还没有相关的订单</view>
                <view class="p recommend-hint">去看看大家都在买什么吧</view>
            </view>
        </view>

        <!--
        <view class="div posi_abso" ms-class="up:!isloading"
wx:elif="{{is_over == 1 && page.load ==1}}">

```

```

        <view class="div center " id="center_pullup">
            <view class="span orders_text"
id="noOrders">{{pullload_text.no_orders}}</view>
        </view>
    </view>
    -->

</view>

</view>

<right-service></right-service>

</view>
<view style="div height:58px;visibility:hidden "></view>
</view>

<winpop-mask showWinpopModal="{{showWinpopModal}}"
showWinpopCancel="{{showWinpopCancel}}" winpopContent="{{winpopContent}} "
bind:cancelCallback="cancelCallback" bind:confirmCallback="confirmCallback"></winpop-
mask>

<net-error-tips isNoNetError="{{isNoNetError}}" bind:loadData="loadData"></net-error-
tips>
<load-more isHideLoadMore="{{isHideLoadMore}}"></load-more>

```

personal.js

```

// pages/personal.js
const app = getApp();
Page({

    /**
     * 页面的初始数据
     */
    data: {
        userInfo: {},
        showAuthModal: false
    },

    loadData: function() {
        var thisPage = this;
        app.getUserInfo(function (res) {
            thisPage.setData({

```

```

        userInfo: res,
    });
}, function () {
    thisPage.setData({
        showAuthModal: true,
    });
});
},

goSwitchTab(e) {
    wx.switchTab({
        url: e.currentTarget.dataset.url,
    });
},

goRelaunch(e) {
    wx.reLaunch({
        url: e.currentTarget.dataset.url,
    });
},

onLoad: function (options) {
    var that = this;
},

onReady: function () {

},

onShow: function () {
    this.setData({showAuthModal: false});
    this.loadData();
},

onHide: function () {

},

/**
 * 生命周期函数--监听页面卸载
 */
onUnload: function () {

},

/**

```

```

* 页面相关事件处理函数--监听用户下拉动作
*/
onPullDownRefresh: function () {

},

/**
* 页面上拉触底事件的处理函数
*/
onReachBottom: function () {

}
})

```

personal.json

```

{
  "navigationBarBackgroundColor": "#FF4C42",
  "usingComponents": {
    "auth-dialog": "../component/auth-dialog/auth-dialog"
  },
  "navigationBarTitleText": " "
}

```

personal.wxml

```

<view class="container">
  <view class="main-view">
    <view class="my">
      <view class="my_head ">
        <view class="my_head_pic">
          <image id="uinLogo" class="my_head_img img"
src="{{userInfo.avatarUrl}}"></image>
        </view>

        <view class="my_head_info">
          <view class="h4 my_head_name"
id='nickname'>{{userInfo.nickName}}</view>
        </view>
      </view>
    </view>
  </view>

```

```

<!-- start -->
<view class="div">
  <view class="div nav">
    <view class="ul nav_list">
      <view class="li nav_item nav_order">
        <view bindtap="goSwitchTab" data-url="./orders" class="a">
          <view class="a">
            <view class="div nav_item_hd">我的订单</view>
          </view>
        </view>
        <view class="div nav_item_bd">
          <view bindtap="goSwitchTab" data-url="./orders"
class="a"><view class="span nav_item_txt" >全部</view></view>

          <view class="a" bindtap="goReLaunch" data-
url="./orders?order_type=0">
            <view class="span nav_item_txt">待付款<view class="i
nav_item_num" id="need_pay_count" style="{!unpaid || unpaid == 0 || unpaid ==
undefined? 'display:none' : ''}">{{unpaid}}</view></view>
            </view>

            <view class="a" bindtap="goReLaunch" data-
url="./orders?order_type=1">
              <view class="span nav_item_txt">待收货<view
class="nav_item_num" id="need_rcv_count" style="{!unreceived || unreceived == 0 ||
unreceived == undefined ? 'display:none' : ''}">{{unreceived}}</view></view>
              </view>
            </view>
          </view>

          <view class="li nav_item nav_cheap">
            <view class="div nav_item_hd"><view class="a"
bindtap="goSwitchTab" data-url="./groups" href="groups.html" open-type="switchTab">我
的拼团</view></view>
            </view>
            <view class="li nav_item nav_cart" ptag="12478.10.1">
              <view class="div nav_item_hd"><navigator url="addresses"
class="a" href="addresses.html" >我的地址</navigator></view>
              </view>
              <view class="li nav_item nav_cart" ptag="12478.10.1" plain="true" >
                <view type="primary" class="post_sale div
nav_item_hd_coupons_sale" open-type="contact">
                  <view class="coupons_a div" href="post_sale.html" >售后服务
</view>

                  <button type="default-light" size="30"
style="display:block;line-height:4;z-index:999999999;width:369px;height:40px;margin-
left:6px;background-color:red;margin-top:-43px;opacity:-0.5;" open-type="contact">
</button>

                </view>
              </view>
            </view>
          </view>
        </view>
      </view>
    </view>
  </view>
</view>

```

```

        </view>
    </view>
</view>
</view>
<!-- end -->
</view>
</view>

```

```
<auth-dialog showAuthModal="{{showAuthModal}}" bind:confirm="loadData"></auth-dialog>
```

webview.js

```

// pages/webview/webview.js
Page({

    /**
     * 页面的初始数据
     */
    data: {

    },

    /**
     * 生命周期函数--监听页面加载
     */
    onLoad: function (options) {
        this.setData({
            url: options.url
        });
    },

    /**
     * 生命周期函数--监听页面初次渲染完成
     */
    onReady: function () {

    },

    /**
     * 生命周期函数--监听页面显示
     */
    onShow: function () {

    },

```

```

/**
 * 生命周期函数--监听页面隐藏
 */
onHide: function () {

},

/**
 * 生命周期函数--监听页面卸载
 */
onUnload: function () {

},

/**
 * 页面相关事件处理函数--监听用户下拉动作
 */
onPullDownRefresh: function () {

},

/**
 * 页面上拉触底事件的处理函数
 */
onReachBottom: function () {

},

/**
 * 用户点击右上角分享
 */
onShareAppMessage: function () {

}
})

```

webview.json

```

{
  "navigationBarBackgroundColor": "#F8F8F8"
}

```

webview.wxml

```
<web-view src="{{url}}"></web-view>
```

cron.js

```
//获取应用实例
const app = getApp();

function run(successCallback, failCallback, completeCallback) {
  wx.request({
    url: app.globalData.apiUrl + "v1.0/project/crontab",
    success: function (res) {
      successCallback(res);
    },
    fail: function (res) {
      failCallback(res);
    },
    complete: function (res) {
      completeCallback(res);
    }
  })
}

module.exports = {
  run: run
}
```

order.js

```
//获取应用实例
const app = getApp();

function cancel(that,orderId,successCallback, failCallback){

  that.cancelCallback = function() {
    that.setData({showWinpopModal: true});
  },
}
```



```

that.confirmCallback = function() {
  wx.request({
    url: app.globalData.apiUrl + "v1.0/users/orders/" + orderId,
    header: {
      'AccessToken': wx.getStorageSync("token")
    },
    method: "DELETE",
    success: function(res){
      successCallback(res);
    },
    fail: function (res){
      failCallback(res);
    },
    complete: function(){
    }
  })
}

that.setData({ showWinpopModal: true, winpopContent: "确定“取消订单”吗?",
showWinpopCancel: true } )
}

function express(orderId, successCallback, failCallback, completeCallback){
  wx.request({
    url: app.globalData.apiUrl + 'v1.0/orders/' + orderId + "/express",
    success: function (res) {
      successCallback(res);
    },
    fail: function (res) {
      failCallback(res);
    },
    complete: function (res) {
      completeCallback(res);
    }
  });
}

function receive(that,orderId, successCallback, failCallback){

  that.cancelCallback = function () {
    that.setData({ showWinpopModal: true });
  },

  that.confirmCallback = function () {
    wx.request({
      url: app.globalData.apiUrl + "v1.0/users/orders/" + orderId + "/" + "receive",
      header: {
        'AccessToken': wx.getStorageSync("token")
      },

```

```

        method: "POST",
        success: function (res) {
            successCallback(res);
        },
        fail: function (res) {
            failCallback(res);
        },
        complete: function () {
        }
    })
}

```

```

that.setData({ showWinpopModal: true, winpopContent: "确定“ 确认收货 ”吗?",
showWinpopCancel: true })

```

```

// wx.showModal({
//   title: '确定“ 确认收货 ”吗?',
//   content: '',
//   success: function (res) {
//   }
// });
}

```

```

function pay(orderId, successCallback, failCallback, completeCallback){
    var that = this;
    wx.request({
        url: app.globalData.apiUrl + 'v1.0/users/orders/' + orderId + "/wxpay",
        header: {
            'AccessToken': wx.getStorageSync("token")
        },
        success: function (res) {
            successCallback(res);
        },
        fail: function (res) {
            failCallback(res);
        },
        complete: function (res) {
            completeCallback(res);
        }
    });
}

```

```

function goPay(payParams, successCallback, failCallback, completeCallback){
    wx.requestPayment({
        'timeStamp': payParams.timeStamp,
        'nonceStr': payParams.nonceStr,
        'package': payParams.package,
        'signType': payParams.signType,

```

```

    'paySign': payParams.paySign,

    success: function (res) {
        successCallback(res)
    },

    fail: function(res){
        failCallback(res);

        if (res.errMsg == "requestPayment:fail cancel"){
        }else{
            wx.showToast({title: res.errMsg,icon: "none"})
        }
    },

    complete: function(res){
        completeCallback(res);

    }

});
}

function paySuccess(orderId) {
    wx.request({
        url: app.globalData.apiUrl + 'v1.0/users/orders/' + orderId,
        header: {
            'AccessToken': wx.getStorageSync("token")
        },
        success: function (res) {
            if (res.data.result == 'ok') {
                if (res.data.order.group_order_id && res.data.order.group_order_id != '0') {
                    wx.redirectTo({ 'url': 'group?id=' + res.data.order.group_order_id });
                } else {
                    wx.redirectTo({ 'url': 'order?id=' + orderId });
                }
            } else {
                wx.redirectTo({ 'url': 'orders' });
            }
        }
    });
}

module.exports = {
    cancel: cancel,
    pay: pay,

```

```

    goPay: goPay,
    receive: receive,
    express: express,
    paySuccess: paySuccess
  }

```

token.js

```

//获取应用实例
const app = getApp();

function run(successCallback, failCallback, completeCallback) {
  var token = wx.getStorageSync("token");
  if(!token) return;

  wx.request({
    url: app.globalData.apiUrl + "v1.0/tokens",
    method: "DELETE",
    header: {
      'AccessToken': wx.getStorageSync("token")
    },
    success: function (res) {
      successCallback(res);
    },
    fail: function (res) {
      failCallback(res);
    },
    complete: function (res) {
      completeCallback(res);
    }
  })
}

module.exports = {
  run: run
}

```

util.js

```

// 时间格式化输出，如3:25:19 86。每10ms都会调用一次
function dateformat(micro_second) {

```

```

// 秒数
var second = Math.floor(micro_second / 1000);
// 小时位
var hr = Math.floor(second / 3600);

// 分钟位
var min = Math.floor((second - hr * 3600) / 60);

// 秒位
var sec = (second - hr * 3600 - min * 60); // equal to => var sec = second % 60;

// 毫秒位, 保留2位
var micro_sec = Math.floor((micro_second % 1000) / 10);

return [hr, min, sec].map(formatNumber);
}

const formatNumber = n => {
  n = n.toString()
  return n[1] ? n : '0' + n
}

function remove_array(array, index) {
  for (var i = ; i < array.length; i++) {
    var temp = array[i];
    if (!isNaN(index)) {
      temp = i;
    }
    if (temp == index) {
      for (var j = i; j < array.length; j++) {
        array[j] = array[j + 1];
      }
      array.length = array.length - 1;
    }
  }
  return array;
}

/**
 *多个定时器
 */
function countdowns(that, total_micro_seconds, initCallback) {
  var clock = [];
  for (var i = ; i < total_micro_seconds.length; i++) {
    var total_micro_second = total_micro_seconds[i];

```

```

    if (total_micro_second <= 0 || isNaN(total_micro_second)) {
        clock[i] = [0, 0, 0].map(formatNumber);
        if (that.timer !== undefined) {
            total_micro_seconds = remove_array(total_micro_seconds, i),
            initCallback(i);
        }
        continue;
    } else {
        clock[i] = dateformat(total_micro_second);
    }
}

that.setData({ clock: clock });

if (total_micro_seconds.length < 1) {
    if (that.timer !== undefined) {
        clearTimeout(that.timer);
    }
}

that.timer = setTimeout(function () {
    var temp_array = [];
    for (var i = 0; i < total_micro_seconds.length; i++) {
        var total_micro_second = total_micro_seconds[i] - 60;
        temp_array[i] = total_micro_second;
    }

    countdowns(that, temp_array, initCallback);
}, 60);
}

function redirect(url){
    if (!url) return false;

    if (url == 'index' || url == 'groups' || url == 'orders' || url == 'personal') {
        wx.switchTab({
            "url": url
        });
    } else {

        var pages = getCurrentPages() //获取加载的页面
        if (pages.length >= 3) {

            wx.redirectTo({
                "url": url
            })
        }
    }
}

```

```

        return true;
    }

    wx.navigateTo({
        "url": url,
    })
}
}

```

```

module.exports = {
    countdowns: countdowns,
    redirect: redirect
}

```

auth-dialog.js

```

// component/auth-dialog/auth-dialog.js
const app = getApp();
Component({
    /**
     * 组件的属性列表
     */
    properties: {
        showAuthModal: {
            type: Boolean,
            value: false,
        }
    },

    /**
     * 组件的初始数据
     */
    data: {
        appiconUrl: app.globalData._.config.app.icon_url,
        appName: app.globalData._.config.app.name,
        confirmDisabled: false
    },

    /**
     * 组件的方法列表
     */
    methods: {

```

```

// _successCallback:function(){
//   this.triggerEvent("successCallback");
// },
onAuthDialogCancel: function (event) {
  this.setData({
    showAuthModal: false,
  });
},

onAuthDialogConfirm: function (event) {
  this.setData({
    showAuthModal: false,
  });
},

getUserInfo: function (e) {
  var that = this;
  console.log("-----auth dialog getUserInfo-----");
  console.log(e);

  app.globalData.userInfo = e.detail.userInfo;

  wx.showLoading({
    title: '登录中...',
    icon: "none"
  });

  that.setData({
    confirmDisabled: true
  });
  app.login(function (res) {

    // that.setData({
    //   userInfo: res,
    // });

    that.setData({
      showAuthModal: false,
      confirmDisabled: false
    });
    var myEventDetail = {} // detail对象，提供给事件监听函数
    var myEventOption = {} // 触发事件的选项
    that.triggerEvent('confirm', myEventDetail, myEventOption);
    wx.hideLoading();

  }, function () {
    that.setData({
      showAuthModal: true,
      confirmDisabled: false
    });
  });
}

```



```

    });
    wx.hideLoading();
  });
}
}
})

```

auth-dialog.json

```

{
  "component": true,
  "usingComponents": {}
}

```

auth-dialog.wxml

```

<view class="modal-mask" bindtap="hideModal" catchtouchmove="preventTouchMove"
wx:if="{{showAuthModal}}"></view>
<view class="modal-dialog" wx:if="{{showAuthModal}}">
  <view class="modal-title"><image class="app-icon" src="{{appiconUrl}}" /></view>
  <view class="modal-content auth-dialog-content">
    <view>{{appName}}申请获得您的公开信息</view>
    <view>(头像，昵称等)</view>
  </view>
  <view class="modal-footer">
    <!-- <view class="btn-cancel" catchtap="onAuthDialogCancel" data-status="cancel">取消</view> -->
    <button class="btn-confirm" open-type="getUserInfo" bindgetuserinfo="getUserInfo"
data-status="confirm" disabled="{{confirmDisabled}}" hover-class="none">授权</button>
  </view>
</view>

```

express-dialog.json

```
{  
  "component": true,  
  "usingComponents": {}  
}
```

express-dialog.js

```
// component/express-dialog/express-dialog.js
Component({
  /**
   * 组件的属性列表
   */
  properties: {
    showExpressModal: {
      type: Boolean,
      value: false,
    },
    shippingInfo: {
      type: Object
    },
    isLoading: {
      type: Boolean,
      value: true,
    },
    isNoNetError: {
      type: Boolean,
      value: false,
    },
    _: {
      type: Object
    }
  },

  /**
   * 组件的初始数据
   */
  data: {
  },

  /**
   * 组件的方法列表
   */
  methods: {
    closeExpress: function(){
      this.setData({showExpressModal : false});
    }
  }
})
```

express-dialog.wxml

```

<view class="div all_page" ms-if="confirm_code"></view>

<view class="ul" class="div express_html" wx:if="{{showExpressModal}}"
catchtouchmove="stop">
  <view class="div dialog_content">
    <view class="div express_header">物流信息 </view>
    <view class="div right_pos" catchtap="closeExpress">
      <view class="div i" style='display:initial;'>
        <image src="//pintuan-xcx.cn/v1.0/close_1.png" class="img
cancel_icon"></image>
      </view>
    </view>
    <view class="div shipper" wx:if="{{shippingInfo.tracking_number}}">运单
号<view class="span tracking_number">
      {{shippingInfo.tracking_number}}
    </view>
  </view>

  <scroll-view scroll-y id="express_dialog" class="div express_main"
style="outline: none;">
    <view class="ul express_ui" wx:if="{{shippingInfo.traces.length>0}}">
      <view class="lili one_expre {{index == 0 ? 'red_color' : ''}}"
wx:for="{{shipping_info.traces}}" ms-class="">
        <view class="table" width="100%" height="100%">
          <view class="tr"><view align="center"
valign="middle" class="center_middle td exp_middle">
            <view class="div exp_wrapper"><view class="i fa fa-
circle exp_circle"></view></view></view><view class="td exp_detail"><view
class="p">{{item.time}}
          </view><view class="p">
            <view class="span" wx-if="{{item.address.length >
0}}">[{{item.address}}]</view>
            {{item.remark}}
          </view></view></view></view></view></view>

          <view class="div center" wx-
if="{{isNoNetError}}">[{{_.error_text[8]}}]</view>

        </scroll-view>
        <image class="express_loading" wx-if="{{isLoading}}" src="//pintuan-
xcx.cn/v1.0/loading_eb0d43.gif"></image>
      </view>

    <view class="div dialog_back"></view>

  </view>

```

express-dialog.wxss

```
/* component/express-dialog/express-dialog.wxss */
.dialog_back {
  position: fixed;
  z-index: 9997;
  max-width: 640px;
  width: 100%;
  height: 100%;
  background-color: #ccc;
  opacity: .8
}

.dialog_content {
  background-color: #fff;
  border-radius: 6px;
  z-index: 9999;
  position: fixed;
  width: 90%;
  height: 77%;
  left: 50%;
  top: 50%;
  max-width: 620px;
  -webkit-transform: translate(-50%, -47%);
  -moz-transform: translate(-50%, -47%);
  transform: translate(-50%, -47%)
}

.express_loading {
  display: block;
  position: absolute;
  left: 50%;
  top: 40%;
  -webkit-transform: translate(-50%, -50%);
  -moz-transform: translate(-50%, -50%);
  transform: translate(-50%, -50%);
  width: 32px;
  height: 32px;
}

.right_pos {
  float: right;
  margin-right: -13px;
  margin-top: -13px;
}
```

```

    width: 30px;
    height: 30px;
    display: block;
    text-align: center;
    border-radius: 100%;
    background-color: red
}

.center {
    width: 200px;
    margin: auto;
    text-align: center;
    position: relative;
    padding-left: 15px;
}

.cancel_icon {
    width: 48px;
    height: 48px;
    display: inline;
    text-align: center;
    color: #fff;
}

.express_header {
    color: #111;
    font-weight: 700;
    display: inline-block;
    font-size: 20px;
    margin: 10px 20px
}

.express_ui {
    font-size: 14px
}

.express_ui li {
    list-style-type: none
}

.express_main {
    margin: 20px auto ;
    width: 95%;
    height: 76%;
    /*overflow: scroll*/
}

.one_expre {
    margin: 10px ;
    border-bottom: 1px solid #ddd
}

```

```

}

.exp_circle {
    margin-right: 5px
}

.latest {
    margin: 3px 4px;
    color: #fff;
    background-color: red;
    visibility: hidden
}

.latest_show {
    visibility: visible
}

.red_color {
    color: red
}

.exp_middle {
    padding-right: 5px;
    vertical-align: middle;
    height: 100%;
    width: 25%;
    text-align: center
}

.exp_detail {
    width: 75%
}

.exp_overflow {
    height: 100%;
    overflow: hidden
}

.shipper {
    color: #000;
    font-size: 13px;
    margin-left: 22px
}

.tracking_number {
    margin-left: 10px
}

```


group-help.js

```
// component/group-help/group-help.js
Component({
  /**
   * 组件的属性列表
   */
  properties: {
    isGroupHelp: {
      type: Boolean,
      value: false,
    },
  },

  /**
   * 组件的初始数据
   */
  data: {

  },

  /**
   * 组件的方法列表
   */
  methods: {
    close_group_desc: function() {
      this.setData({ isGroupHelp: false });
    }
  }
})
```

group-help.json

```
{
  "component": true,
  "usingComponents": {}
}
```

group-help.wxml

```
<view class="group-detail" wx:if="{{isGroupHelp}}" bindtap="close_group_desc">
<view class="div group-detail-notice-container" style="display:;" data-reactid="71">
<view class="div notice-pop-container" data-reactid="82" catchtouchmove="stop">
  <view data-reactroot="" class="div notice-pop">
    <view class="div mask"></view>
    <view class="div notice-pop-content">
      <view class="div notice-pop-title">如何参加拼团</view>
      <view class="ul notice-pop-list">
        <view class="li join">开团或参加别人的团</view>
        <view class="li time">在规定的时间内，邀请好友参团</view>
        <view class="li send">达到拼团人数，分别给团长和团员发货</view>
        <view class="li withdraw">未达到拼团人数，货款将自动原路返还</view>
      </view>
    </view>
  </view>
</view>
</view>
</view>
```

group-help.wxss

```
/* component/group-help/group-help.wxss */
.group-detail .notice-pop-container {
  position: fixed;
  top: ;
  right: ;
  width: 100%;
  height: 100%;
  z-index: 10001;
}
.group-detail-notice-container {
  position: relative;
}
.group-detail .notice-pop-container {
  position: fixed;
  top: ;
  right: ;
  width: 100%;
  height: 100%;
  z-index: 10001;
}
```

```

}

.group-detail .notice-pop-container .notice-pop .mask {
    position: absolute;
    top: ;
    right: ;
    width: 100%;
    height: 100%;
    background-color: #000;
    opacity: .7;
}

.group-detail .notice-pop-container .notice-pop-content {
    background-color: #fff;
    width: 290px;
    height: 235px;
    position: absolute;
    top: 50%;
    left: 50%;
    -webkit-transform: translate(-50%, -50%);
    transform: translate(-50%, -50%);
    padding: 15px;
    border-radius: 8px;
    box-sizing: border-box;
}

.group-detail .notice-pop-container .notice-pop-content:before {
    content: "□";
    font-size: 10px;
    color: #9c9c9c;
    top: -5px;
    right: -5px;
    z-index: 2;
}

.group-detail .notice-pop-container .notice-pop-content:after, .group-detail .notice-
pop-container .notice-pop-content:before {
    line-height: 1;
    font-weight: 400;
    -webkit-font-smoothing: antialiased;
    font-family: icomoon;
    position: absolute;

    box-sizing: border-box;
}

.group-detail .notice-pop-container .notice-pop-list {
    font-size: 13px;
    color: #58595b;

```

```

padding-top: 6px;
line-height: 31px;
}

.group-detail .notice-pop-container .notice-pop-list .li {
    position: relative;
    padding-left: 22px;
    display: inline-block;
}

.group-detail .notice-pop-container .notice-pop-list .li:before {
    background: #9c9c9c;
    content: "";
    width: 3px;
    height: 3px;
    border-radius: 100%;
    position: absolute;
    top: 15px;
    left: 8px;
}

.group-detail .notice-pop-container .notice-pop-content:after {
    content: "□";
    font-size: 30px;
    color: #e0e0e0;
    top: -15px;
    right: -15px;
    width: 30px;
}

.goods-recommend-bottom {
    height: 50px;
    width: 100%;
    line-height: 50px;
    text-align: center;
}

.goods-recommend-bottom .goods-recommend-line {
    border-bottom: 1px solid #e0e0e0;
    height: 25px;
    width: 90%;
    margin-left: auto;
    margin-right: auto;
}

.goods-recommend-bottom .p {
    position: relative;
    top: -25px;
}

```

```
width: 136px;
font-size: 14px;
color: #9c9c9c;
margin-left: auto;
margin-right: auto;
background-color: #eceded;
display: block;
}

.group-detail .notice-pop-container .notice-pop-title {
width: 100%;
height: 55px;
padding-top: 18px;
margin-bottom: 15px;
text-align: center;
color: #151516;
font-size: 16px;
border-bottom: 1px solid #e0e0e0;
}
```

load-more.js

```
// component/load-more/load-more.js
Component({
  /**
   * 组件的属性列表
   */
  properties: {
    isHideLoadMore: {
      type: Boolean,
      value: true,
    }
  },

  /**
   * 组件的初始数据
   */
  data: {

  },

  /**
   * 组件的方法列表
   */
  methods: {

  }
})
```

load-more.json

```
{
  "component": true,
  "usingComponents": {}
}
```

load-more.wxml

```
<view class="weui-loadmore" hidden="{{isHideLoadMore}}">  
  <view class="weui-loading"></view>  
  <view class="weui-loadmore__tips">正在加载</view>  
</view>
```

load-more.wxss

```

/* component/page-loading/page-loading.wxss */
/* 加载更多 */
.weui-loading {
  margin: 5px;
  width: 20px;
  height: 20px;
  display: inline-block;
  vertical-align: middle;
  -webkit-animation: weuiLoading 1s steps(12, end) infinite;
  animation: weuiLoading 1s steps(12, end) infinite;
  background: transparent
url() no-repeat;
  background-size: 100%;
}
.weui-loadmore {
  width: 65%;
  margin: 1.5em auto;
  line-height: 1.6em;
  font-size: 14px;
  text-align: center;
}
.weui-loadmore__tips {
  display: inline-block;
  vertical-align: middle;
}

```


mall-service.js

```
const app = getApp()
Component({
  /**
   * 组件的属性列表
   */
  properties: {

  },

  /**
   * 组件的初始数据
   */
  data: {
    service: app.globalData._.config.mall_service
  },

  /**
   * 组件的方法列表
   */
  methods: {
    close_service_detail: function() {
      var that = this;

      that.setData({ "service_detail_show": false });
      setTimeout(function () {
        that.setData({ "service_detail": false });
      }, 300)
    },
    open_service_detail: function () {
      var that = this;

      that.setData({ "service_detail": true });
      setTimeout(function () {
        that.setData({ "service_detail_show": true });
      }, 150)
    }
  }
})
```

mall-service.json

```
{  
  "component": true,  
  "usingComponents": {}  
}
```

mall-service.wxml

```

<view class="goods-header false false" style='opacity:0;height:16rpx;'>
  <view class="div">
    <view class="g-h-div"></view>
    <view class="div g-h-services" catchtap="open_service_detail">
      <block wx:for="{{service}}">
        <view class="g-h-service">
          <view class="g-h-service-dot" wx:if="{{index != 0}}"></view>
          <view class="g-h-service-txt {{index == 0 ? 'first-service' :
'')}}>{{item.type}}</view>
        </view>
      </block>
      <view class="g-h-enter"><view class="span g-h-enter-icon"></view>
      </view>
      <view class="service-detail-bg" catchtap="close_service_detail"
style="{{service_detail ? '' : 'display:none;'}}">
        <view class="gh-service-detail-main {{service_detail && service_detail_show ?
'gh-main-show' : 'gh-main-hide'}}">
          <view class="gh-service-title"><view class="span">服务说明</view>
          <view class="gh-service-close-btn"
catchtap="close_service_detail"></view>
        </view>
        <view id="gh-service-modal-list-service" class="gh-service-modal-content">
          <view class="gh-service-content">
            <view class="gh-service-item" wx:for="{{service}}">
              <view class="gh-service-left">
                <view class="gh-service-item-top"><view class="span gh-ms-
item-icon"></view>
                <view class="span gh-service-item-
name">{{item.type}}</view>
              </view>
              <view class="span service-item-desc">{{item.desc}}</view>
            </view>
          </view>
        </view>
      </view>
    </view>
  </view>
</view>

```

mall-service.wxss

```
.goods-header .g-h-div {
```

```

border-top: 1px solid #f2f2f2;
margin-top: -2rpx;
margin-left: 24rpx;
box-sizing: border-box;
}
.goods-header .g-h-services, .goods-header .g-h-services .g-h-country {
  -webkit-box-align: center;
  align-items: center;
  -webkit-align-items: center;
}
.goods-header .g-h-services {
  padding: 24rpx;
  position: relative;
  display: -webkit-box;
  display: flex;
  display: -webkit-flex;
  -webkit-box-pack: start;
  justify-content: start;
  -webkit-justify-content: start;
  -webkit-box-orient: horizontal;
  -webkit-box-direction: normal;
  flex-direction: row;
  -webkit-flex-direction: row;
  font-size: 26rpx;
  line-height: 76rpx;
  color: #58595b;
  height: 76rpx;
  box-sizing: border-box;
}

.goods-header .g-h-services .g-h-service {
  margin-left: 16rpx;
  margin-top: 2rpx;
  display: -webkit-inline-box;
  display: inline-flex;
  display: -webkit-inline-flex;
  -webkit-box-align: center;
  align-items: center;
  -webkit-align-items: center;
  -webkit-flex-shrink: ;
  flex-shrink: ;
}
.goods-header .g-h-services .g-h-service .g-h-service-txt {
  margin-left: 16rpx;
}
.goods-header .g-h-services .g-h-service .g-h-service-txt.first-service {
  margin-left: -16rpx;
}

```

```

.goods-header .g-h-services .g-h-service .g-h-service-dot {
  height: 4rpx;
  width: 4rpx;
  border-radius: 50%;
  background-color: #9c9c9c;
  box-sizing: border-box;
}

.goods-header .g-h-enter .g-h-enter-icon:before {
  border-bottom: 2rpx solid #DDDDDD;
  border-left: 2rpx solid #DDDDDD;
  content: "";
  display: inline-block;
  height: 14rpx;
  overflow: hidden;
  position: absolute;
  right: 24rpx;
  top: 31rpx;
  -webkit-transform: rotate(-135deg);
  transform: rotate(-135deg);
  width: 14rpx;
}

.service-detail-bg {
  position: fixed;
  width: 100%;
  max-width: 640px;
  height: 100%;
  top: ;
  background: rgba(0,0,0,.7);
  z-index: 10002;
}

.service-detail-bg .gh-service-detail-main.gh-main-show {
  -webkit-transform: translateZ(0) translateY(0);
  transform: translateZ(0) translateY(0);
}

.service-detail-bg .gh-service-detail-main.gh-main-hide {
  -webkit-transform: translateZ(0) translateY(819.99rpx);
  transform: translateZ(0) translateY(819.99rpx);
}

.service-detail-bg .gh-service-detail-main {
  position: fixed;
  width: 100%;
  max-width: 640px;
  height: 819.99rpx;
  background-color: #fff;
  z-index: 10000;
  -webkit-transition: -webkit-transform .15s ease-in-out .15s;
  transition: -webkit-transform .15s ease-in-out .15s;
  transition: transform .15s ease-in-out .15s;
  transition: transform .15s ease-in-out .15s, -webkit-transform .15s ease-in-out .15s;
}

```

```

    -webkit-transform: translateZ(0);
    transform: translateZ(0);
    bottom: ;
}
.service-detail-bg .gh-service-title {
    user-select: auto;
    -webkit-user-select: auto;
    position: relative;
    width: 100%;
    height: 88rpx;
    line-height: 88rpx;
    font-size: 34rpx;
    color: #151516;
    text-align: center;
    border-bottom: 1px solid hsla(0,0%,88%,.4);
    background-repeat: no-repeat;
    background-size: cover;
    background-position: 50%;
}
.service-detail-bg .gh-service-close-btn {
    position: absolute;
    width: 88rpx;
    height: 88rpx;
    padding: 30rpx;
    top: ;
    right: ;
    padding-top: 32rpx;
    box-sizing: border-box;
}
.service-detail-bg .gh-service-close-btn:before {
    content: "\E61D";
    font-size: 24rpx;
    color: #e0e0e0;
    font-family: icomoon;
    line-height: 1;
    font-weight: 400;
    -webkit-font-smoothing: antialiased;
    position: relative;
    display: block;
    box-sizing: border-box;
}

.service-detail-bg .gh-service-modal-content {
    width: 100%;
    height: 744rpx;
    font-size: ;
    overflow-x: hidden;
    overflow-y: auto;
    -webkit-overflow-scrolling: touch;
}

```

```

}
.goods-header .gh-service-content {
  padding: 42rpx 24rpx 60rpx;
}
.goods-header .gh-service-item, .goods-header .gh-service-item .gh-service-left {
  display: -webkit-box;
  display: flex;
  display: -webkit-flex;
  -webkit-box-pack: start;
  justify-content: start;
  -webkit-justify-content: start;
  -webkit-box-direction: normal;
}
.goods-header .gh-service-item {
  -webkit-box-align: center;
  align-items: center;
  -webkit-align-items: center;
  -webkit-box-orient: horizontal;
  flex-direction: row;
  -webkit-flex-direction: row;
  width: 100%;
  padding: 42rpx;
}

.goods-header .gh-service-item .gh-service-left {
  -webkit-box-align: start;
  align-items: start;
  -webkit-align-items: start;
  -webkit-box-orient: vertical;
  flex-direction: column;
  -webkit-flex-direction: column;
  -webkit-box-flex: 1;
  -webkit-flex: 1;
  flex: 1;
}

.goods-header .gh-service-item .gh-service-left .gh-service-item-top {
  display: -webkit-box;
  display: flex;
  display: -webkit-flex;
  -webkit-box-pack: start;
  justify-content: start;
  -webkit-justify-content: start;
  -webkit-box-align: center;
  align-items: center;
  -webkit-align-items: center;
  -webkit-box-orient: horizontal;
  -webkit-box-direction: normal;
  flex-direction: row;

```

```
-webkit-flex-direction: row;
}
```

```
.goods-header .gh-service-item .gh-service-left .service-item-desc {
  margin-top: 12rpx;
  margin-left: 18rpx;
  font-size: 28rpx;
  color: #9c9c9c;
  line-height: 40rpx;
  display: -webkit-box;
  display: flex;
  display: -webkit-flex;
  -webkit-box-pack: start;
  justify-content: start;
  -webkit-justify-content: start;
  -webkit-box-align: center;
  align-items: center;
  -webkit-align-items: center;
  -webkit-box-orient: horizontal;
  -webkit-box-direction: normal;
  flex-direction: row;
  -webkit-flex-direction: row;
}
```

```
.goods-header .gh-service-item .gh-service-left .gh-service-item-top .gh-service-item-
name {
  margin-left: 12rpx;
  font-size: 32rpx;
  color: #151516;
  line-height: 32rpx;
}
```

net-error-tips.js


```
// component/NetErrorTips/netErrorTips.js
Component({
  /**
   * 组件的属性列表
   */
  properties: {
    isNoNetError: {
      type: Boolean,
      value: true,
    }
  },

  /**
   * 组件的初始数据
   */
  data: {

  },

  /**
   * 组件的方法列表
   */
  methods: {
    _loadData() {
      //触发取消回调
      this.triggerEvent("loadData");
    },
  }
})
```

net-error-tips.json

```
{
  "component": true,
  "usingComponents": {}
}
```

net-error-tips.wxml

```
<view class="net-error" hidden="{{isNoNetError}}">
  <view class="tips">手机网络不太顺畅，请检查网络状况</view>
  <button class="reloadBtn" catchtap='_loadData'>重新加载</button>
</view>
```

net-error-tips.wxss

```
.net-error{
  position: absolute;
  top: calc(75% - 50px);
  left: calc(50% - 106px);
}
.net-error .reloadBtn{
  width: 200rpx;
  margin: auto;
  font-size: 12px;
  color: white;
  background-color: #FF4C42;
  border-radius: 10rpx;
}
.net-error .tips{
  text-align: center;
  padding: 10px;
  color: #FF4C42;
}
```

page-loading.js

```
// component/page-loading/page-loading.js
Component({
  /**
   * 组件的属性列表
   */
  properties: {
    isLoading: {
      type: Boolean,
      value: true,
    },
    isOperate: {
      type: Boolean,
      value: false,
    }
  },

  /**
   * 组件的初始数据
   */
  data: {

  },

  /**
   * 组件的方法列表
   */
  methods: {

  }
})
```

page-loading.json

```
{
  "component": true,
  "usingComponents": {}
}
```

page-loading.wxml

```
<view class="page-loading" id="pin-spinner" wx:if="{{isLoading}}">
  <view class="div ps-background" wx:if="{{isOperate}}"></view>
  <view class="div ps-inner-box">
    <image id="imgInit" class="ps-rotate-img"
src="
/xhBQAAACBjSFJNAAB6JgAAgIQAAPoAAACA6AAAdTAAApGgAAAmAAAF3CcuLE8AAAAABmJLR0QAAAAAAAD5Q7t/A
AAACXBjWMAAAASAAALEgHS3X78AAAGwLEQVRO3u2af4wdVRXHP2/XLm1BTMCCtGNLEQS6nUoVEiIwUEkMDTGZB
qq0J0rQSBSE4sMKhEMW5aQCTg0W6w9Qp4Gm/AGUMRL5IabJiKSgQnWEVi1gy0CXrcJCiuiybPnjztv03jfv7XvPN
wYSvsKme879ce53709z7rmvQskQkRnACcB0Vd1Xpq2ekoksBXYDMbBHRJa/Z8kAa4Fp2f9TM/ndRUZEjhSRD7VQ9
a0W/JEW+p4uIrNKJ5Mzug/YCwyJyMp0jDbpfwkWCKQiEovIEaWRAS4HfKAC9AFrRWR+l4jMAELgg5nqDGB1mWSOs
eReYH03yGQDt5fu3DLJ3FugW5Qtj44hIicBFxUU3VMaGVV9CHIwoGitiEz9H/isLxjLM8DtpZHJ8A3gLU3F7iiE
xaZLzqjyI6qjpZKRlV3AhsKiq4VkaPaJDIVWFN09EtVfbjdsXXqNL8N2KHJICB3Ld1uS37JklcBsy3df4Er0xlUx
fpS04GNwBJgBzCgqvcVNR5RrW/stT7gY+p6vNZnaXAncBBwAhwoarek5UdjPEph1h9rFHVvQ1sngrcDHwaEyJdo
KpDtXJ7Zq4GlgIfAFxgi4g8ICLzCvq+HfhTwceZUxNU9W5MFHA6MLNGJMNhBUQGgRsKSMwWkc3AY5j91QssAm5pN
jNbgmKBj4K3AZcp6qv50qfCfwm6xzg78ACVf0PLaDA3pdU9Y5c+TSgClzLgRgvjxdUdXyZ9uZLPM87DvAKGvUAp
wArPM/7t+d5T8VxPBbH8W7P8x7PPsrDwApVfb0Vipm9ezF7ZAI4UVU3ZSQnuctAyLMkp/SoItfxXE87vvsmeKdv
gdgcllqjfa0sExVk1YH3ipEZCawGTizSbX9wF3Apao6XFN0GLCqjgArReQnmHD9nAad9W088/HdJgP8bBiITwGXq
erv7IJKk0a1KPZm4NgGVQ5W1Te6yURE9LJ8VdgLCLBRVceK2jb1M9mx3A98E7D3wm+7TSTDA5Y8gklx6vqzxsRg
eb7okZoBBN7bQYGgMWYu0niEoiACZemAadhjmJR1V0L2Xof/xdUAETkEuAawGLSdwyzvL6mqo+WPbB169YtwlWn5
tF8bw8CA9Vq9baKiJyI8RuVFmwAvAjMUdW3SyQyJbMzo8UmbwP9PcD8NogAzGrDSKc4sk0bvcD8Hkyw2M5X3q0qg
yWTeQkzM61iFHiyR1X/BqwAngVeneTvjd5JR0hWq20Aedl9iYb0x4gqFarz5c9rvfRKVre+Gma9gGXAudijmhxH
KflcL9VhGHYh7m/nAZsA9YEQTDcNTJpmhYFnFscxzmVBDI3Ad/KqYYwPnBjEARjzdo2DTTJNJ2XpuKjwBbqI2c/T
dNpdB8XWvIRmGvBH8IwbHY1KCaTpumH0zTdgDm2z27Qdgho6XrcJl5ooF8IbA3DCHMYhr0LKkxYZmmaVjDR8GpMw
qER/gksdxzn191mEobhAuAXwNfNqr2JybfDEATBeELSJrMSK+NhYRT4ITDg0M4wQJIKJwJfAFJgk+u6Lc9WFEU9G
L+1ALjf9/ltGaFaIuNq6jM4eawPgmD8WcUm0yg7AybHfKXj0M/UFEmS9ANPANMz1aPAWa7rthRRRFG0iQN7ZAw4x
/f98dk0w3AWJidxAcWHle4gCI6uCfae+UtBg13A5xzHWZwnkuHWHBEw+bFT7Q7i0K7LrRRdBQTN3sPsCGKor6aI
giCF4MgWI5J+j1eMLYdWB3k8R1ge/b/q5jrCr/j0PfbvSRJsgStiLMx7nvi0P5UHM7gJE4jp+04/iTuXpvYK7Ee
RwHXGZ3GATBtozQCg6keP+BWyRjQJu67BCYA7zs0M6bBYMLSZKpGMdpPwY96Lru4hyZ3wMn58q3e563MDc7twJfL
/gYH/d9/+Ui22EYTsFkSfcEQTDhlaAuB+A4zv6MdTNcUUDkLcz9PY+FlrzAkq8HlgGH53SHAgp8pchwdno9V1TW9
itAkiQzMeGgJQ2u6+60dL2WPMGe7/v/ygjZuCiKopNpE508aaym/rjch3nm6AQ/pv7g6QHWrvHUzqWxPTJJkpWcf
LGg6DrXdYc7YeL7/ijlyxNMtv/zpZEBvkz9obEd+GknRHKEHsEkyYvsLUZmuEBXbdVJToJVMBeBPF4rk8wtHPBDA
0td193aBSL4vr8LuAqT4QdzHR4ojYzruvswfuN04B0u63b15ya+738f830uz2B8zV/bad/WadEu4jgexKSNanjF8
7zD0+1vMpT9Ey37AfchZRordWYA4jj+LMbz/9nzvLbf9tvB00XbJi+MSyc4AAAAAE1FTkSuQmCC"
style="bottom: 0px;"/>
  </view>
</view>
```

page-loading.wxss

```

/* component/page-loading/page-loading.wxss */
.page-loading .ps-rotate-img {
  width: 25px;
  height: 25px;
  margin: auto;
  left: ;
  right: ;
  top: ;
  bottom: ;
  animation: rotateImg 2.5s linear infinite;
  -webkit-animation: rotateImg 2.5s linear infinite;
  z-index: 999999999;
  position: absolute;
}
@keyframes rotateImg {
  0% {
    transform: rotateZ(0deg);
  }
  50% {
    transform: rotateZ(180deg);
  }
  100% {
    transform: rotateZ(360deg);
  }
}
.page-loading {
  position: fixed;
  width: 66px;
  height: 66px;
  top: 35%;
  margin: auto;
  left: ;
  right: ;
  z-index: 999999999;
}
.ps-background {
  position: absolute;
  width: 100%;
  height: 100%;
  opacity: 0.7;
  background-color: #000;
  border-radius: 9px;
}

```

qrcode-poster.js

```
const app = getApp();
Component({
  /**
   * 组件的属性列表
   */
  properties: {
    showPosterModal: {
      type: Boolean,
      value: false,
    },
    posterUrl: {
      type: String,
      value: null
    },
    qrcodeUrl: {
      type: String,
      value: null
    },
    goods: {
      type: Object,
      value: null
    },
    disabled: {
      type: Boolean,
      value: false
    }
  },

  /**
   * 组件的初始数据
   */
  data: {
    appiconUrl: app.globalData.appiconUrl,
    appName: app.globalData.appName,
    confirmDisabled: false
  },

  /**
   * 组件的方法列表
   */
  methods: {

    hidePosterModal: function () {

      var myEventDetail = {} // detail对象，提供给事件监听函数
```

```

var myEventOption = {} // 触发事件的选项
this.triggerEvent("close", myEventDetail, myEventOption);

this.setData({
  showPosterModal: false
});

console.log("hidePosterModal");
},

emptytest: function () {

},

save: function () {

  var that = this, pages = getCurrentPages(), currentPage = pages[pages.length - 1],
  uri = currentPage.route + "?" + (app.urlEncode(currentPage.options).slice(1));
  console.log(currentPage)
  wx.showLoading({
    title: '保存图片到手机相册中...',
  });

  that.setData({
    disabled: true
  });

  wx.downloadFile({
    url: that.data.posterUrl,
    success: function (res) {
      that.setData({
        disabled: false
      });
      if (res.statusCode === 200) {
        //保存到相册
        wx.saveImageToPhotosAlbum({
          filePath: res.tempFilePath,
          success: function () {
            wx.hideLoading();
            that.setData({
              showPosterModal: false
            });

            wx.showToast({
              title: '成功保存',
              icon: "success"
            });
          }
        });
      }
    }
  });
}

```

```

        app.handlerShare("分享海报", 1, uri );

        that.triggerEvent("close", {}, {});
    },
    fail: function (res) {
        wx.hideLoading();
        app.handlerShare("分享海报", , uri );
        that.triggerEvent("close", {}, {});
        console.log(res);

        wx.getSetting({
            success(res) {
                if (!res.authSetting["scope.writePhotosAlbum"]) {
                    wx.openSetting({
                        success: (res) => {
                            if (res.authSetting["scope.writePhotosAlbum"] &&
res.authSetting["scope.writePhotosAlbum"] == true) {
                                that.save();
                            }
                        }
                    });
                }
            }
        });
    }
});

    }
});

    },
    fail: function () {
        that.setData({
            disabled: false
        });
        wx.hideLoading();
        that.triggerEvent("close", {}, {});
    }
});
}
}
})

```

qrcode-poster.json


```
{  
  "component": true,  
  "usingComponents": {}  
}
```

qrcode-poster.wxml

```

<!-- 海报 -->
<view class="modal-mask" bindtap="hidePosterModal" catchtouchmove="preventTouchMove"
wx:if="{{showPosterModal}}"></view>

<view class="modal-wrap" bindtap="hidePosterModal" wx:if="{{showPosterModal}}">
  <view class="modal-dialog" catchtap='emptytest'>

    <view class="close" bindtap='hidePosterModal' hover-class='hover-effect'>
      <image src="../../images/push/exit2.png"></image>
    </view>
    <image class="goods-cover" src="{{goods.image_url + '?x-oss-
process=image/resize,w_380,h_380'}}" mode='cover'></image>

    <view class="goods-info">
      <view class="title-1 {{goods.title_one?'':'text-
center'}}">{{goods.title_one}}</view>
      <view class="title-2">{{goods.title_two}}</view>

      <view class="price" wx:if="{{goods.group_price}}">¥ {{goods.group_price}}</view>
    </view>

    <view class="dash-line"></view>

    <view class="qrcode-info-wrap">
      <image class="qrcode" src="{{qrcodeUrl}}"></image>

      <view class="ps-wrap">
        <view class="text">长按识别图中的小程序码</view>
        <view class="text">查看{{goods.title_one?'':' 拼团'}}详情</view>
      </view>
    </view>

    <view class="modal-footer">
      <button class="save-btn" bindtap='save' disabled='{{disabled}}'>保存图片</button>
      <view class="text">保存后，可以从手机相册分享到朋友圈</view>
    </view>
  </view>
</view>

```

qrcode-poster.wxss

```

/* component/qrcode-poster/qrcode-poster.wxss */
.modal-mask {

```

```

width: 100%;
height: 100%;
position: fixed;
top: ;
left: ;
background: #000;
opacity: 0.5;
overflow: hidden;
z-index: 9000;
color: #fff;
}
.modal-wrap{
position: fixed;
top;;
bottom;;
left;;
right;;
display: flex;
flex-direction: row;
align-items: center;
justify-content: center;
z-index: 9999;
}
.modal-dialog {
width: 90%;
max-height: 100%;
overflow-y: scroll;
background: #fff;
border-radius: 20rpx;
padding-bottom: 350rpx;
text-align: center;
position: relative;
}

.goods-cover{
/* width:380rpx; */
height:380rpx;
object-fit: cover;
margin: auto;
margin-top:80rpx;
width:100%;
}

.modal-footer{
position: absolute;
bottom: 30rpx;
text-align: center;
width:100%;
}

```

```

.modal-footer .text{
  font-size: 22rpx;
  color:#adadad;
  text-align: center;
  padding-top:30rpx;
}

.goods-info{
  padding:30rpx;
  position:relative;
}

.goods-info .title-1, .goods-info .title-2{
  color:#343434;
  font-size:26rpx;
  position: absolute;
  left:30rpx;
  top:30rpx;
}

.goods-info .title-2{
  top:66rpx;
}

.goods-info .price{
  color:#ff5b4c;
  font-size:26rpx;
  position: absolute;
  right:30rpx;
  top:30rpx;
}

.dash-line{
  margin: 30rpx;
  margin-top:70rpx;
  height: 2rpx;
  border-bottom: 1rpx dashed #e9e9e9;
}

.qrcode-info-wrap
{
  margin-top:20rpx;
  position: relative;
}

.qrcode{
  width:180rpx;
  height:180rpx;
  position: absolute;
  left:30rpx;
}

```

```

.ps-wrap{
  color:#6b6b6b;
  font-size: 26rpx;
  position: absolute;
  top:50rpx;
  text-align: left;
  left:300rpx;
}

.ps-wrap .text{
  padding-top:rpx;
}

.modal-dialog .close{
  position: absolute;
  top:10rpx;
  right:10rpx;
  width:60rpx;
  height:60rpx;
  text-align: center;
}

.close image{
  width:40rpx;
  height:40rpx;
}

.save-btn{
  background:#ff5b4c;
  font-size: 24rpx;
  text-align: center;
  color:#fff;
  width:60%;
  height: 70rpx;
  border-radius: 40rpx;
  line-height: 70rpx;
}

.goods-info .text-center{
  left;;
  width:100%;
  text-align: center;
}

```

right-service.js

```
// component/right-service/right-service.js
Component({
  /**
   * 组件的属性列表
   */
  properties: {

  },

  /**
   * 组件的初始数据
   */
  data: {

  },

  /**
   * 组件的方法列表
   */
  methods: {

  }
})
```

right-service.json

```
{
  "component": true,
  "usingComponents": {}
}
```

right-service.wxml

```

<!--component/right-service/right-service.wxml-->
<view onclick="common.showService()" class="i service explain_icon_right"
style="display: block;">
  <contact-button
    type="default-light"
    size="27" >
  </contact-button>
</view>

```

right-service.wxss

```

/* component/right-service/right-service.wxss */

.service {
  background: url(//pintuan-xcx.cn/v1.0/service_5ca802.png) no-repeat;
  background-size: contain;
  top: 276px;
  width: 56px;
  height: 56px;
}

.explain_icon_right {
  right: -50px;
  -webkit-animation: shake 1s ease-in .3s forwards;
  animation: shake 1s ease-in .3s forwards;
}

.explain_icon, .explain_icon_right {
  position: fixed;
  z-index: 10;
}

@keyframes shake {
  0% {
    right: -50px
  }

  30%,to {
    right: 20px
  }

  40%,60%,80% {
    -webkit-transform: rotate(-10deg);
    transform: rotate(-10deg)
  }
}

```

```

    }

    50%,70%,90% {
        -webkit-transform: rotate(10deg);
        transform: rotate(10deg)
    }
}

contact-button {
    display:block;
    line-height:4;
    z-index:999999999;
    width:40px;
    height:40px;
    margin-left:9px;
    background-color:#1AAD19;
    margin-top:7px;
    opacity:-0.5;
}

```

winpop-mask.js


```

// component/winpop-mask/winpop-mask.js
Component({
  /**
   * 组件的属性列表
   */
  properties: {
    showWinpopModal: {
      type: Boolean,
      value: false,
    },
    winpopContent: {
      type: String,
      value: "",
    },
    showWinpopCancel: {
      type: Boolean,
      value: true,
    },
    showWinpopConfirm: {
      type: Boolean,
      value: true,
    }
  },

  /**
   * 组件的初始数据
   */
  data: {

  },

  /**
   * 组件的方法列表
   */
  methods: {
    cancelCallback: function() {
      this.triggerEvent('cancelCallback'),
      this.setData({"showWinpopModal": false});
    },
    confirmCallback: function() {
      this.triggerEvent('confirmCallback'),
      this.setData({"showWinpopModal": false});
    }
  }
})

```

winpop-mask.json

```
{
  "component": true,
  "usingComponents": {}
}
```

winpop-mask.wxml

```
<view class="div winpop-mask" id="co_maks" wx:if="{{showWinpopModal}}"
style="display:block"></view>
<view class="div winpop-box" id="co_box" wx:if="{{showWinpopModal}}"
style="display:block">
  <view class="div co-popmain winpop-main">
    <view class="p co-main-words">{{winpopContent}}</view>
  </view>
  <view class="div co-btns winpop-btns">
    <button type="button" class="co-false pop-btn2 confirm-false" value=""
bindtap="cancelCallback" wx:if="{{showWinpopCancel}}">
      取消
    </button>

    <button type="button" class="{{showWinpopCancel && showWinpopConfirm ? 'co-
true pop-btn2 confirm-true' : 'co-alert pop-btn alert-button'}}" value=""
bindtap="confirmCallback" wx:if="{{showWinpopConfirm}}">
      确定
    </button>
  </view>
</view>
```

winpop-mask.wxss

```
/*error start*/
.winpup-mask {
  left: ;
  top: ;
  z-index: 99999;
  width: 100%;
  height: 100%;
}
```

```

    background-color: #000;
    opacity: .6;
}

.winpop-box, .winpop-mask {
    display: none;
    position: fixed;
}

.winpox-box {
    left: 50%;
    top: 50%;
    z-index: 999999;
    -webkit-transform: translate3d(-50%, -50%, 0);
    webkit-transform: translate3d(-50%, -50%, 0);
    width: 80%;
    height: 30%;
    border-radius: 10rpx;
    background-color: #fff;
}

.winpox-box, .winpop-mask {
    display: none;
    position: fixed;
}

.winpox-box .winpop-main {
    height: 75%;
    overflow: hidden;
    text-wrap: normal;
    line-height: 48rpx;
    color: #666;
    padding: auto;
    text-align: center;
    vertical-align: center;
    font-size: 36rpx;
    position: relative;
}

.winpox-box .winpop-main .co-main-words {
    position: absolute;
    top: 50%;
    left: 50%;
    text-align: center;
    width: 90%;
    -webkit-transform: translate(-50%, -50%);
    transform: translate(-50%, -50%);
}

```

```

.winput-box .winput-btms {
    text-align: center;
    height: 25%;
    z-index: 999999999;
    border-top: 1px solid #999;
}

.winput-box .pop-btn {
    width: 80%;
    height: 70rpx;
    border-radius: 10rpx;
    background-color: transparent;
    border: solid #df0a17;
    font-family: Microsoft Yahei;
    color: #df0a17;
    font-size: 32rpx;
}

button::after {
    border: none;
}

/*error end*/

.winput-box .pop-btn2 {
    width: 50%;
    height: 100%;
    background-color: transparent;
    border: solid #df0a17;
    font-family: Microsoft Yahei;
    color: #df0a17;
    font-size: 32rpx;
    position: relative;
    display: inline-block;
    border-radius: !important;
    border-right: 1px solid #aaa;
    border-radius: ;
}

/* start.v.6 */
.winput-box .pop-btn2 {
    border-right-color: #e0e0e0;
}

.winput-box .winput-btms {
    border-top-color: #e0e0e0;
}

/* end */

```

安装要求

- Laravel 5.3+
- php 5.6.4

nginx参考

```
server {  
    listen      80;  
    root        /www/web/w6_pintuan_xcx_cn/public;  
    server_name test.pintuan-xcx.cn;  
    index       index.html index.php index.htm;  
    location ~ /\.php(.*)$ {  
        fastcgi_pass    unix:/tmp/php-71-cgi.sock;  
        fastcgi_index    index.php;  
        fastcgi_param    SCRIPT_FILENAME $DOCUMENT_ROOT$fastcgi_script_name;  
        fastcgi_param    PATH_INFO $2;  
        include fcgi.conf;  
    }  
    location ~ /\.ht {  
        deny    all;  
    }  
    location / {  
        #try_files $uri $uri/ /?$args;  
        try_files $uri $uri/ /index.php?$query_string;  
    }  
}
```

linux权限

```
chmod -R 0777 storage
```

web.php

```
<?php
```

```
//auth
Route::group(['prefix' => '/auth', 'namespace' => "Auth", 'middleware' => ['csrf']],
function () {
    Route::get('login',
'LoginController@showLoginForm')->name('login');
    Route::post('login', 'LoginController@login');
    Route::get('logout', 'LoginController@logout')->name('logout');
    Route::post('logout', 'LoginController@logout')->name('logout');
});

//admin site
Route::group(['prefix' => '/admin', 'namespace' => "Admin", 'middleware' => ['auth',
'permission']], function () {
    Route::resource('/menu/tree', 'MenuController@tree');
    Route::resource('/menu', 'MenuController');
    Route::get('/role/{id}/permission', 'RoleController@permissionEdit');
    Route::post('/role/{id}/permission', 'RoleController@permissionStore');
    Route::resource('/role', 'RoleController');
    Route::resource('/user', 'UserController');
    Route::resource('/permission', 'PermissionController');
    Route::resource('/info', 'InfoController');
    Route::resource('/log', 'LogController');
    Route::resource('/loginLog', 'LoginLogController');

    Route::resource('/', 'HomeController');

    Route::resource('/banner', 'BannerController');
    Route::resource('/goods', 'GoodsController');
    Route::resource('/goods_cate', 'GoodsCateController');
    Route::post("upload", "FileController@uploadFile");
    Route::resource('/member', 'MemberController');

    Route::get('/orders', 'OrdersController@index');
    Route::get('/orders/{id}/edit', 'OrdersController@edit');

    Route::post('/orders/confirm', 'OrdersController@confirm');
    Route::post('/orders/cancel', 'OrdersController@cancel');

    Route::any('/orders/{id}/delivery', 'OrdersController@delivery');
    Route::any('/orders/{id}/refund', 'OrdersController@refund');

    Route::resource('/shipping', 'ShippingController');
    Route::resource('/group', 'GroupController');

    Route::get('/config', 'ConfigController@index');
    Route::get('/config/set', 'ConfigController@conf');
    Route::post('/config/web', 'ConfigController@updateweb');
```

```

Route::post('/config/upload', 'ConfigController@uploadFile');
Route::get('/config/get_weapp_tpl',
'ConfigController@get_weapp_tpl');

Route::get('/share', 'ShareController@index');

Route::get('/dynamic', 'HomeController@dynamic');
});

//app api
Route::group(['prefix' => 'api/v1.0', 'namespace' => "Api\\Air\\v_1_0"], function () {
    Route::get('banners', 'BannerController@lists');

    Route::get('goods', 'GoodsController@lists');

    Route::get('users/me', 'WeuserController@me');

    Route::post('users/share', 'WeuserController@share');

    # addresses
    Route::get('users/addresses', 'AddressController@lists');
    Route::put('users/addresses/{address_id}', 'AddressController@defaults');

    # address
    Route::get('users/address/{address_id}', 'AddressController@detail');
    Route::post('users/address', 'AddressController@add');
    Route::put('users/address/{address_id}', 'AddressController@edit');
    Route::delete('users/address/{address_id}', 'AddressController@delete');

    # ##### start orders #####
    Route::get('users/orders', 'OrdersController@lists');
    Route::get('users/orders/{order_id}', 'OrdersController@detail');
    Route::post('users/orders', 'OrdersController@add');
    Route::delete('users/orders/{order_id}', 'OrdersController@cancel');
    Route::post('users/orders/{order_id}/receive', 'OrdersController@receive');
    Route::get('orders/{order_id}/express', 'ProjectController@express');
    # ##### end orders #####

    Route::get('project/data_version', 'ProjectController@data_version');
    Route::get('project/regions', 'ProjectController@regions');
    Route::get('project/crontab',

```

```

'ProjectController@crontab')->name('crontab');

Route::get('banners/order', 'BannerController@order');

Route::get('users/orders/{order_id}/wxpay',
'PaymentController@wxpay');

Route::any('notify/wxpay',
'NotifyController@wxpay')->name('wxpay_notify');

# test wxpay
# Route::any('notify/testwxpay', 'NotifyController@testwxpay');

Route::get('users/groups', 'GroupsController@lists');
Route::get('users/groups/{id}', 'GroupsController@detail');

Route::delete('tokens', function(Illuminate\Http\Request
$request) {
    $token = $request->header('AccessToken');
    $MemberTokenDB = new App\Models\MemberToken();
    $MemberTokenDB->where('token',$token)->delete();
});

});

// app pro api
Route::group(['prefix' => 'pro/api/v1.0', 'namespace' => "Api\\Pro\\v1_0"], function ()
{
    Route::get('goods', 'GoodsController@lists');
    Route::post('goods/groups', 'GoodsController@lists_groups');
    Route::get('goods/{goods_id}/groups', 'GoodsController@detail_groups');

    Route::get('goods_cate', 'GoodsCateController@lists');

    Route::get('users/orders', 'OrdersController@lists');
    Route::get('users/orders/count', 'OrdersController@count');
    Route::get('users/orders/{order_id}', 'OrdersController@detail');
    Route::post('users/orders', 'OrdersController@add');

    Route::get('users/orders/{order_id}/wxpay', 'PaymentController@wxpay');
    Route::any('notify/wxpay',
'NotifyController@wxpay')->name('pro_wxpay_notify');

```



```

# test wxpay
# Route::any('notify/testwxpay', 'NotifyController@testwxpay');

Route::get('users/groups/{id}', 'GroupsController@detail');
});

// mini air api
Route::group(['prefix' => 'mini/v1.0', 'namespace' => "Mini\\Air\\v_1_0"], function () {
    Route::get('goods/{goods_id}', 'GoodsController@detail');
    Route::get('goods/poster/{goods_id}', 'GoodsController@poster');

    Route::get('login', 'WechatController@login');
    Route::get('wxacode/{id}', 'WechatController@wxacode');

    Route::get('group/poster/{id}', 'GroupsController@poster');
});

// mini pro api
Route::group(['prefix' => 'pro/mini/v1.0', 'namespace' => "Mini\\Pro\\v_1_0"], function
() {
    Route::get('goods/{goods_id}', 'GoodsController@detail');
    Route::get('login', 'WechatController@login');
});
Route::group(['prefix' => 'pro/mini/v1.1', 'namespace' => "Mini\\Pro\\v_1_1"], function
() {
    Route::get('login', 'WechatController@login');
});

//web site
Route::group(['namespace' => "Web"], function () {
    Route::get('/', 'SiteController@get');
});

//test api
Route::group(['prefix' => 'test', 'namespace' => "Test"], function () {
    Route::get('groups', 'GroupsController@lists');
    Route::get('groups/{id}', 'GroupsController@detail');
    Route::get('goods', 'GoodsController@lists');
    Route::get('goods/{id}', 'GoodsController@detail');
});

```

api.php

```
<?php

use Illuminate\Http\Request;

/*
|-----
| API Routes
|-----
|
| Here is where you can register API routes for your application. These
| routes are loaded by the RouteServiceProvider within a group which
| is assigned the "api" middleware group. Enjoy building your API!
|
*/

Route::get('/user', function (Request $request) {
    return $request->user();
})->middleware('auth:api');
```

console.php

```
<?php

use Illuminate\Foundation\Inspiring;

/*
|-----
| Console Routes
|-----
|
| This file is where you may define all of your Closure based console
| commands. Each Closure is bound to a command instance allowing a
| simple approach to interacting with each command's IO methods.
|
*/

Artisan::command('inspire', function () {
    $this->comment(Inspiring::quote());
})->describe('Display an inspiring quote');
```

AddressController.php

```
<?php
namespace App\Http\Controllers\Api\Air\v_1_0;
use App\Models\Address;
use App\Models\Region;
use Illuminate\Support\Facades\DB;
use Illuminate\Http\Request;

class AddressController extends WeuserController {
    public function lists(){
        $AddressDB = new Address();
        $ret['address_list'] =
$AddressDB->getAddress(array('member_id'=>$this->memberInfo['member_id']));

        $ret['result'] = 'ok';

        echo json_encode($ret);
    }

    public function defaults($address_id){
        $AddressDB = new Address();
        $rev = file_get_contents("php://input");
        $rev = json_decode($rev,true);
$AddressDB->where(array('member_id'=>$this->memberInfo['member_id']))->update(array('sta
tus'=>'COMMON'));
        $data['status'] = $rev['status'];

$AddressDB->where(array('address_id'=>$address_id,'member_id'=>$this->memberInfo['member
_id']))->update($data);

        $ret['result'] = 'ok';

        echo json_encode($ret);
        exit;
    }

    public function detail($address_id){
        $AddressDB = new Address();
        if($address_id){
            $map['address_id'] = $address_id;
        }else{
            $map['status'] = 'DEFAULT';
        }

        $map['member_id'] = $this->memberInfo['member_id'];
```

```

        $ret['address'] = $AddressDB->getAddr($map);
        $ret['result'] = 'ok';

        echo json_encode($ret);

        exit;
    }

    public function add(){
        $AddressDB = new Address();
        $Region = new Region();
        $data = file_get_contents("php://input");
        $data = json_decode($data,true);

        $data['member_id'] = $this->memberInfo['member_id'];

        $data['province_id'] = $data['province'];
        $data['city_id'] = $data['city'];
        $data['district_id'] = $data['district'];
        $province = $Region->getRegionById($data['province']);
        $city = $Region->getRegionById($data['city']);
        $district = $Region->getRegionById($data['district']);

        $data['province'] = $province['region_name'];
        $data['city'] = $city['region_name'];
        $data['district'] = $district['region_name'];

        $data['full_address'] =
        $province['region_name'].$city['region_name'].$district['region_name'].$data['address'];

        $data['created_time'] = time();
        $data['last_updated_time'] = time();
        $address_id = $AddressDB->insertGetId($data);

        $ret['result'] = 'ok';

        $ret['address_id'] = $address_id;
        echo json_encode($ret);
        exit;
    }

    public function edit($address_id){
        $AddressDB = new Address();
        $Region = new Region();
        $data = file_get_contents("php://input");
        $data = json_decode($data,true);

```

```

        $data['province_id'] = $data['province'];
        $data['city_id'] = $data['city'];
        $data['district_id'] = $data['district'];
        $province = $Region->getRegionById($data['province']);
        $city = $Region->getRegionById($data['city']);
        $district = $Region->getRegionById($data['district']);

        $data['province'] = $province['region_name'];
        $data['city'] = $city['region_name'];
        $data['district'] = $district['region_name'];

        $data['full_address'] =
        $province['region_name'].$city['region_name'].$district['region_name'].$data['address'];

        $data['last_updated_time'] = time();

$AddressDB->where(array('address_id'=>$address_id,'member_id'=>$this->memberInfo['member_id']))->update($data);

        $ret['result'] = 'ok';
        $ret['address_id'] = $address_id;
        echo json_encode($ret);
        exit;
    }

    public function delete($address_id){
        $AddressDB = new Address();

        if($AddressDB->where(array('address_id'=>$address_id,'member_id'=>$this->memberInfo['member_id']))->delete()){
            $ret['result'] = 'ok';
        }else{
            $ret['result'] = 'fail';
            $ret['error_info'] = '非法提交';
        }
        echo json_encode($ret);
        exit;
    }
}

```

BannerController.php

```
<?php
// +-----
// | Description:
// +-----
// | Author: beichen <notice@notestore.cn>
// +-----

namespace App\Http\Controllers\Api\Air\v_1_0;
use App\Http\Controllers\Core\ApiController;
use Illuminate\Support\Facades\DB;

class BannerController extends ApiController {
    public function lists() {
        $BannerDb = DB::table('banner');
        $list = $BannerDb->where('in_selling',1)->orderBy('banner_sort',
'ASC')->orderBy('banner_id', 'DESC')->get();

        $ret['result'] = 'ok';
        $ret['banners'] = $list;

        echo(json_encode($ret));
    }

    public function order() {
        $ret['banner'] = config('wechat.confirm_order_tips');
        $ret['result'] = 'ok';
        echo json_encode($ret);
    }
}
```

GoodsController.php

```

<?php
// +-----
// | Description:
// +-----
// | Author: beichen <notice@notestore.cn>
// +-----

namespace App\Http\Controllers\Api\Air\v_1_0;
use App\Http\Controllers\Core\ApiController;
use Illuminate\Support\Facades\DB;
use Illuminate\Http\Request;

class GoodsController extends ApiController {
    public function lists(Request $request) {
        $offset = $request->get('offset');
        $size = $request->get('size');
        $GoodsDb = DB::table('goods');
        $list = $GoodsDb->orderBy('goods_sort', 'ASC')->orderBy('goods_id',
'DESC')->select('goods_id','cate_id','goods_name','image_url','market_price','group_pric
e','alone_price','group_number','sell_count','limit_buy','goods_stock','sell_type')->ski
p($offset->take($size->get());

        $ret['result'] = 'ok';
        $ret['goods'] = $list;

        echo(json_encode($ret));
    }

    public function detail($goods_id) {
        $GoodsDb = DB::table('goods');
        $detail = $GoodsDb->where('goods_id',$goods_id->first());

        if(!$detail) {
            return
json_encode(array('result'=>'fail','error_code'=>41002,'error_info'=>'商品已下架或不存在'));
        }

        $imgs = unserialize($detail['goods_imgs']);

        foreach($imgs as $v){
            $gallery[]['img_url'] = $v;
        }

        echo json_encode(array('result'=>'ok','goods'=>$detail,'gallery'=>$gallery));
    }
}

```

GroupsController.php

```
<?php
// +-----
// | Description: 团
// +-----
// | Author: beichen <notice@notestore.cn>
// +-----

namespace App\Http\Controllers\Api\Air\v_1_0;

use App\Models\Group;
use App\Models\Orders;
use Illuminate\Http\Request;

class GroupsController extends WeuserController {

    public function lists(Request $request) {
        $OrdersDb = new Orders;

        $offset = $request->get('offset');
        $size = $request->get('size');
        $map['buyer_id'] = $this->memberInfo['member_id'];
        $map['group_buy'] = 1;
        $map[] = ['orders.group_order_id', '>', ''];
        $map[] = ['pay_sn', '<>', ''];
        $map[] = ['pay_time', '>', ''];

        $orders =
$OrdersDb->leftJoin('group', 'orders.group_order_id', '=', 'group.group_order_id')->whereNotIn('order_status', [,5])->where($map)->skip($offset)->take($size)->orderBy('group.group_order_id', 'DESC')->select()->get()->toArray();

        if(!$orders){
            $orders = array();
        }
        foreach($orders as $k=>$v){
            $orders[$k]['order_goods'] = unserialize($v['order_goods']);
        }
        $ret['group_orders'] = $orders;
        $ret['result'] = 'ok';
        echo json_encode($ret);
    }

    public function detail($id) {
        $GroupDb = new Group;
        $groupInfo = $GroupDb->getGroup(array('group_order_id'=>$id));

        if(!$groupInfo){
```



```

        echo json_encode(array('result'=>'fail','error_code'=>41001,'error_info'=>'该
团不存在'));
        return;
    }

    $OrdersDb = new Orders;

    $map = array();
    $map['group_order_id'] = $groupInfo['group_order_id'];
    $map['group_buy'] = 1;
    $orders = $OrdersDb->leftJoin('member','orders.buyer_id',
    '=', 'member.member_id')->whereNotIn('order_status',[,5])->where($map)->orderBy('orders.g
roup_header','DESC')->orderBy('orders.pay_time','ASC')->select()->get();

    foreach($orders as $k => $v){
        $tmp = array();
        $tmp['avatar'] = $v['headimgurl'];
        $tmp['join_time'] = $v['pay_time'];
        $tmp['nickname'] = $v['nickname'];
        $tmp['user_id'] = $v['member_id'];
        $user[] = $tmp;
    }

    $map = array();
    $map['group_order_id'] = $groupInfo['group_order_id'];
    $map['group_buy'] = 1;
    $map['group_header'] = 1;
    $order = $OrdersDb->leftJoin('member','orders.buyer_id',
    '=', 'member.member_id')->whereNotIn('order_status',[,5])->where($map)->orderBy('group_he
ader','asc')->orderBy('pay_time','asc')->first();

    $order['order_goods'] = unserialize($order['order_goods']);

    $ret['result'] = 'ok';
    $ret['group_order'] = $groupInfo;
    $ret['group_order']['users'] = $user;
    $ret['group_order']['order'] = $order;
    $ret['group_order']['caller_id'] = $this->memberInfo['member_id'];
    echo json_encode($ret);
}
}

```

NotifyController.php

```
<?php
// +-----
// | Description:
// +-----
// | Author: beichen <notice@notestore.cn>
// +-----

namespace App\Http\Controllers\Api\Air\v_1_0;
use App\Http\Controllers\Core\ApiController;
use Illuminate\Support\Facades\DB;

class NotifyController extends ApiController {
    public function wxpay(){
        require_once base_path("app/Utils/JsApiPay/mini/notify.php");

        $config = new \WxPayConfig();
        $notify = new \PayNotifyCallBack();
        $notify->Handle($config, false);
    }
}
```

OrdersController.php

```
<?php
namespace App\Http\Controllers\Api\Air\v_1_0;
use App\Models\Group;
use App\Models\Address;
use App\Models\Goods;
use App\Models\Orders;
use App\Models\Region;
use Illuminate\Support\Facades\DB;
use Illuminate\Http\Request;

class OrdersController extends WeuserController {
    public function lists(Request $request){

        $OrdersDb = new Orders;

        $offset = $request->get('offset');
        $size = $request->get('size');
        $order_status = $request->get('order_status');
```

```

        if($order_status != ''){

            if($order_status == 1){
                $OrdersDb = $OrdersDb->whereBetween('order_status',['1','3']);
            }else{
                $map['order_status'] = (int) $order_status;
            }
        }

        $map['buyer_id'] = $this->memberInfo['member_id'];

        $list =
        $OrdersDb->where($map)->orderBy('order_time','DESC')->skip($offset)->take($size)->select
        ()->get()->toArray();

        if(!$list){
            $ret['order_list'] = array();

        }else{

            foreach($list as $k=>$v){
                $v['order_goods'] = unserialize($v['order_goods']);
                $ret['order_list'][] = $v;
            }
        }

        $ret['result'] = 'ok';
        echo json_encode($ret);

    }

# 提交订单
public function add(){
    $data = file_get_contents("php://input");
    $data = json_decode($data,true);

    $GoodsDb = new Goods;
    $OrdersDb = new Orders;
    $goodsInfo = $GoodsDb->getGoods(array('goods_id'=>$data['goods_id']));

    if(!$goodsInfo){
        echo json_encode(array('result'=>'fail','error_code'=>41002,'error_info'=>'该
商品不存在'));
        return;
    }
}

```

```

        if($goodsInfo['goods_stock'] <= ){
            echo json_encode(array('result'=>'fail','error_code'=>42042,'error_info'=>'商品已售罄，去首页逛逛吧'));
            return;
        }

        $AddressDB = new Address;
        $map = array();
        $map['member_id'] = $this->memberInfo['member_id'];
        $map['address_id'] = $data['address_id'];
        $address = $AddressDB->getAddr($map);
        if(!$address){
            echo json_encode(array('result'=>'fail','error_code'=>41002,'error_info'=>'地址不存在'));
            return;
        }

        $input['buyer_id'] = $this->memberInfo['member_id'];
        $input['order_sn'] =
date('YmdHis').rand(,9).rand(,9).rand(,9).rand(,9).rand(,9).rand(,9);
        $input['goods_id'] = $data['goods_id'];
        $input['group_order_id'] = (int)$data['group_order_id'] ?
(int)$data['group_order_id'] : ;
        $input['group_buy'] = $data['groupbuy'];

        if($input['group_buy'] == 1){
            $groupBuyCount =
$OrdersDb->where(array('buyer_id'=>$this->memberInfo['member_id'],'group_buy'=>1,'order_
status'=>array('not in',array(1,5))))->count();
            if($groupBuyCount >= $goodsInfo['limit_buy'] && $goodsInfo['limit_buy'] !=
){
                echo
json_encode(array('result'=>'fail','error_code'=>41002,'error_info'=>'该商品一人限
购'.$goodsInfo['limit_buy'].'件'));
                return;
            }
        }
        if($input['group_buy'] == 1 && $input['group_order_id'] == ){
            $input['group_header'] = 1;
        }

        if($input['group_buy'] == 1 && $input['group_order_id'] > ){
            //加入团操作。。判断该团是否可以进行
            $GroupDb = new Group;
            $groupInfo =

```

```

$GroupDb->getGroup(array('group_order_id'=>$input['group_order_id']));

    if(!$groupInfo){
        echo
json_encode(array('result'=>'fail','error_code'=>41003,'error_info'=>'该团不存在'));
        return;
    }

    if($groupInfo['status'] == 1){
        echo
json_encode(array('result'=>'fail','error_code'=>41003,'error_info'=>'该团已满员'));
        return;
    }

    if($groupInfo['status'] == 2){
        echo
json_encode(array('result'=>'fail','error_code'=>41003,'error_info'=>'该团已关闭'));
        return;
    }
    $orderMap['group_order_id'] = $groupInfo['group_order_id'];
    $orderMap[] = array('pay_sn','>');
    $orderMap[] = array('pay_time','>');
    $orderMap['buyer_id'] = $this->memberInfo['member_id'];
    if($OrdersDb->where($orderMap)->first()){
        echo
json_encode(array('result'=>'fail','error_code'=>41003,'error_info'=>'您已加入过此团'));
        return;
    }
}

$input['province_id'] = $address['province_id'];
$input['city_id'] = $address['city_id'];
$input['district_id'] = $address['district_id'];

$input['province_name'] = $address['province'];
$input['city_name'] = $address['city'];
$input['district_name'] = $address['district'];

$input['mobile'] = $address['mobile'];

$input['receive_name'] = $address['receive_name'];

$input['nickname'] = $this->memberInfo['nickname'];

$input['order_goods'] = serialize($goodsInfo);

$input['goods_number'] = 1;

if($data['groupbuy'] == 1){

```

```

        $input['goods_amount'] = $goodsInfo['group_price'];
        $input['order_amount'] = $goodsInfo['group_price'];
        $input['pay_amount'] = $goodsInfo['group_price'];
    }else{
        $input['goods_amount'] = $goodsInfo['alone_price'];
        $input['order_amount'] = $goodsInfo['alone_price'];
        $input['pay_amount'] = $goodsInfo['alone_price'];
    }

    $input['shipping_address'] = $address['full_address'];
    $input['shipping_amount'] = 0.00;
    $input['order_status'] = ;

    $input['order_time'] = time();

    $order_id = $OrdersDb->insertGetId($input);

    if($order_id){
        echo json_encode(array('result'=>'ok','order_id'=>$order_id));
        return;
    }else{
        echo json_encode(array('result'=>'fail','error_code'=>41002,'error_info'=>'创建订单失败'));
        return;
    }

    exit;
}

public function detail($order_id){
    $OrdersDb = new Orders;

    $orderInfo =
    $OrdersDb->getOrder(array('order_id'=>$order_id,'buyer_id'=>$this->memberInfo['member_id']
    ')));

    if(!$orderInfo){
        echo json_encode(array('result'=>'fail','error_code'=>41001,'error_info'=>'订单不存在'));
        return;
    }
    $orderInfo['order_goods'] = unserialize($orderInfo['order_goods']);
    $ret['order'] = $orderInfo;
    $ret['result'] = 'ok';

    echo json_encode($ret);
}

```

```

    }

    public function cancel($order_id){
        $OrdersDb = new Orders;

        $orderInfo =
        $OrdersDb->getOrder(array('order_id'=>$order_id,'buyer_id'=>$this->memberInfo['member_id']
        '']));

        if(!$orderInfo){
            echo json_encode(array('result'=>'fail','error_code'=>41001,'error_info'=>'订
            单不存在'));
            return;
        }

        $OrdersDb->where(array('order_id'=>$order_id,'buyer_id'=>$this->memberInfo['member_id'])
        )->update(array('order_status'=>5));

        $ret['result'] = 'ok';

        echo json_encode($ret);
    }

    # 确认收货
    public function receive($order_id){
        $OrdersDb = new Orders;
        $OrdersDb->where(array('order_id'=>$order_id))->update(array('order_status'=>4,'received
        _time'=>time()));

        $ret['result'] = 'ok';
        echo json_encode($ret);
        exit;
    }
}

```

PaymentController.php

```

<?php
// +-----
// | Description:
// +-----
// | Author: beichen <notice@notestore.cn>
// +-----
namespace App\Http\Controllers\Api\Air\v_1_0;

```

```

use App\Models\Goods;
use App\Models\Group;
use App\Models\Orders;
use App\Models\Paylog;
use Illuminate\Support\Facades\DB;

class PaymentController extends WeuserController {

    # 调起微信支付
    public function wxpay($order_id){

        $OrdersDb = new Orders();
        $orderInfo = $OrdersDb->getOrder(array('order_id'=>$order_id));
        if(!$orderInfo){
            echo json_encode(array('result'=>'fail','error_code'=>41001,'error_info'=>'订
单不存在'));
            return;
        }

        $GoodsDb = new Goods();

        $goodsInfo = $GoodsDb->getGoods(array('goods_id'=>$orderInfo['goods_id']));

        if(!$goodsInfo){
            echo json_encode(array('result'=>'fail','error_code'=>41002,'error_info'=>'商
品已下架或删除'));
            return;
        }

        if($goodsInfo['goods_stock'] <= 0){
            echo json_encode(array('result'=>'fail','error_code'=>41002,'error_info'=>'商
品已售罄，去首页逛逛吧'));
            return;
        }

        if($orderInfo['group_buy'] == 1){
            $groupBuyCount =
            $OrdersDb->where(array('buyer_id'=>$this->memberInfo['member_id'],'group_buy'=>1,'order_
            status'=>array('not in',array(1,5))))->count();
            if($groupBuyCount >= $goodsInfo['limit_buy'] && $goodsInfo['limit_buy'] !=
            0){
                echo
                json_encode(array('result'=>'fail','error_code'=>41002,'error_info'=>'该商品一人限
                购'. $goodsInfo['limit_buy']. '件'));
                return;
            }
        }
    }
}

```



```

        if($orderInfo['group_buy'] == 1 && $orderInfo['group_order_id'] > ){
            $GroupDb = new Group;
            $groupInfo =
$GroupDb->getGroup(array('group_order_id'=>$orderInfo['group_order_id']));

            if(!$groupInfo){
                echo
json_encode(array('result'=>'fail','error_code'=>41002,'error_info'=>'该团不存在'));
                return;
            }

            if($groupInfo['status'] == 1){
                echo
json_encode(array('result'=>'fail','error_code'=>41002,'error_info'=>'该团已满员'));
                return;
            }

            if($groupInfo['status'] == 2){
                echo
json_encode(array('result'=>'fail','error_code'=>41002,'error_info'=>'该团已关闭'));
                return;
            }

            $orderMap['group_order_id'] = $groupInfo['group_order_id'];
            $orderMap[] = array('pay_sn','>');
            $orderMap[] = array('pay_time','>');
            $orderMap['buyer_id'] = $this->memberInfo['member_id'];
            if($OrdersDb->where($orderMap)->first()){
                echo
json_encode(array('result'=>'fail','error_code'=>41002,'error_info'=>'您已加入过此团'));
                return;
            }
        }
    }

    //开始生成支付信息
    $time = time();
    $pay['pay_sn'] =
date('YmdHis').rand(,9).rand(,9).rand(,9).rand(,9).rand(,9).rand(,9);
    $pay['order_id'] = $orderInfo['order_id'];
    $pay['pay_amount'] = $orderInfo['pay_amount'];
    $pay['pay_start_time'] = $time;
    $pay['pay_status'] = ;
    $PaylogDb = new Paylog;
    $pay_id = $PaylogDb->insertGetId($pay);
    $payInfo = $PaylogDb->getPaylog(array('pay_id'=>$pay_id));

```

```

        if(!$payInfo){
            echo json_encode(array('result'=>'fail','error_code'=>41001,'error_info'=>'生成支付订单失败'));
            return;
        }
        if($payInfo['pay_status'] == 1){
            echo json_encode(array('result'=>'fail','error_code'=>41003,'error_info'=>'该订单已支付'));
            return;
        }

        require_once base_path("app/Utils/JsApiPay/mini/WxPay.JsApiPay.php");

        $tools = new \JsApiPay();

        $openId = $this->memberInfo['open_id'];
        $input = new \WxPayUnifiedOrder();

        $input->SetBody($goodsInfo['goods_name']);

        $input->SetOut_trade_no($payInfo['pay_sn']);
        $input->SetTotal_fee($orderInfo['pay_amount'] * 100);
        $input->SetTime_start(date("YmdHis"));
        $input->SetTime_expire(date("YmdHis", time() + 600));

        $url = route('wxpay_notify');

        $input->SetNotify_url($url);
        $input->SetTrade_type("JSAPI");
        $input->SetOpenid($openId);

        $config = new \WxPayConfig();
        $order = \WxPayApi::unifiedOrder($config,$input);
        $PaylogDb->where('pay_id',$payInfo['pay_id'])->update(array('prepay_id' =>
        $order['prepay_id']));

        $jsApiParameters = $tools->GetJsApiParameters($order);
        $jsApiParameters = json_decode($jsApiParameters,true);

        $ret['param'] = $jsApiParameters;
        $ret['result'] = 'ok';

        echo json_encode($ret);
    }

```

```
}
```

ProjectController.php

```
<?php
// +-----
// | Description: 通用接口
// +-----
// | Author: beichen <notice@notestore.cn>
// +-----

namespace App\Http\Controllers\Api\Air\v_1_0;
use App\Http\Controllers\Core\ApiController;
use App\Models\Orders;
use App\Models\OrderLog;
use App\Models\Region;
use App\Utils\ToolsUtils;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\DB;
use App\Models\Member;
use App\Models\Paylog;
use App\Models\Group;

class ProjectController extends ApiController {
    /**
     * 数据版本
     */
    public function data_version(Request $request){
        $type = $request->get('type');
        switch($type){
            case 'region_list':
                $ret['result'] = 'ok';
                $ret['data_version']['data_key'] = 'region_list';
                $ret['data_version']['version'] = 1;
                break;
            default:
                $ret['result'] = 'fail';
                $ret['error_code'] = 42000;
                $ret['error_info'] = '非法参数';
                break;
        }

        echo json_encode($ret);
    }
}
```

```

public function regions(){
    $RegionDb = new Region();
    $city[1] = $RegionDb->getRegion(array('level'=>1));
    $city[2] = $RegionDb->getRegion(array('level'=>2));
    $city[3] = $RegionDb->getRegion(array('level'=>3));

    $ret['regions'] = $city;
    $ret['result'] = 'ok';

    echo json_encode($ret);
}

public function express($order_id){

    $OrdersDb = new Orders;

    $orderInfo = $OrdersDb->getOrder(array('order_id'=>$order_id));

    if(!$orderInfo){
        echo json_encode(array('result'=>'fail','error_code'=>41001,'error_info'=>'该
订单不存在'));
        return;
    }

    $url =
'http://www.kuaidi100.com/query?type='.$orderInfo['shipping_code'].'&postid='.$orderInfo
['tracking_number'].'&id=1&valicode=&tmp='.ToolsUtils::random(4).'&sessionid=&tmp='.Too
lsUtils::random(4);

    $content = file_get_contents($url);
    $content = json_decode($content,true);
    if ($content['status'] != 200){
        echo json_encode(array('result'=>'fail','error_code'=>41001,'error_info'=>'查
询物流信息出错'));
        return;
    }
    $traces = array();
    foreach($content['data'] as $k=>$v){
        $tmp = array();
        $tmp['time'] = $v['time'];
        $tmp['address'] = $v['location'];
        $tmp['remark'] = $v['context'];
        $traces[] = $tmp;
    }
    $ret['shipping']['traces'] = $traces;
    $ret['shipping']['shipper'] = $orderInfo['shipping_name'];
    $ret['shipping']['tracking_number'] = $orderInfo['tracking_number'];
    $ret['result'] = 'ok';
}

```

```

        echo json_encode($ret);
    }

    public function crontab(){
        \Log::useFiles(storage_path("logs/crontab.txt"));
        \Log::DEBUG(false);

        //团即将过期提醒
        $this->groupMsgCrontab();

        //团 超时退款

        $this->groupRefound();

        //确认收货
        $this->confirmShipping();
    }

    protected function groupMsgCrontab() {
        $GroupDb = new Group;
        $OrdersDb = new Orders;
        $PaylogDb = new Paylog;

        $map = [];
        $map['group_buy'] = 1;
        $map[] = ['orders.pay_sn', '<>', ''];
        $map[] = ['pay_time', '>', ''];
        $map['notify'] = ;
        $map['status'] = ;

        $time = time() + 3600 * config('group.notify_hour');

        $map[] = ['expire_time', '<', $time];
        $map[] = ['expire_time', '>', time()];

        $orders =
        $OrdersDb->join("member", "orders.buyer_id", "=", "member.member_id")->join("group", "orders
        .group_order_id", "=", "group.group_order_id")->join("paylog", "orders.pay_id", "=", "paylog.
        pay_id")->where($map)->select()->get()->toArray();

        if($orders) {
            foreach ($orders as $v) {
                $groupIds[] = $v['group_order_id'];
                $v['order_goods'] = unserialize($v['order_goods']);

                $msg = '您参加的'. $v['order_goods']['goods_name']. '还
                有'. config('group.notify_hour'). '小时到期,目前还差'. ($v['require_num'] - $v['people']). '人,快去
                叫上身边的小伙伴一起' . env('WEB_NAME') . '吧';
            }
        }
    }

```

```

        if(config('wechat.miniapp_tpl.open') == 1){
            //发送团即将过期提醒
            $data['keyword1'] = array('value'=>
            $v['order_goods']['goods_name'],'color'=> '#000');
            $data['keyword2'] = array('value'=> config('group.notify_hour') . '小
            时','color'=> '#000');
            $data['keyword3'] = array('value'=> $v['require_num'] - $v['people']
            . '人' , 'color'=> '#000');
            $data['keyword4'] = array('value'=> $msg, 'color'=> '#000');

            App\Utils\ToolsUtils::send_miniapp_msg($v['open_id'],config('wechat.miniapp_tpl.group_no
            tify_tpl'),'pages/group?id='.$v['group_order_id'],$v['prepay_id'],$data);
        }

    }

    $GroupDb->whereIn('group_order_id',$groupIds)->update(array('notify'=>1));
}

protected function groupRefound() {
    $GroupDb = new Group;
    $OrdersDb = new Orders;
    $PaylogDb = new Paylog;
    $time = time();

    $groupIds = [];
    $map[] = array('expire_time','<',$time);
    $map['status'] = ;
    $groups = $GroupDb->where($map)->select()->get()->toArray();
    if($groups) {
        foreach($groups as $v){
            $groupIds[] = $v['group_order_id'];
        }

        $GroupDb->whereIn('group_order_id',$groupIds)->update(array('status'=>2));
    }

    $map = [];
    $map['group_buy'] = 1;
    $map[] = ['orders.pay_sn','<>',''];
    $map[] = ['pay_time','>',''];

    $orders =
    $OrdersDb->join("member","orders.buyer_id","=", "member.member_id")->join("paylog","order
    s.pay_id","=", "paylog.pay_id")->where($map)->whereIn("group_order_id",$groupIds)->select
    ()->get()->toArray();

```

```

        if($orders) {
            foreach($orders as $v) {
                $ret = $this->refund($v['transaction_id'],$v['pay_amount'] *100 ,
                $v['pay_amount'] *100);
                if($ret){
                    $PaylogDb->where(['pay_id'=>$v['pay_id']])>update(['refund_id'=>$ret['out_refund_no']]
                    );
                    $OrdersDb->where(['order_id'=>$v['order_id']])>update(['order_status'=>7]);
                }else{
                    $OrdersDb->where(['order_id'=>$v['order_id']])>update(['order_status'=>6]);
                }

                $msg = '您的订单退款申请已经提交给微信处理了哦~微信系统需要审核，微信最迟5个工作日内会
                退款到您的支付账户哦~谢谢您的支持!';

                if(config('wechat.miniapp_tpl.open') == 1){
                    //发送退款通知
                    $goodsInfo = unserialize($v['order_goods']);
                    $data['keyword1'] = array('value'=>$v['order_sn'],'color'=> '#000');
                    $data['keyword2'] =
                    array('value'=>$goodsInfo['goods_name'],'color'=> '#000');
                    $data['keyword3'] = array('value'=> $v['pay_amount'] .
                    "",'color'=> '#000');
                    $data['keyword4'] = array('value'=> date('Y-m-d H:i:s',time())
                    , 'color'=> '#000');
                    $data['keyword5'] = array('value'=> $msg, 'color'=> '#000');

                    App\Utils\ToolsUtils::send_miniapp_msg($v['open_id'],config('wechat.miniapp_tpl.refound_
                    notify_tpl'),'pages/order?id='.$v['order_id'],$v['prepay_id'],$data);
                }

            }
        }

    }

    protected function confirmShipping() {
        $OrdersDb = new Orders;
        $OrderLog = new OrderLog;

        $map = [];
        $map[] = ["pay_sn", "<>", ""];
        $map[] = ["pay_time", ">", ""];
        $map['order_status'] = 3;

        $time = time() - config('order.shipping_time');

        $map[] = ["shipping_time", "<", $time];
    }

```

```

        $orders = $OrdersDb->where($map)->select()->get()->toArray();
        foreach ($orders as $k => $v)
        {
            $log['manage'] = "crontab";
            $log['order_id'] = $v['order_id'];
            $log['remark'] = "系统自动，确认收货";
            $log['time'] = time();
            $log['do'] = '确认收货';
            $OrderLog->insert($log);
            $OrdersDb->where(['order_id' => $v['order_id']])->update(['order_status' =>
4,'received_time' => time()]);
        }
    }

    private function refund($transaction_id,$total_fee,$refund_fee) {
        require_once base_path("app/Utils/JsApiPay/mini/WxPay.Config.php");
        require_once base_path("app/Utils/JsApiPay/mini/WxPay.JsApiPay.php");
        $input = new \WxPayRefund();
        $input->SetTransaction_id($transaction_id);
        $input->SetTotal_fee($total_fee);
        $input->SetRefund_fee($refund_fee);

        $config = new \WxPayConfig();
        $input->SetOut_refund_no($config->GetMerchantId() . date('YmdHis') . rand(,9) .
rand(,9) . rand(,9) . rand(,9));
        $input->SetOp_user_id($config->GetMerchantId());

        $ret = \WxPayApi::refund($config, $input);
        if($ret['result_code'] == 'SUCCESS'){
            return $ret;
        } else {
            return false;
        }
    }
}

```

WeuserController.php

```

<?php
// +-----
// | Description:
// +-----
// | Author: beichen <notice@notestore.cn>
// +-----
namespace App\Http\Controllers\Api\Air\v1_0;

```



```

use App\Http\Controllers\Core\ApiController;
use App\Models\MemberToken;
use App\Models\Share;
use Illuminate\Support\Facades\DB;
use Illuminate\Http\Request;

class WeuserController extends ApiController {
    public function __construct(Request $request)
    {
        $token = $request->header('AccessToken');

        $MemberTokenDB = new MemberToken();

        $memberInfo = $MemberTokenDB->getUser($token);

        $time = time();

        if(!$memberInfo){
            $this->memberInfo = false;
            echo json_encode(array('result'=>'fail','error_code'=>40001,'error_info'=>'用
户校验失败'));
            exit;
        }

        $this->memberInfo = $memberInfo;
    }

    /**
     * 获取个人信息
     */
    public function me(){

        echo json_encode(array('result'=>'ok','user_info'=>$this->memberInfo));
    }

    public function share(){
        $data = file_get_contents("php://input");
        $data = json_decode($data,true);

        $data['share_time'] = time();
        $data['member_id'] = $this->memberInfo['member_id'];

        $ShareDb = new Share;
        $ShareDb->insert($data);

        $ret['result'] = 'ok';
        echo json_encode($ret);
        exit;
    }
}

```

```
}  
}
```

GoodsController.php

```
<?php  
// +-----  
// | Description:  
// +-----  
// | Author: beichen <notice@notestore.cn>  
// +-----  
  
namespace App\Http\Controllers\Mini\Air\v_1_0;  
use App\Http\Controllers\Core\ApiController;  
use Illuminate\Support\Facades\DB;  
use Illuminate\Http\Request;  
use \App\Utils\WeixinMiniapp\Weapp;  
  
class GoodsController extends ApiController  
{  
  
    public function detail($goods_id) {  
        $GoodsDb = DB::table('goods');  
        $goods = $GoodsDb->where('goods_id',$goods_id)->first();  
  
        if(!$goods) {  
            return  
json_encode(array('result'=>'fail','error_code'=>41002,'error_info'=>'商品已下架或不存在'));  
        }  
  
        $goods['goods_desc'] = str_replace("<img ", "<img style='max-width:100%;' ",  
$goods['goods_desc']);  
  
        $title_length = mb_strlen($goods['goods_name'], "utf-8");  
        $title_one = $goods['goods_name'];  
        if($title_length > 16){  
            $title_one = mb_substr($goods['goods_name'], , 16, "utf-8");  
        }  
  
        $title_two = "";  
        if($title_length > 16){  
  
            if($title_length>32){  
                $title_two = mb_substr($goods['goods_name'], 16, 16, "utf-8").'...';  
            }else{
```

```

        $title_two = mb_substr($goods['goods_name'], 16, ($title_length-16),
"utf-8");
    }
}

$goods['title_one'] = $title_one;
$goods['title_two'] = $title_two;

$imgs = unserialize($goods['goods_imgs']);

foreach($imgs as $v){
    $gallery[][ 'img_url' ] = $v;
}

echo json_encode(array('result'=>'ok', 'goods'=>$goods, 'gallery'=>$gallery));
}

public function poster($goods_id) {
    $GoodsDb = DB::table('goods');
    $goods = $GoodsDb->where('goods_id', $goods_id)->first();

    if(!$goods) {
        return
        json_encode(array('result'=>'fail', 'error_code'=>41002, 'error_info'=>'商品已下架或不存在'));
    }

    header('Content-Disposition: Attachment;filename=goods-poster-
' . $goods_id . '.jpeg');
    header('Content-type: image/png');

    $goods_poster_string =
file_get_contents(storage_path('app/public/assets/images/goods-poster-bg.png'));
    $goods_cover_string = file_get_contents($goods['image_url']);

    list($coverWidth, $coverHeight, $coverCodeType) =
getimagesizefromstring($goods_cover_string);
    $srcWidth = $coverWidth > $coverHeight ? $coverHeight : $coverWidth;

    $goods_poster_bg = imagecreatefromstring($goods_poster_string);
    $goods_cover = imagecreatefromstring($goods_cover_string);

    // $exif = @exif_read_data($goods['image_url']);
    // if (!empty($exif)&&!empty($exif['Orientation'])) {
    //     switch ($exif['Orientation']) {
    //         case 8:
    //             $goods_cover = imagerotate($goods_cover, 90, 0);
    //             break;
    //         case 3:
    //             $goods_cover = imagerotate($goods_cover, 180, 0);

```

```

//          break;
//      case 6:
//          $goods_cover = imagerotate($goods_cover, -90, 0);
//          break;
//      }
//  }

//目标商品图片宽、高
$dis_cover_width = 1000;
$dis_cover_height = 1000 / ($coverWidth / $coverHeight);

$new_goods_cover = imagecreatetruecolor($dis_cover_width, $dis_cover_height);
//缩放商品图片
imagecopyresampled($new_goods_cover, $goods_cover, , , , $dis_cover_width,
$dis_cover_height, $coverWidth, $coverHeight);

//放商品封面
imagecopymerge($goods_poster_bg, $new_goods_cover, 62, 62 + (1000 -
$dis_cover_height) / 2, , , $dis_cover_width, $dis_cover_height, 100);
$black = imagecolorallocate($goods_poster_bg, 51, 51, 51);

//放入标题
$title_length = mb_strlen($goods['goods_name'], "utf-8");

$title = $goods['goods_name'];
if($title_length > 13){
    $title = mb_substr($goods['goods_name'], , 13, "utf-8");
}
imagettftext($goods_poster_bg, 34, , 65, 1150, $black,
storage_path('app/public/assets/vista-yahei.ttf'), $title);

if($title_length > 13){

    if($title_length>26){
        $title = mb_substr($goods['goods_name'], 13, 13, "utf-8").'...';
    }else{
        $title = mb_substr($goods['goods_name'], 13, ($title_length-13),
"utf-8");
    }

    imagettftext($goods_poster_bg, 34, , 65, 1220, $black,
storage_path('app/public/assets/vista-yahei.ttf'), $title);
}

//价格
$price_color = imagecolorallocate($goods_poster_bg, 254, 90, 76);
imagettftext($goods_poster_bg, 34, , 900, 1150, $price_color,
storage_path('app/public/assets/vista-yahei.ttf'), "¥ ".$goods['group_price']);

```

```

//划线
$line_color = imagecolorallocate($goods_poster_bg, 230, 230, 230);

for($i = ; $i < 3; $i++){
    imageline($goods_poster_bg, 62, 1300+$i, 1062, 1300+$i, $line_color);
}

//小程序码
$options['appid'] = config('wechat.miniapp.appid');
$options['appsecret'] = config('wechat.miniapp.appsecret');
$wxacode_tool = new Weapp($options);
$wxacode_string = $wxacode_tool->getQRcodes("pages/goods",$goods_id,470,,);
$list($wxacodeWidth, $wxacodeHeight, $wxacodeType) =
getimagesizefromstring($wxacode_string);

$wxacode = imagecreatefromstring($wxacode_string);

$new_wxacode = imagecreatetruecolor(350, 350);
//缩放商品图片
imagecopyresampled($new_wxacode, $wxacode, , , , , 350, 350, $wxacodeWidth,
$wxacodeWidth);
imagecopymerge($goods_poster_bg, $new_wxacode, 62, 1350, , , 350, 350, 100);

//提示文字
$ps_text_color = imagecolorallocate($goods_poster_bg, 102, 102, 102);
imagettftext($goods_poster_bg, 30, , 530, 1500, $ps_text_color,
storage_path('app/public/assets/vista-yahei.ttf'), "长按识别图中的小程序码");

imagettftext($goods_poster_bg, 30, , 530, 1560, $ps_text_color,
storage_path('app/public/assets/vista-yahei.ttf'), "查看详情");

//输出最终结果
imagejpeg($goods_poster_bg);

imagedestroy($goods_poster_bg);
imagedestroy($goods_cover);
imagedestroy($new_goods_cover);
imagedestroy($wxacode);
imagedestroy($new_wxacode);

}

}

```

GroupsController.php

```
<?php
// +-----
// | Description: 团
// +-----
// | Author: beichen <notice@notestore.cn>
// +-----

namespace App\Http\Controllers\Mini\Air\v_1_0;
use App\Http\Controllers\Core\ApiController;
use App\Models\Group;
use App\Models\Orders;
use Illuminate\Http\Request;
use \App\Utils\WeixinMiniapp\Weapp;

class GroupsController extends ApiController {

    public function poster($id) {
        $GroupDb = new Group;
        $groupInfo = $GroupDb->getGroup(array('group_order_id'=>$id));

        if(!$groupInfo){
            echo json_encode(array('result'=>'fail','error_code'=>41001,'error_info'=>'该
            团不存在'));
            return;
        }

        $OrdersDb = new Orders;

        $map = array();
        $map['group_order_id'] = $groupInfo['group_order_id'];
        $map['group_buy'] = 1;
        $map['group_header'] = 1;
        $order =
        $OrdersDb->whereNotIn('order_status',[,5])->where($map)->orderBy('group_header','asc')->
        orderBy('pay_time','asc')->first();

        $goods = unserialize($order['order_goods']);

        header('Content-Disposition: Attachment;filename=goods-poster-' . $id . '.jpeg');
        header('Content-type: image/png');

        $goods_poster_string =
        file_get_contents(storage_path('app/public/assets/images/goods-poster-bg.png'));
        $goods_cover_string = file_get_contents($goods['image_url']);

        list($coverWidth, $coverHeight, $coverCodeType) =
```

```

getimagesizefromstring($goods_cover_string);
    $srcWidth = $coverWidth>$coverHeight?$coverHeight:$coverWidth;

$goods_poster_bg = imagecreatefromstring($goods_poster_string);
$goods_cover = imagecreatefromstring($goods_cover_string);

// $exif = @exif_read_data($goods['image_url']);
// if (!empty($exif)&&!empty($exif['Orientation'])) {
//     switch ($exif['Orientation']) {
//         case 8:
//             $goods_cover = imagerotate($goods_cover, 90, 0);
//             break;
//         case 3:
//             $goods_cover = imagerotate($goods_cover, 180, 0);
//             break;
//         case 6:
//             $goods_cover = imagerotate($goods_cover, -90, 0);
//             break;
//     }
// }

//目标商品图片宽、高
$dis_cover_width = 1000;
$dis_cover_height = 1000 / ($coverWidth / $coverHeight);

$new_goods_cover = imagecreatetruecolor($dis_cover_width, $dis_cover_height);
//缩放商品图片
imagecopyresampled($new_goods_cover, $goods_cover, , , , $dis_cover_width,
$dis_cover_height, $coverWidth, $coverHeight);

//放商品封面
imagecopymerge($goods_poster_bg, $new_goods_cover, 62, 62 + (1000 -
$dis_cover_height) / 2, , , $dis_cover_width, $dis_cover_height, 100);
$black = imagecolorallocate($goods_poster_bg, 51, 51, 51);

//放入标题
$title_length = mb_strlen($goods['goods_name'], "utf-8");

$title = $goods['goods_name'];
if($title_length > 13){
    $title = mb_substr($goods['goods_name'], , 13, "utf-8");
}
imagettftext($goods_poster_bg, 34, , 65, 1150, $black,
storage_path('app/public/assets/vista-yahei.ttf'), $title);

if($title_length > 13){

    if($title_length>26){
        $title = mb_substr($goods['goods_name'], 13, 13, "utf-8").'...';
    }
}

```

```

        }else{
            $title = mb_substr($goods['goods_name'], 13, ($title_length-13),
"utf-8");
        }

        imagettftext($goods_poster_bg, 34, , 65, 1220, $black,
storage_path('app/public/assets/vista-yahei.ttf'), $title);
    }

    //价格
    $price_color = imagecolorallocate($goods_poster_bg, 254, 90, 76);
    imagettftext($goods_poster_bg, 34, , 900, 1150, $price_color,
storage_path('app/public/assets/vista-yahei.ttf'), "¥ ".$goods['group_price']);

    //划线
    $line_color = imagecolorallocate($goods_poster_bg, 230, 230, 230);

    for($i = ; $i < 3; $i++){
        imageline($goods_poster_bg, 62, 1300+$i, 1062, 1300+$i, $line_color);
    }

    //小程序码
    $option['appid'] = config('wechat.miniapp.appid');
    $option['appsecret'] = config('wechat.miniapp.appsecret');
    $wxacode_tool = new Weapp($option);
    $wxacode_string = $wxacode_tool->getQRcodes("pages/goods",$id,470,,);
    list($wxacodeWidth, $wxacodeHeight, $wxacodeType) =
getimagesizefromstring($wxacode_string);

    $wxacode = imagecreatefromstring($wxacode_string);

    $new_wxacode = imagecreatetruecolor(350, 350);
    //缩放商品图片
    imagecopyresampled($new_wxacode, $wxacode, , , , 350, 350, $wxacodeWidth,
$wxacodeWidth);
    imagecopymerge($goods_poster_bg, $new_wxacode, 62, 1350, , , 350, 350, 100);

    //提示文字
    $ps_text_color = imagecolorallocate($goods_poster_bg, 102, 102, 102);
    imagettftext($goods_poster_bg, 30, , 530, 1500, $ps_text_color,
storage_path('app/public/assets/vista-yahei.ttf'), "长按识别图中的小程序码");

    imagettftext($goods_poster_bg, 30, , 530, 1560, $ps_text_color,
storage_path('app/public/assets/vista-yahei.ttf'), "查看-拼团详情");

    //输出最终结果
    imagejpeg($goods_poster_bg);

    imagedestroy($goods_poster_bg);

```



```

        imagedestroy($goods_cover);
        imagedestroy($new_goods_cover);
        imagedestroy($wxacode);
        imagedestroy($new_wxacode);

    }
}

```

WechatController.php

```

<?php
namespace App\Http\Controllers\Mini\Air\v_1_0;
use App\Http\Controllers\Core\ApiController;
use App\Utils\ToolsUtils;
use App\Utils\WeixinMiniapp\WXBizDataCrypt;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\DB;
use \App\Utils\WeixinMiniapp>Weapp;

class WechatController extends ApiController
{
    /**
     * 微信用户登录
     */
    public function login(Request $request){
        $signature = $request->get('signature');
        $iv = $request->get("iv");
        $encryptedData = $request->get('encryptedData');

        $option['appid'] = config('wechat.miniapp.appid');
        $option['appsecret'] = config('wechat.miniapp.appsecret');
        $option['debug'] = true;
        $weChat = new Weapp($option);
        $ret = $weChat->getOauthAccessToken();
        if(!$ret){
            echo json_encode(array('result'=>'fail','error_code'=>42032,'error_info'=>'获取用户信息失败'));
            return;
        }

        $memberInfo = DB::table('member')->where('open_id',$ret['openid'])->first();
        $encrypt = new WXBizDataCrypt($option['appid'],$ret['session_key']);
        $error_code = $encrypt->decryptData($encryptedData, $iv,$userinfo);
    }
}

```

```

        if($error_code != ){
            echo json_encode(array('result'=>'fail','error_code'=>42032,'error_info'=>'获取用户信息失败'));
            return;
        }

        @$userinfo = json_decode($userinfo,true);
        @$_headimgurl = pathinfo($userinfo['_avatarUrl']);
        if(isset($ret['unionid'])){
            $data['unionid'] = $ret['unionid'];
        }

        $data['nickname'] = $userinfo['nickName'];
        $data['sex'] = $userinfo['gender'];
        $data['headimgurl'] = sprintf("%s/0",$_headimgurl['_dirname']);
        $data['subscribe'] = 1;

        if(!$memberInfo){
            $data['open_id'] = $ret['openid'];
            $data['time'] = time();
            $data['disablle'] = ;
        }

        if(!$memberInfo){
            $userId = DB::table('member')->insertGetId($data);
        }else{
            DB::table('member')->where('member_id',$memberInfo['member_id'])->update($data);
            $userId = $memberInfo['member_id'];
        }
        $data['result'] = 'ok';
        $data['user_sn'] = $userId;

        $memberToken['member_id'] = $userId;

        $memberToken['expires'] = ;

        $memberTokenDb = DB::table('member_token');

        $error_no = ;
        do {
            try {

                $memberToken['token'] = ToolsUtils::generate_password(48);

                $memberTokenDb->insert($memberToken);

            } catch (\PDOException $e) {
                $error_no = $e->errorInfo[1];
            }
        } while ($error_no);
    }
}

```

```

        if($error_no > 0 && $error_no != 1062)
        {
            throw $e;
            return;
        }
    }
} while ($error_no == 1062);

$data['token'] = $memberToken['token'];

echo json_encode($data);

}

public function wxacode($id, Request $request) {
    $page = $request->get("page");
    $width = $request->get("width", 470);
    $option['appid'] = config('wechat.miniapp.appid');
    $option['appsecret'] = config('wechat.miniapp.appsecret');
    $option['debug'] = true;
    $wechat = new Weapp($option);
    header('Content-Type: image/png');
    echo $wechat->getQRcodes($page, $id, $width, ,);
    exit;
}
}

```

.htaccess

```

<IfModule mod_rewrite.c>
    Options +FollowSymlinks -Multiviews
    RewriteEngine On

    RewriteCond %{REQUEST_FILENAME} !-d
    RewriteCond %{REQUEST_FILENAME} !-f
    RewriteRule ^(.*)$ resources/assets/$1 [QSA,PT,L]

</IfModule>

```

pin.6_2019-02-26.sql

```
DROP TABLE IF EXISTS `address`;
```

```
CREATE TABLE `address` (  
  `address_id` int(11) NOT NULL AUTO_INCREMENT,  
  `member_id` int(11) NOT NULL,  
  `country` int(11) DEFAULT NULL,  
  `province` varchar(50) CHARACTER SET gbk NOT NULL DEFAULT '',  
  `city` varchar(50) CHARACTER SET gbk NOT NULL,  
  `district` varchar(50) CHARACTER SET gbk NOT NULL,  
  `province_id` int(11) NOT NULL,  
  `city_id` int(11) NOT NULL,  
  `district_id` int(11) NOT NULL,  
  `address` varchar(255) NOT NULL DEFAULT '',  
  `id_number` varchar(50) CHARACTER SET gbk DEFAULT '',  
  `mobile` varchar(11) CHARACTER SET gbk NOT NULL,  
  `receive_name` varchar(20) CHARACTER SET gbk NOT NULL,  
  `address_name` char(10) CHARACTER SET gbk DEFAULT '',  
  `full_address` varchar(255) NOT NULL DEFAULT '',  
  `status` varchar(20) CHARACTER SET gbk DEFAULT '',  
  `created_time` int(10) NOT NULL,  
  `last_updated_time` int(10) NOT NULL,  
  PRIMARY KEY (`address_id`),  
  KEY `member_id` (`member_id`)  
) ENGINE=MyISAM DEFAULT CHARSET=utf8mb4 COMMENT='地址';
```

```
DROP TABLE IF EXISTS `attachment`;
```

```
CREATE TABLE `attachment` (  
  `attach_id` int(11) unsigned NOT NULL AUTO_INCREMENT,  
  `attach_url` varchar(255) NOT NULL DEFAULT '',  
  `oss` tinyint(1) unsigned NOT NULL,  
  `time` int(10) unsigned NOT NULL,  
  PRIMARY KEY (`attach_id`)  
) ENGINE=MyISAM DEFAULT CHARSET=utf8mb4 COMMENT='附件表';
```

```
DROP TABLE IF EXISTS `banner`;
```

```
CREATE TABLE `banner` (  
  `banner_id` int(11) unsigned NOT NULL AUTO_INCREMENT,  
  `banner_name` varchar(50) NOT NULL DEFAULT '',  
  `image_url` varchar(255) NOT NULL DEFAULT '',  
  `target_url` varchar(255) NOT NULL DEFAULT '',  
  `start_time` int(10) unsigned DEFAULT NULL,  
  `end_time` int(10) unsigned DEFAULT NULL,  
  `banner_type` char(50) NOT NULL DEFAULT '',
```

```

`banner_sort` int(11) NOT NULL,
`in_selling` tinyint(1) unsigned NOT NULL,
PRIMARY KEY (`banner_id`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8mb4;

DROP TABLE IF EXISTS `goods`;

CREATE TABLE `goods` (
  `goods_id` int(11) unsigned NOT NULL AUTO_INCREMENT,
  `cate_id` int(11) unsigned NOT NULL COMMENT '分类ID',
  `goods_name` varchar(50) NOT NULL DEFAULT '' COMMENT '物品名称',
  `image_url` varchar(255) NOT NULL DEFAULT '' COMMENT '主图',
  `goods_desc` mediumtext NOT NULL COMMENT '物品描述',
  `goods_imgs` text NOT NULL COMMENT '商品图片',
  `market_price` decimal(10,2) unsigned NOT NULL COMMENT '市场价',
  `group_price` decimal(10,2) unsigned NOT NULL COMMENT '团购价',
  `alone_price` double(10,2) unsigned NOT NULL COMMENT '单独购买价格',
  `group_number` int(11) unsigned NOT NULL COMMENT '团购人数',
  `sell_count` int(11) unsigned NOT NULL DEFAULT '0' COMMENT '销售数量',
  `limit_buy` tinyint(1) unsigned NOT NULL COMMENT '一个会员限制购买几次',
  `goods_stock` int(11) unsigned NOT NULL COMMENT '库存',
  `in_selling` tinyint(1) unsigned NOT NULL COMMENT '是否上架',
  `goods_sort` smallint(5) NOT NULL COMMENT '排序',
  `sell_type` tinyint(1) unsigned NOT NULL COMMENT '0不限 1: 只团购 2: 只单买',
  `time` int(10) unsigned NOT NULL COMMENT '添加时间',
  `spec_name` varchar(255) NOT NULL DEFAULT '' COMMENT '商品规格',
  `spec_type` tinyint(1) unsigned NOT NULL COMMENT '0单规格 1: 多规格',
  PRIMARY KEY (`goods_id`),
  KEY `cate_id` (`cate_id`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8mb4 COMMENT='物品表';

DROP TABLE IF EXISTS `goods_cate`;

CREATE TABLE `goods_cate` (
  `cate_id` int(11) unsigned NOT NULL AUTO_INCREMENT,
  `cate_name` varchar(50) NOT NULL DEFAULT '',
  `parent_cate` int(11) unsigned NOT NULL,
  `sort` int(11) NOT NULL,
  PRIMARY KEY (`cate_id`),
  KEY `parent_cate` (`parent_cate`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8mb4 COMMENT='物品分类';

DROP TABLE IF EXISTS `goods_sku`;

CREATE TABLE `goods_sku` (
  `sku_id` int(11) unsigned NOT NULL AUTO_INCREMENT,
  `goods_id` int(11) unsigned NOT NULL,
  `thumb_url` varchar(200) CHARACTER SET gbk DEFAULT '',
  `alone_price` decimal(10,2) NOT NULL DEFAULT '0.00' COMMENT '单独购买',

```

```

`group_price` decimal(10,2) NOT NULL DEFAULT '0.00' COMMENT '团购价格',
`goods_stock` int(11) NOT NULL DEFAULT '0',
`sell_count` int(11) unsigned NOT NULL DEFAULT '0',
`goods_spec` varchar(255) NOT NULL DEFAULT '',
`sort` int(11) NOT NULL,
PRIMARY KEY (`sku_id`),
KEY `goods_id` (`goods_id`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8mb4;

```

```

DROP TABLE IF EXISTS `group`;

```

```

CREATE TABLE `group` (
  `group_order_id` int(11) unsigned NOT NULL AUTO_INCREMENT,
  `require_num` int(11) unsigned NOT NULL,
  `people` int(5) unsigned NOT NULL,
  `status` tinyint(1) unsigned NOT NULL,
  `create_time` int(10) unsigned NOT NULL,
  `expire_time` int(10) unsigned NOT NULL,
  `success_time` int(10) unsigned DEFAULT NULL,
  `owner_id` int(10) unsigned NOT NULL,
  `notify` tinyint(1) unsigned DEFAULT NULL,
  PRIMARY KEY (`group_order_id`),
  KEY `owner_id` (`owner_id`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8mb4;

```

```

DROP TABLE IF EXISTS `login_log`;

```

```

CREATE TABLE `login_log` (
  `id` int(11) NOT NULL AUTO_INCREMENT COMMENT 'ID',
  `user_id` int(11) NOT NULL COMMENT '用户ID',
  `ips` varchar(256) COLLATE utf8_unicode_ci DEFAULT NULL COMMENT 'IP',
  `address` varchar(128) COLLATE utf8_unicode_ci DEFAULT NULL COMMENT '地址',
  `created_at` timestamp NULL DEFAULT NULL,
  `updated_at` timestamp NULL DEFAULT NULL,
  PRIMARY KEY (`id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

```

```

DROP TABLE IF EXISTS `member`;

```

```

CREATE TABLE `member` (
  `member_id` int(11) unsigned NOT NULL AUTO_INCREMENT,
  `open_id` varchar(255) NOT NULL DEFAULT '' COMMENT '用户open_id',
  `unionid` varchar(255) NOT NULL DEFAULT '',
  `nickname` varchar(50) NOT NULL DEFAULT '' COMMENT '用户昵称',
  `subscribe` tinyint(1) unsigned NOT NULL COMMENT '是否关注',
  `sex` tinyint(1) unsigned DEFAULT NULL COMMENT '性别',
  `headimgurl` varchar(255) NOT NULL DEFAULT '' COMMENT '头像',
  `disabllle` tinyint(1) unsigned NOT NULL COMMENT '是否禁用',
  `time` int(10) unsigned NOT NULL COMMENT '注册时间',

```

```

PRIMARY KEY (`member_id`),
KEY `open_id` (`open_id`(250)),
KEY `unionid` (`unionid`(250))
) ENGINE=MyISAM DEFAULT CHARSET=utf8mb4 COMMENT='会员表';

DROP TABLE IF EXISTS `member_token`;

CREATE TABLE `member_token` (
  `member_id` int(11) unsigned NOT NULL,
  `token` varchar(48) NOT NULL DEFAULT '',
  `expires` int(10) unsigned NOT NULL,
  UNIQUE KEY `token` (`token`),
  KEY `member_id` (`member_id`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8mb4;

LOCK TABLES `member_token` WRITE;
/*!40000 ALTER TABLE `member_token` DISABLE KEYS */;

DROP TABLE IF EXISTS `menus`;

CREATE TABLE `menus` (
  `id` int(10) unsigned NOT NULL AUTO_INCREMENT,
  `parent_id` int(11) NOT NULL DEFAULT '0' COMMENT '上级ID',
  `order` int(11) NOT NULL DEFAULT '0' COMMENT '菜单排序,从1开始,数字越小排在超前,0为排在最后',
  `title` varchar(50) COLLATE utf8_unicode_ci DEFAULT NULL COMMENT '标题',
  `icon` varchar(50) COLLATE utf8_unicode_ci NOT NULL COMMENT '图标',
  `uri` varchar(50) COLLATE utf8_unicode_ci NOT NULL COMMENT 'URI',
  `routes` varchar(256) COLLATE utf8_unicode_ci DEFAULT NULL COMMENT '路由,
如url:/menu,controller:MenuController',
  `created_at` timestamp NULL DEFAULT NULL,
  `updated_at` timestamp NULL DEFAULT NULL,
  PRIMARY KEY (`id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

DROP TABLE IF EXISTS `migrations`;

CREATE TABLE `migrations` (
  `id` int(10) unsigned NOT NULL AUTO_INCREMENT,
  `migration` varchar(255) COLLATE utf8_unicode_ci NOT NULL,
  `batch` int(11) NOT NULL,
  PRIMARY KEY (`id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

DROP TABLE IF EXISTS `order_log`;

CREATE TABLE `order_log` (

```

```

`id` int(11) unsigned NOT NULL AUTO_INCREMENT,
`manage` varchar(50) NOT NULL DEFAULT '',
`order_id` int(11) unsigned NOT NULL,
`remark` mediumtext NOT NULL,
`time` int(10) unsigned NOT NULL,
`do` varchar(50) NOT NULL DEFAULT '',
PRIMARY KEY (`id`),
KEY `order_id` (`order_id`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8mb4 COMMENT='订单日志';

```

```

DROP TABLE IF EXISTS `orders`;

```

```

CREATE TABLE `orders` (
  `order_id` int(11) unsigned NOT NULL AUTO_INCREMENT,
  `buyer_id` int(11) unsigned NOT NULL,
  `order_sn` varchar(50) NOT NULL DEFAULT '',
  `goods_id` int(11) unsigned NOT NULL,
  `group_order_id` int(11) unsigned NOT NULL,
  `group_header` tinyint(1) unsigned DEFAULT NULL,
  `pay_id` int(11) unsigned DEFAULT NULL,
  `pay_sn` varchar(50) NOT NULL DEFAULT '',
  `group_buy` tinyint(1) unsigned NOT NULL,
  `province_id` int(11) unsigned NOT NULL,
  `province_name` varchar(50) NOT NULL DEFAULT '',
  `city_id` int(11) unsigned NOT NULL,
  `city_name` varchar(50) NOT NULL DEFAULT '',
  `district_id` int(11) unsigned NOT NULL,
  `district_name` varchar(50) NOT NULL DEFAULT '',
  `mobile` char(11) NOT NULL DEFAULT '',
  `receive_name` varchar(11) NOT NULL DEFAULT '',
  `nickname` varchar(25) NOT NULL DEFAULT '',
  `order_goods` mediumtext NOT NULL,
  `goods_amount` double(10,2) unsigned NOT NULL,
  `order_amount` double(10,2) unsigned NOT NULL,
  `pay_amount` double(10,2) unsigned NOT NULL,
  `shipping_address` varchar(255) NOT NULL DEFAULT '',
  `shipping_amount` double(10,2) unsigned NOT NULL,
  `shipping_time` int(10) unsigned DEFAULT NULL,
  `shipping_name` varchar(20) NOT NULL DEFAULT '',
  `shipping_code` varchar(30) NOT NULL DEFAULT '',
  `tracking_number` varchar(80) NOT NULL DEFAULT '',
  `order_status` tinyint(1) unsigned NOT NULL,
  `order_time` int(10) unsigned NOT NULL,
  `pay_time` int(10) unsigned DEFAULT NULL,
  `received_time` int(10) unsigned DEFAULT NULL,
  `goods_number` int(11) unsigned NOT NULL,
  `sku_id` int(11) unsigned DEFAULT NULL,
  `goods_sku` text,

```



```

PRIMARY KEY (`order_id`),
KEY `goods_id` (`goods_id`),
KEY `order_sn` (`order_sn`),
KEY `member_id` (`buyer_id`),
KEY `group_order_id` (`group_order_id`),
KEY `pay_id` (`pay_id`),
KEY `pay_sn` (`pay_sn`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8mb4 COMMENT='订单表';

DROP TABLE IF EXISTS `paylog`;

CREATE TABLE `paylog` (
  `pay_id` int(11) unsigned NOT NULL AUTO_INCREMENT,
  `pay_sn` varchar(50) NOT NULL DEFAULT '',
  `order_id` int(11) unsigned NOT NULL,
  `pay_amount` decimal(10,2) unsigned NOT NULL,
  `pay_start_time` int(10) unsigned NOT NULL,
  `pay_done_time` int(10) unsigned DEFAULT NULL,
  `transaction_id` varchar(50) NOT NULL DEFAULT '' COMMENT '支付订单号',
  `refund_id` int(11) unsigned DEFAULT NULL COMMENT '退款订单号',
  `pay_type` varchar(50) NOT NULL DEFAULT '',
  `pay_status` tinyint(1) unsigned NOT NULL,
  `prepay_id` varchar(50) DEFAULT NULL,
  PRIMARY KEY (`pay_id`),
  KEY `pay_sn` (`pay_sn`),
  KEY `order_id` (`order_id`),
  KEY `refund_id` (`refund_id`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8mb4;

DROP TABLE IF EXISTS `permission_menu`;

CREATE TABLE `permission_menu` (
  `permission_id` int(11) NOT NULL,
  `menu_id` int(11) NOT NULL,
  KEY `permission_menu_permission_id_menu_id_index` (`permission_id`,`menu_id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

DROP TABLE IF EXISTS `permission_role`;

CREATE TABLE `permission_role` (
  `permission_id` int(10) unsigned NOT NULL,
  `role_id` int(10) unsigned NOT NULL,
  PRIMARY KEY (`permission_id`,`role_id`),
  KEY `permission_role_role_id_foreign` (`role_id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

DROP TABLE IF EXISTS `permissions`;

```

```

CREATE TABLE `permissions` (
  `id` int(10) unsigned NOT NULL AUTO_INCREMENT COMMENT 'ID',
  `name` varchar(255) COLLATE utf8_unicode_ci NOT NULL COMMENT '权限名 英文',
  `display_name` varchar(255) COLLATE utf8_unicode_ci DEFAULT NULL COMMENT '显示名 中文',
  `description` varchar(255) COLLATE utf8_unicode_ci DEFAULT NULL COMMENT '描述',
  `controllers` varchar(512) COLLATE utf8_unicode_ci DEFAULT NULL COMMENT '对应
的controllers',
  `created_at` timestamp NULL DEFAULT NULL,
  `updated_at` timestamp NULL DEFAULT NULL,
  PRIMARY KEY (`id`),
  UNIQUE KEY `permissions_name_unique` (`name`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

```

```

DROP TABLE IF EXISTS `region`;

```

```

CREATE TABLE `region` (
  `region_id` int(11) unsigned NOT NULL AUTO_INCREMENT,
  `region_name` varchar(50) NOT NULL DEFAULT '',
  `parent_id` int(11) unsigned NOT NULL,
  `status` tinyint(1) unsigned NOT NULL DEFAULT '2',
  `level` tinyint(1) unsigned NOT NULL DEFAULT '0',
  PRIMARY KEY (`region_id`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8mb4 COMMENT='配送地区';

```

```

DROP TABLE IF EXISTS `role_user`;

```

```

CREATE TABLE `role_user` (
  `user_id` int(10) unsigned NOT NULL,
  `role_id` int(10) unsigned NOT NULL,
  PRIMARY KEY (`user_id`,`role_id`),
  KEY `role_user_role_id_foreign` (`role_id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

```

```

DROP TABLE IF EXISTS `roles`;

```

```

CREATE TABLE `roles` (
  `id` int(10) unsigned NOT NULL AUTO_INCREMENT COMMENT 'ID',
  `name` varchar(255) COLLATE utf8_unicode_ci NOT NULL COMMENT '角色名',
  `display_name` varchar(255) COLLATE utf8_unicode_ci DEFAULT NULL COMMENT '显示名',
  `description` varchar(255) COLLATE utf8_unicode_ci DEFAULT NULL COMMENT '描述',
  `created_at` timestamp NULL DEFAULT NULL,
  `updated_at` timestamp NULL DEFAULT NULL,
  PRIMARY KEY (`id`),
  UNIQUE KEY `roles_name_unique` (`name`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

```

```
DROP TABLE IF EXISTS `share`;
```

```
CREATE TABLE `share` (  
  `share_id` int(11) unsigned NOT NULL AUTO_INCREMENT,  
  `member_id` int(11) unsigned NOT NULL,  
  `share_type` varchar(50) NOT NULL DEFAULT '',  
  `share_status` tinyint(1) unsigned NOT NULL DEFAULT '0',  
  `share_time` int(11) unsigned NOT NULL,  
  `share_url` varchar(255) NOT NULL DEFAULT '',  
  PRIMARY KEY (`share_id`)  
) ENGINE=MyISAM DEFAULT CHARSET=utf8mb4 COMMENT='分享数据';
```

```
DROP TABLE IF EXISTS `shipping`;
```

```
CREATE TABLE `shipping` (  
  `shipping_id` int(11) unsigned NOT NULL AUTO_INCREMENT,  
  `shipping_name` varchar(50) NOT NULL DEFAULT '' COMMENT '物流名称',  
  `shipping_code` varchar(50) NOT NULL DEFAULT '',  
  PRIMARY KEY (`shipping_id`)  
) ENGINE=MyISAM DEFAULT CHARSET=utf8mb4 COMMENT='配送方式';
```

```
DROP TABLE IF EXISTS `users`;
```

```
CREATE TABLE `users` (  
  `id` int(10) unsigned NOT NULL AUTO_INCREMENT COMMENT 'ID',  
  `username` varchar(255) COLLATE utf8_unicode_ci NOT NULL COMMENT '用户名',  
  `email` varchar(255) COLLATE utf8_unicode_ci NOT NULL COMMENT '邮件',  
  `mobile` varchar(11) COLLATE utf8_unicode_ci DEFAULT NULL COMMENT '手机号码',  
  `sex` smallint(6) NOT NULL DEFAULT '1' COMMENT '性别',  
  `password` varchar(60) COLLATE utf8_unicode_ci NOT NULL COMMENT '密码',  
  `remember_token` varchar(100) COLLATE utf8_unicode_ci DEFAULT NULL COMMENT 'TOKEN',  
  `created_at` timestamp NULL DEFAULT NULL,  
  `updated_at` timestamp NULL DEFAULT NULL,  
  PRIMARY KEY (`id`),  
  UNIQUE KEY `users_username_unique` (`username`),  
  UNIQUE KEY `users_email_unique` (`email`)  
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;
```