

手把手教你构建自己的Action和Plugin

CONTENTS

01 Volcano调度框架

02 构建Action和Plugin




01

Volcano调度框架



Volcano调度框架




02

构建Action和Plugins



构建Action和Plugin



构建Action和Plugin – 接口

volcano.sh/volcano/pkg/scheduler/framework/interface.go

```
type Action interface {  
    Name() string  
  
    Initialize()  
  
    Execute(ssn *Session)  
  
    UnInitialize()  
}
```

Name() 返回Action的名称

Initialize() 初始化Action

*Execute(ssn *Session)* 运行Action

UnInitialize() 清理Action

```
type Plugin interface {  
    Name() string  
  
    OnSessionOpen(ssn *Session)  
  
    OnSessionClose(ssn *Session)  
}
```

Name() 返回Plugin的名称

*OnSessionOpen(ssn *Session)* 将Plugin信息注册到Session中

*OnSessionClose(ssn *Session)* 清理Plugin的注册信息



构建Action和Plugin – Plugin

volcano.sh/volcano/pkg/scheduler/plugins/logpendingjob/logpendingjob.go


```
const PluginName = "logpendingjob"

type logPlugin struct {
    // Arguments given for the plugin
    pluginArguments framework.Arguments
}

func (p *logPlugin) Name() string {
    return PluginName
}

func (p *logPlugin) OnSessionOpen(ssn *framework.Session) {
    loggingFn := func(jobs []*api.JobInfo) {
        for _, job := range jobs {
            if job.IsPending() {
                klog.V(1).Infof("***** job %s/%s is still pending",
job.Namespace, job.Name)
            }
        }
    }
    ssn.AddPrintFns(PluginName, loggingFn)
}

func (p *logPlugin) OnSessionClose(ssn *framework.Session) {}
```



```
func (ssn *Session) AddPrintFns(name string, fn
api.PrintJobFn) {
    ssn.printJobFns[name] = fn
}
```

volcano.sh/volcano/pkg/scheduler/framework/sessionplugins.go

构建Action和Plugin – Action

volcano.sh/volcano/pkg/scheduler/plugins/logpendingjob/logpendingjob.go

```
func (print *Action) Name() string {  
    return "print"  
}
```

```
func (print *Action) Initialize() {}
```

```
func (print *Action) Execute(ssn *framework.Session) {  
    jobs := make([]*api.JobInfo, 0)  
    for _, job := range ssn.Jobs {  
        jobs = append(jobs, job)  
    }  
    ssn.PrintJobInfo(jobs)  
}
```

```
func (print *Action) UnInitialize() {}
```

运行打印回调函数

```
func (ssn *Session) PrintJobInfo(jobs  
[]*api.JobInfo) {  
    for _, tier := range ssn.Tiers {  
        for _, plugin := range tier.Plugins {  
            fn, found := ssn.printJobFns[plugin.Name]  
            if !found {  
                continue  
            }  
            fn(jobs)  
        }  
    }  
}
```

volcano.sh/volcano/pkg/scheduler/framework/sessionplugins.go

构建Action和Plugin – 演示

```
[root@zjin-vm volcano]# # check volcano status
```

I



Join Volcano



Website: <https://volcano.sh/en/>



Github: <https://github.com/volcano-sh/volcano>




Slack Channel: <https://volcano-sh.slack.com/>



Follow Us



Join Group



Thanks