Appendix for D-DietMMR: A Multi-Modal Reasoning Dataset for Disease-Oriented Diet Recommendations in LVLMs

ACM Reference Format:
. 2026. Appendix for D-DietMMR: A Multi-Modal Reasoning Dataset for Disease-Oriented Diet Recommendations in LVLMs. In *Proceedings of Make sure to enter the correct conference title from your rights confirmation email (MM '26).* ACM, New York, NY, USA, 5 pages. https://doi.org/XXXXXXX.XXXXXXX

1 Annotation Consistency Results

To evaluate annotation quality, we conduct a consistency experiment. We focus on the second stage of the three-stage annotation process (*Second-round checking*) for two reasons: (1) Two annotators independently review the same data, allowing direct measurement of consistency; (2) The task is a binary classification, making evaluation straightforward. We use Cohen's Kappa to measure agreement between annotators. The result is 0.95, indicating high annotation quality.

2 Review Annotation Tool and Compensation

To enhance review annotation efficiency, we develop a tool used for reviewing and checking samples in D-DietMMR.

In our study, the Review Annotation Tool involves a manual checking stage and a manual reviewing stage. During the checking stage, two annotators are responsible for verifying whether the ingredient annotation granularity meets the required standards (the interface for which is shown in Figure A1). The other two annotators check the recommendations of dish-disease samples, as illustrated in Figure A2. For the reviewing stage, the corresponding page is shown in Figure A3.

We compensate annotators at RMB 50 per hour, exceeding the local minimum wage in China. Considering the nature, this rate is fair and competitive.

3 Baselines

To establish the baseline performance in the D-DietMMR test set, we experiment with 18 representative LVLMs with varying parameter sizes under three common prompting strategies. Specifically, four groups of model are considered: For **closed-source LVLMs**, we select 5 models comprising GPT-4o[1], GPT-4v [1], Qwen-VL-Max [2], GLM-4-Plus[2], and Gemini-Pro-V [9]. For **open-source LVLMs**, we choose models from the LLaVA [6], LLama3.2 series[3], Qwen2-VL series [10], and InternVL2 series[4]. For **medical special LVLMs**, we employ HuatuoGPT-V-7B [3], LLaVA-Med-7B [4], HealthGPT-M3 [5], and MedGemma series [8]. For **other methods**, we compare with CILP [7], and BLIP2-Chinese[5].

[1] https://openai.com/index/gpt-4o-system-card/
[2] https://bigmodel.cn/dev/howuse/glm-4v

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.
MM '26, Rio de Janeiro, Brazil
© 2026 Copyright held by the owner/author(s). Publication rights licensed to ACM.
ACM ISBN 978-1-4503-XXXX-X/2018/06
https://doi.org/XXXXXXX.XXXXXXX

4 Group analysis for dish and disease types.

To demonstrate the evaluation performance of D-DietMMR on various LVLMs, we conduct comparison experiments focusing on dishes and diseases. The experiments involve grouping the top-5 types based on sample count from the test set. Top-5 dishes: **Sla.** Slack pepper beef; **Ste.** Stewed chicken; **Don.** Dongpo knuckle; **Sti.** Stir-fried pork liver; **Whi.** White gourd soup. Top-5 diseases: **Rhi.** Rhinitis; **Dia.** Diabetes; **Ora.** for Oralulcer; **Adr.** Adrenocortical carcinoma; **Pne.** Pneumoconiosis. The results, shown in Table A1, reveal significant performance differences across types, indicating the high sample diversity and complexity of the D-DietMMR dataset.

Similarly, we consider three prompting strategies: **Zero-shot Direct Prompting**, where the model directly outputs the answer, as shown in Figure A4; **One-shot Prompting**, where the LVLM is given an example to guide the output, as shown in Figure A5; and **Chain-of-Thought (CoT) Prompting**, where the LVLM first generates step-by-step reasoning and then outputs the answer, as shown in Figure A6.

References

[1] Josh Achiam, Steven Adler, Sandhini Agarwal, Lama Ahmad, Ilge Akkaya, Florencia Leoni Aleman, Diogo Almeida, Janko Altenschmidt, Sam Altman, Shyamal Anadkat, et al. 2023. Gpt-4 technical report. *arXiv preprint arXiv:2303.08774* (2023).
[2] Jinze Bai, Shuai Bai, Shusheng Yang, Shijie Wang, Sinan Tan, Peng Wang, Junyang Lin, Chang Zhou, and Jingren Zhou. 2023. Qwen-vl: A versatile vision-language model for understanding, localization, text reading, and beyond. *arXiv preprint arXiv:2308.12966* 1, 2 (2023), 3.
[3] Junying Chen, Chi Gui, Ruyi Ouyang, Anningzhe Gao, Shunian Chen, Guiming Hardy Chen, Xidong Wang, Zhenyang Cai, Ke Ji, Xiang Wan, and Benyou Wang. 2024. Towards Injecting Medical Visual Knowledge into Multimodal LLMs at Scale. In *Proceedings of the 2024 Conference on Empirical Methods in Natural Language Processing*, Yaser Al-Onaizan, Mohit Bansal, and Yun-Nung Chen (Eds.). Association for Computational Linguistics, Miami, Florida, USA, 7346–7370. doi:10.18653/v1/2024.emnlp-main.418
[4] Chunyuan Li, Cliff Wong, Sheng Zhang, Naoto Usuyama, Haotian Liu, Jianwei Yang, Tristan Naumann, Hoifung Poon, and Jianfeng Gao. 2024. Llava-med: Training a large language-and-vision assistant for biomedicine in one day. *Advances in Neural Information Processing Systems* 36 (2024).
[5] Tianwei Lin, Wenqiao Zhang, Sijing Li, Yuqian Yuan, Binhe Yu, Haoyuan Li, Wanggui He, Hao Jiang, Mengze Li, Song xiaohui, Siliang Tang, Jun Xiao, Hui Lin, Yueting Zhuang, and Beng Chin Ooi. 2025. HealthGPT: A Medical Large Vision-Language Model for Unifying Comprehension and Generation via Heterogeneous Knowledge Adaptation. In *Forty-second International Conference on Machine Learning*.
[6] Haotian Liu, Chunyuan Li, Qingyang Wu, and Yong Jae Lee. 2024. Visual instruction tuning. *Advances in neural information processing systems* 36 (2024).
[7] Alec Radford, Jong Wook Kim, Chris Hallacy, Aditya Ramesh, Gabriel Goh, Sandhini Agarwal, Girish Sastry, Amanda Askell, Pamela Mishkin, Jack Clark,

[3] https://github.com/meta-llama/llama-models/blob/main/models/llama3_2/MODEL_CARD_VISION.md
[4] https://internvl.github.io/blog/2024-07-02-InternVL-2.0/
[5] https://www.modelscope.cn/models/xiajinpeng123/BLIP2-Chinese



Figure A1: The checking page of annotation granularity in the review annotation tool.



Figure A2: The checking page of the recommendation results in the review annotation tool.



Figure A3: The reviewing page in the review annotation tool.

Table A1: Model comparison (Acc %) on the Top-5 dishes/diseases in D-DietMMR test set.

Models	Methods	Dishes					Disease				
		Sla.	Ste.	Don.	Sti.	Whi.	Rhi.	Dia.	Ora.	Adr.	Pne.
Closed-source LVLMs											
GPT-4o	ICL (one-shot)	71.82	42.59	73.02	81.40	47.06	67.24	70.83	63.16	76.79	65.45
GPT-4v	ICL (one-shot)	73.64	46.30	66.79	83.72	41.18	65.86	75.00	64.91	69.64	69.09
Qwen-VL-MAX	ICL (one-shot)	45.45	55.56	67.92	93.02	50.98	70.69	35.42	59.65	66.07	56.36
GLM-4V-Plus	ICL (one-shot)	72.46	35.19	64.31	71.43	69.23	55.17	70.21	56.14	70.91	65.45
Gemini-Pro-V	ICL (one-shot)	56.36	68.89	58.49	83.72	41.18	63.79	45.83	49.12	46.43	50.91
Open-source LVLMs											
LLaVA-7B	ICL (one-shot)	20.00	33.33	24.53	81.40	41.18	65.52	29.17	42.11	30.36	43.64
LLaVA-13B	ICL (one-shot)	71.82	22.22	73.58	34.88	58.82	34.48	70.83	57.89	69.64	56.36
Llama3.2-11B-V	ICL (one-shot)	69.32	45.12	48.32	75.44	49.56	66.67	55.32	58.44	49.22	35.32
Qwen2-VL-7B	ICL (one-shot)	50.91	70.37	56.60	86.05	56.86	58.62	60.42	59.65	46.43	67.27
Qwen2-VL-72B	ICL (one-shot)	43.64	74.07	54.72	86.05	47.06	65.86	39.58	61.40	53.57	49.09
InternVL2-8B	ICL (one-shot)	65.45	24.07	62.26	48.84	52.94	46.55	58.33	50.88	58.93	49.09
InternVL2-26B	ICL (one-shot)	41.82	55.56	62.26	60.47	49.02	53.45	52.08	61.40	50.00	52.73
InternVL2-40B	ICL (one-shot)	71.82	50.00	71.70	55.81	54.90	58.62	60.42	59.65	50.00	54.55
Medical Special LVLMs											
LLaVA-Med-7B	ICL (one-shot)	45.32	51.32	46.25	57.61	44.78	41.21	40.67	46.56	48.33	50.97
HealthGPT-M3	ICL (one-shot)	48.64	52.61	55.78	85.67	42.31	42.36	47.69	44.54	42.83	46.91
HuatuoGPT-V-7B	ICL (one-shot)	46.32	47.82	52.56	80.65	49.32	46.54	50.00	48.33	46.29	50.32
MedGemma-4B-IT	ICL (one-shot)	46.73	68.58	50.56	83.48	54.29	54.37	52.71	55.39	43.28	63.29
MedGemma-27B-IT	ICL (one-shot)	51.86	71.62	58.97	89.69	59.87	58.63	59.83	60.18	49.58	69.56
Other Methods											
CLIP	ICL (zero-shot)	68.18	67.04	71.70	81.40	68.63	63.79	62.50	57.89	67.86	52.73
BLIP2-Chinese	ICL (zero-shot)	50.00	51.85	47.17	76.74	45.10	62.07	45.83	52.63	53.57	43.64
Instruction-tuned LVLMs											
Qwen2-VL-7B-T (Ours)	ICL (one-shot)	80.23	77.13	74.37	93.26	78.52	77.13	79.42	80.97	88.78	90.11
Llama3.2-11B-V-T (Ours)	ICL (one-shot)	75.61	78.96	80.62	88.79	70.31	74.38	72.44	79.09	76.16	82.89

et al. 2021. Learning transferable visual models from natural language supervision. In *International conference on machine learning*. PMLR, 8748–8763.

[8] Andrew Sellergren, Sahar Kazemzadeh, Tiam Jaroensri, Atilla Kiraly, Madeleine Traverse, Timo Kohlberger, Shawn Xu, Fayaz Jamil, Cían Hughes, Charles Lau,

The prompt for zero-shot direct prompting strategy

Role definition

You are a professional doctor.

Instruction

Your objective is to respond to the input question by answering either "yes" or "no".

Input

Question: "*Can the {disease} patient eat this dish shown is picture {id}?*"

Figure A4: An example of the zero-shot direct prompting strategy.

The prompt for one-shot prompting strategy

Role definition

You are a professional doctor.

Instruction

Your objective is to respond to the input question by answering either "yes" or "no".

Demonstrations

The following is an example of instruction to help you understand the task:
Question: "Can the hypothyroidism patient eat this dish shown in picture *1.jpg* ? "
Answer: "no"

Input

Question: "*Can the {disease} patient eat this dish shown is picture {id}?*"

Figure A5: An example of the one-shot prompting strategy.

The prompt for CoT prompting strategy

Role definition

You are a professional doctor.

Instruction

Your objective is to to reason out the final answer by answering the following questions:
1. You first answer the name of the dish shown in picture {id};
2. Identify the ingredients used in the dish;
3. List the taboo ingredients for patients with {disease};
4. Answer the question only "yes" or "no".

CoT Demonstrations

The following is an example of instruction to help you understand the task:
Question: "Can the adrenal cancer patient eat this dish shown in picture *17.jpg* ? "
1. The dish shown in picture 17.jpg is Fuqi Feipian.
2. The main ingredients of this dish include beef, beef tripe, beef tongue, peanuts, cilantro, chili oil, and sesame.
3. Patients with adrenal cancer should avoid foods that are high in fat, spicy or irritating, and high in cholesterol.
4. **Answer**: "no".

Input

Question: "*Can the {disease} patient eat this dish shown is picture {id}?*"

Figure A6: An example of the CoT prompting strategy.

et al. 2025. Medgemma technical report. *arXiv preprint arXiv:2507.05201* (2025).

[9] Gemini Team, Rohan Anil, Sebastian Borgeaud, Yonghui Wu, Jean-Baptiste Alayrac, Jiahui Yu, Radu Soricut, Johan Schalkwyk, Andrew M Dai, Anja Hauth,

et al. 2023. Gemini: a family of highly capable multimodal models. *arXiv preprint arXiv:2312.11805* (2023).

[10] Peng Wang, Shuai Bai, Sinan Tan, Shijie Wang, Zhihao Fan, Jinze Bai, Ke-Yang Chen, Xuejing Liu, Jialin Wang, Wenbin Ge, Yang Fan, Kai Dang, Mengfei Du, Xuancheng Ren, Rui Men, Dayiheng Liu, Chang Zhou, Jingren Zhou, and Junyang Lin. 2024. Qwen2-VL: Enhancing Vision-Language Model's Perception of the World at Any Resolution. *arXiv preprint arXiv:2409.12191* (2024).