

PRODUCT REQUIREMENTS DOCUMENT (PRD)

1. Product Overview

Product Name

****JakDev****

Product Type

Free source-code library for web developers.

Product Vision

JakDev is a simple and fast platform where developers can discover, preview, and copy free source code for modern web interfaces.

JakDev focuses on practical, ready-to-use source code ranging from small UI components to complete landing pages.

Core Philosophy

> ****Browse. Preview. Copy. Build.****

JakDev is completely free. There are no paid components, subscriptions, or locked resources.

Users may optionally support the project through a dedicated Support page containing QRIS and bank account information.

2. Main Goals

JakDev must:

1. Provide a clean library of reusable source code.
2. Make finding resources fast and simple.
3. Allow users to preview resources before using them.
4. Allow users to copy source code easily.
5. Support multiple web technologies.
6. Provide an admin system for managing categories and resources.
7. Keep the overall product simple and lightweight.
8. Work well on desktop and mobile devices.

3. Target Users

Primary Users

Web developers, students, programmers, designers, and people learning frontend development.

Typical User Goal

A user needs a specific UI or website section.

Example:

> "I need a React hero section."

The user should be able to:

****Open JakDev → Search → Preview → Copy Code → Use It****

No unnecessary registration or complicated workflow.

4. Product Structure

The application consists of three main areas:

```
```text
JakDev
├── Landing Page
├── Library
│ ├── Resource Categories
│ ├── Search
│ ├── Filters
│ └── Resource Detail
└── Admin Dashboard
 ├── Category Management
 └── Resource Management
```
```

5. Landing Page

The landing page introduces JakDev and directs users toward the source-code library.

5.1 Hero Section

The hero must immediately communicate what JakDev does.

Suggested message:

> ****Free source code for modern web interfaces.****

Supporting text should explain that JakDev provides free components, sections, pages, and templates that developers can preview and use.

Primary CTA:

****Browse Library****

Secondary CTA:

****Explore Resources****

The hero should contain a visual showcase of several JakDev resources.

The showcase should feel like an actual part of the library rather than a generic decorative illustration.

6. Landing Page Sections

The landing page should remain concise.

Recommended sections:

Hero

Introduce JakDev and provide the main CTA.

Resource Showcase

Display several example resources.

Library Introduction

Explain what types of source code are available.

How It Works

Use a simple three-step explanation:

```text

01 Browse

Find the resource you need.

02 Preview

See the resource before using it.

03 Copy

Copy the source code and build with it.

```

Support

Explain that JakDev is free and can optionally be supported.

Example:

> JakDev is free and will stay free.

> If JakDev helps you build faster, you can support the project.

Provide:

- * QRIS

- * Bank account information

Footer

Include:

- * JakDev branding

- * Library navigation

- * Support

- * Copyright

Do not create unnecessary landing-page sections.

7. Library

The Library is the main product area.

The navigation must remain simple and flat.

Do not create deeply nested category navigation.

Example categories:

```
```text
Components
Blocks
Pages
Templates
```
```

Categories can be changed or expanded through the Admin Dashboard.

8. Resource Types

JakDev resources can range from small components to complete pages.

Examples:

Components

- * Button
- * Card
- * Navbar
- * Modal
- * Input
- * Badge
- * Tabs

Blocks

- * Hero
- * Pricing
- * Features
- * Testimonials
- * FAQ
- * CTA
- * Footer

Pages

- * Landing Page
- * Portfolio
- * Login
- * Register
- * Dashboard

Templates

- * SaaS
- * Agency
- * Portfolio
- * E-commerce

These are examples only.

The category system must be dynamic and controlled by the administrator.

9. Resource Card

Each resource displayed in the library should have:

- * Preview thumbnail

- * Title
- * Short description
- * Category
- * Technology/framework
- * Optional tags

Example:

```
```text
```

PREVIEW
Animated Hero Hero · React · Tailwind  View Resource →

```
```
```

Cards should remain visually simple.

```
---
```

10. Search

Implement a global resource search.

Users should be able to search by:

- * Resource title
- * Description
- * Category
- * Technology
- * Tags

Example:

```
```text
```

```
Search "react navbar"
```

```
```
```

should return relevant React navbar resources.

```
---
```

11. Filtering

Provide simple filtering.

Example:

```
```text
```

```
All
Components
Blocks
Pages
Templates
```

```
```
```

Technology filtering may include:

```
```text
```

HTML  
CSS  
JavaScript  
TypeScript  
React  
TSX  
Next.js  
Vue  
Svelte  
Tailwind CSS  
Bootstrap  
```

Technology options should be dynamic where practical.

12. Resource Detail Page

When a user opens a resource, display:

Resource Information

- * Title
- * Description
- * Category
- * Technology
- * Tags

Preview

Display the resource visually.

Provide a fullscreen preview option where appropriate.

Source Code

Display the source code with syntax highlighting.

The interface should provide:

****Copy Code****

After copying, show temporary feedback:

> Copied!

Do not require authentication to copy code.

13. Responsive Preview

Responsive preview is OPTIONAL per resource.

The administrator decides whether a resource supports responsive preview.

Admin configuration:

``text
Responsive Support

- ☒ Desktop
- ☒ Tablet

☐ Mobile
```

Only enabled viewport options should appear on the resource detail page.

Example:

If the admin enables all:

```text  
Desktop | Tablet | Mobile
```

If only Desktop is enabled:

```text  
Desktop
```

Do not automatically assume that every resource is responsive.

Do not automatically generate responsive behavior.

The administrator controls the supported viewport options.

---

#### # 14. Supported Technologies

JakDev must not be limited to plain HTML.

Resources may use technologies such as:

```text  
HTML
CSS
JavaScript
TypeScript
React
TSX
Next.js
Vue
Svelte
Tailwind CSS
Bootstrap
```

The technology field must be flexible enough to support additional technologies in the future.

---

#### # 15. Source Code Model

Keep the source-code model simple.

A resource should primarily represent one usable source-code resource.

Basic resource structure:

```text  
Resource
├ Title
└ Description
```

```
|— Category
|— Technology
|— Tags
|— Preview
|— Responsive Support
|— Source Code
`--
```

Do not over-engineer the source structure.

The initial product does NOT need to function as:

- \* GitHub
- \* npm registry
- \* full project repository manager
- \* complex multi-file project hosting system

The primary goal is simply:

**\*\*Store → Preview → Display → Copy source code.\*\***

---

## # 16. Admin Dashboard

The Admin Dashboard is used to manage JakDev content.

Keep the dashboard simple.

Main sections:

```
```text
Dashboard
Categories
Resources
```
```

---

## # 17. Category CRUD

Administrators can:

- \* Create category
- \* Read categories
- \* Update category
- \* Delete category

Category fields:

```
```text
Name
Slug
Description
```
```

Categories should be dynamic.

Do not hardcode all categories directly into the frontend.

---

## # 18. Resource CRUD



Administrators can:

### ### Create

Add a new source-code resource.

Fields:

```
```text
Title
Description
Category
Technology
Tags
Source Code
Preview
Responsive Support
Status
```
```

### ### Read

View all resources.

### ### Update

Edit existing resources.

### ### Delete

Delete resources after confirmation.

---

## # 19. Add Resource Flow

The administrator should have a straightforward form:

```
```text
Title
Description

Category
Technology

Tags

Preview

Responsive Support
☒ Desktop
☒ Tablet
☒ Mobile

Source Code

[ Save Resource ]
```
```

After saving, the resource becomes available in the Library if its status is published.

---

## # 20. Resource Status

Resources should support at least:

```
```text
Draft
Published
```
```

Draft resources are visible only to administrators.

Published resources are visible to users.

This allows administrators to prepare resources before publishing them.

---

## # 21. Resource Editing

Administrators must be able to edit:

- \* Title
- \* Description
- \* Category
- \* Technology
- \* Tags
- \* Preview
- \* Responsive settings
- \* Source code
- \* Publication status

Editing must update the public resource without requiring the administrator to recreate it.

---

## # 22. Delete Confirmation

Deleting a resource or category must require confirmation.

Example:

```
> Are you sure you want to delete this resource?
```

Actions:

```
Cancel
```

```
Delete
```

Avoid accidental deletion.

---

## # 23. User Authentication

Authentication is NOT required for normal users.

Users should be able to:

- \* Browse
- \* Search
- \* Filter
- \* Preview

- \* Copy code

without creating an account.

Authentication is only required for the Admin Dashboard.

---

#### # 24. Admin Access

The Admin Dashboard must be protected.

Only authorized administrators may:

- \* Manage categories
- \* Add resources
- \* Edit resources
- \* Delete resources
- \* Publish resources

Do not expose admin management functionality to normal visitors.

---

#### # 25. Copy Code

The Copy Code button must:

1. Copy the source code to clipboard.
2. Show immediate visual feedback.
3. Return to the normal state after a short period.

Example:

```
```text
Copy Code
  ↓
Copied!
  ↓
Copy Code
```
```

---

#### # 26. Download

If practical, provide a simple download option for source code.

For simple resources, downloading the source file is sufficient.

Do not build a complicated project packaging system for the MVP.

---

#### # 27. UI / UX Direction

JakDev should feel:

- \* Modern
- \* Developer-focused
- \* Clean
- \* Fast
- \* Minimal
- \* Confident

- \* Practical

Avoid:

- \* Excessive gradients
- \* Excessive glassmorphism
- \* Excessive animations
- \* Overly rounded UI
- \* Huge decorative sections
- \* Unnecessary dashboard widgets
- \* Complicated navigation
- \* Excessive empty marketing copy

The design should prioritize the actual source-code library.

---

## # 28. Responsive Design

JakDev itself must be responsive.

Support:

```
```text
Desktop
Tablet
Mobile
```
```

The Library should remain easy to browse on mobile.

The Admin Dashboard should also remain usable on smaller screens.

---

## # 29. Performance

Prioritize:

- \* Fast initial load
- \* Optimized preview images
- \* Lazy loading where appropriate
- \* Efficient search/filtering
- \* Minimal unnecessary dependencies
- \* Clean component structure

Do not introduce heavy libraries unless they provide clear value.

---

## # 30. MVP Feature Scope

The MVP MUST contain:

### Public

- \* Landing Page
- \* Library
- \* Categories
- \* Search
- \* Filters
- \* Resource Cards
- \* Resource Detail
- \* Preview

- \* Source Code Viewer
- \* Copy Code
- \* Responsive Preview configuration
- \* Technology information
- \* Support page/section

### Admin

- \* Authentication
- \* Category CRUD
- \* Resource CRUD
- \* Source Code management
- \* Preview management
- \* Responsive support configuration
- \* Draft/Published status

---

# 31. Features NOT Required for MVP

Do NOT build these unless specifically requested later:

- \* Social network
- \* Comments
- \* Ratings
- \* Creator marketplace
- \* Paid subscriptions
- \* AI code generation
- \* GitHub integration
- \* Complex project repository management
- \* Version control
- \* Team collaboration
- \* User profiles
- \* Complex analytics
- \* Chat
- \* Notifications
- \* Blockchain
- \* Cryptocurrency
- \* Anything unrelated to the core library

Keep the MVP focused.

---

# 32. Core User Flow

The main user journey must be extremely simple:

```text

Landing Page

↓

Browse Library

↓

Search / Filter

↓

Select Resource

↓

Preview

↓

View Source Code

↓

Copy Code

↓

Build

...

The user should not encounter unnecessary steps.

33. Core Admin Flow

```
```text
Admin Login
 ↓
Dashboard
 ↓
Add Resource
 ↓
Select Category
 ↓
Select Technology
 ↓
Add Preview
 ↓
Add Source Code
 ↓
Configure Responsive Support
 ↓
Save as Draft / Publish
 ↓
Resource appears in Library
```
```

34. Success Criteria

JakDev is successful when:

1. A visitor understands what JakDev does within a few seconds.
2. A user can find a resource quickly.
3. A user can preview the resource before copying it.
4. A user can copy source code without logging in.
5. An administrator can add a resource quickly.
6. An administrator can edit or delete resources easily.
7. Different technologies can be stored.
8. Responsive support can be configured per resource.
9. The interface remains fast and simple.
10. The platform feels like a real developer resource library rather than a generic landing page.

35. Product Principle

Always prioritize:

- > **Simple over complex.**
- > **Useful over decorative.**
- > **Fast over feature-heavy.**
- > **Working functionality over impressive mockups.**

JakDev should solve one problem extremely well:

```
> **Give developers free source code they can discover, preview, copy, and  
use immediately.**
```

```
# END OF PRD
```