

Lab-5 (1) Basic RIP Configuration and Analysis(E)

07112303 左逸龙 1120231863

2026-05-21

Lab-5-1 BASIC RIPV1 CONFIGURATION

Q5-1.1. Paste the screenshot of the created topology.

Q5-1.2. Paste the screenshot of the IP routing table on the router RTA. Highlight the RIPv1 routes in the screenshot. Which routes are learned from the RIP neighbors?

Q5-1.3. Paste the screenshot of the IP routing table on the router RTB. Highlight the RIPv1 routes in the screenshot. Which routes are learned from the RIP neighbors?

Q5-1.4. Paste the screenshot of the IP routing table on the router RTC. Highlight the RIPv1 routes in the screenshot. Which routes are learned from the RIP neighbors?

Q5-1.5. Paste the screenshot of the IP routing table on the router RTD. Highlight the RIPv1 routes in the screenshot. Which routes are learned from the RIP neighbors?

Q5-1.6. Can PC-10-1 and PC-30-1 ping each other? Please paste the screenshot of the ping result.

Q5-1.7. Can PC-10-1 and loopback 0 on RTD ping each other? Please paste the screenshot of the ping result.

Q5-1.8. Please paste the screenshot of the result of command “tracert 192.168.30.11” issued from PC-10-1.

Q5-1.9. How many types of RIPv1 packets are there? What are they?

Q5-1.10. What is the interval between RIPv1 routing updates?

Q5-1.11. Which protocol does RIPv1 use to transmit RIP packets? What are the source port number and destination port number?

Q5-1.12. When RIPv1 sends a routing update message, what is the destination IP address of the message? What type of IP address is it?

Q5-1.13. How many routes are there in each RIPv1 route update message? What information does each route contain in the route update message? Please paste the screenshot of the route information contained in the captured update routing message.

Q5-1.14. Please give the format of RIPv1 routing update message.