Data Visualization with ggplot2 : : **CHEAT SHEET**

ggplot2

Basics

ggplot2 is based on the **grammar of graphics**, the idea that you can build every graph from the same components: a **data** set, a **coordinate system**, and geoms—visual marks that represent data points.

data + geom
x = F · y = A
+ coordinate system = plot

To display values, map variables in the data to visual properties of the geom (**aesthetics**) like **size**, **color**, and **x** and **y** locations.

data + geom
x = F · y = A
color = F
size = A
+ coordinate system = plot

Complete the template below to build a graph.

ggplot (data = <DATA>) +
<GEOM_FUNCTION>(mapping = aes(<MAPPINGS>), — **required**
  stat = **<STAT>**, position = **<POSITION>**) +
  <COORDINATE_FUNCTION> +
  <FACET_FUNCTION> +
  <SCALE_FUNCTION> +
  <THEME_FUNCTION>

Not required, sensible defaults supplied

ggplot(data = mpg, **aes**(x = cty, y = hwy)) Begins a plot that you finish by adding layers to. Add one geom function per layer.

aesthetic mappings · *data* · *geom*

qplot(x = cty, y = hwy, data = mpg, geom = "point") Creates a complete plot with given data, geom, and mappings. Supplies many useful defaults.

last_plot() Returns the last plot

ggsave("plot.png", width = 5, height = 5) Saves last plot as 5' x 5' file named "plot.png" in working directory. Matches file type to file extension.

Geoms

Use a geom function to represent data points, use the geom's aesthetic properties to represent variables. Each function returns a layer.

GRAPHICAL PRIMITIVES

a <- ggplot(economics, aes(date, unemploy))
b <- ggplot(seals, aes(x = long, y = lat))

a + geom_blank()
(Useful for expanding limits)

b + geom_curve(aes(yend = lat + 1, xend=long+1,curvature=z)**)** - x, xend, y, yend, alpha, angle, color, curvature, linetype, size

a + geom_path(lineend="butt", linejoin="round", linemitre=1**)**
x, y, alpha, color, group, linetype, size

a + geom_polygon(aes(group = group)**)**
x, y, alpha, color, fill, group, linetype, size

b + geom_rect(aes(xmin = long, ymin=lat, xmax= long + 1, ymax = lat + 1)**)** - xmax, xmin, ymax, ymin, alpha, color, fill, linetype, size

a + geom_ribbon(aes(ymin=unemploy - 900, ymax=unemploy + 900)**)** - x, ymax, ymin, alpha, color, fill, group, linetype, size

LINE SEGMENTS

common aesthetics: x, y, alpha, color, linetype, size

b + geom_abline(aes(intercept=0, slope=1)**)**
b + geom_hline(aes(yintercept = lat)**)**
b + geom_vline(aes(xintercept = long)**)**

b + geom_segment(aes(yend=lat+1, xend=long+1)**)**
b + geom_spoke(aes(angle = 1:1155, radius = 1)**)**

ONE VARIABLE   continuous

c <- ggplot(mpg, aes(hwy)); c2 <- ggplot(mpg)

c + geom_area(stat = "bin")
x, y, alpha, color, fill, linetype, size

c + geom_density(kernel = "gaussian"**)**
x, y, alpha, color, fill, group, linetype, size, weight

c + geom_dotplot()
x, y, alpha, color, fill

c + geom_freqpoly() x, y, alpha, color, group, linetype, size

c + geom_histogram(binwidth = 5**)** x, y, alpha, color, fill, linetype, size, weight

c2 + geom_qq(aes(sample = hwy)**)** x, y, alpha, color, fill, linetype, size, weight

discrete

d <- ggplot(mpg, aes(fl))

d + geom_bar()
x, alpha, color, fill, linetype, size, weight

TWO VARIABLES

continuous x , continuous y
e <- ggplot(mpg, aes(cty, hwy))

e + geom_label(aes(label = cty), nudge_x = 1, nudge_y = 1, check_overlap = TRUE**)** x, y, label, alpha, angle, color, family, fontface, hjust, lineheight, size, vjust

e + geom_jitter(height = 2, width = 2**)** x, y, alpha, color, fill, shape, size

e + geom_point(), x, y, alpha, color, fill, shape, size, stroke

e + geom_quantile(), x, y, alpha, color, group, linetype, size, weight

e + geom_rug(sides = "bl"**)**, x, y, alpha, color, linetype, size

e + geom_smooth(method = lm**)**, x, y, alpha, color, fill, group, linetype, size, weight

e + geom_text(aes(label = cty), nudge_x = 1, nudge_y = 1, check_overlap = TRUE**)**, x, y, label, alpha, angle, color, family, fontface, hjust, lineheight, size, vjust

discrete x , continuous y
f <- ggplot(mpg, aes(class, hwy))

f + geom_col(), x, y, alpha, color, fill, group, linetype, size

f + geom_boxplot(), x, y, lower, middle, upper, ymax, ymin, alpha, color, fill, group, linetype, shape, size, weight

f + geom_dotplot(binaxis = "y", stackdir = "center"**)**, x, y, alpha, color, fill, group

f + geom_violin(scale = "area"**)**, x, y, alpha, color, fill, group, linetype, size, weight

discrete x , discrete y
g <- ggplot(diamonds, aes(cut, color))

g + geom_count(), x, y, alpha, color, fill, shape, size, stroke

continuous bivariate distribution
h <- ggplot(diamonds, aes(carat, price))

h + geom_bin2d(binwidth = c(0.25, 500)**)**
x, y, alpha, color, fill, linetype, size, weight

h + geom_density2d()
x, y, alpha, colour, group, linetype, size

h + geom_hex()
x, y, alpha, colour, fill, size

continuous function
i <- ggplot(economics, aes(date, unemploy))

i + geom_area()
x, y, alpha, color, fill, linetype, size

i + geom_line()
x, y, alpha, color, group, linetype, size

i + geom_step(direction = "hv"**)**
x, y, alpha, color, group, linetype, size

visualizing error
df <- data.frame(grp = c("A", "B"), fit = 4:5, se = 1:2)
j <- ggplot(df, aes(grp, fit, ymin = fit-se, ymax = fit+se))

j + geom_crossbar(fatten = 2**)**
x, y, ymax, ymin, alpha, color, fill, group, linetype, size

j + geom_errorbar(), x, ymax, ymin, alpha, color, group, linetype, size, width (also **geom_errorbarh()**)

j + geom_linerange()
x, ymin, ymax, alpha, color, group, linetype, size

j + geom_pointrange()
x, y, ymin, ymax, alpha, color, fill, group, linetype, shape, size

maps
data <- data.frame(murder = USArrests$Murder, state = tolower(rownames(USArrests)))
map <- map_data("state")
k <- ggplot(data, aes(fill = murder))

k + geom_map(aes(map_id = state), map = map**)**
**+ expand_limits(**x = map$long, y = map$lat**)**, map_id, alpha, color, fill, linetype, size

THREE VARIABLES

seals$z <- with(seals, sqrt(delta_long^2 + delta_lat^2)); l <- ggplot(seals, aes(long, lat))

l + geom_contour(aes(z = z)**)**
x, y, z, alpha, colour, group, linetype, size, weight

l + geom_raster(aes(fill = z), hjust=0.5, vjust=0.5, interpolate=FALSE**)**
x, y, alpha, fill

l + geom_tile(aes(fill = z)**)**, x, y, alpha, color, fill, linetype, size, width

Stats
An alternative way to build a layer

A stat builds new variables to plot (e.g., count, prop).

| data | stat | geom | coordinate system | plot |

x = x ·
y = ..count..

Visualize a stat by changing the default stat of a geom function, **geom_bar(stat="count")** or by using a stat function, **stat_count(geom="bar")**, which calls a default geom to make a layer (equivalent to a geom function). Use **..name..** syntax to map stat variables to aesthetics.

geom to use   stat function   geommappings

i + stat_density2d(aes(fill = ..level..),
geom = "polygon")

variable created by stat

c + stat_bin(binwidth = 1, origin = 10)
x, y | ..count.., ..ncount.., ..density.., ..ndensity..

c + stat_count(width = 1) **x, y,** | ..count.., ..prop..

c + stat_density(adjust = 1, kernel = "gaussian")
x, y, | ..count.., ..density.., ..scaled..

e + stat_bin_2d(bins = 30, drop = T)
x, y, fill | ..count.., ..density..

e + stat_bin_hex(bins=30) **x, y, fill** | ..count.., ..density..

e + stat_density_2d(contour = TRUE, n = 100)
x, y, color, size | ..level..

e + stat_ellipse(level = 0.95, segments = 51, type = "t")

l + stat_contour(aes(z = z) **x, y, z, order** | ..level..

l + stat_summary_hex(aes(z = z), bins = 30, fun = max)
x, y, z, fill | ..value..

l + stat_summary_2d(aes(z = z), bins = 30, fun = mean)
x, y, z, fill | ..value..

f + stat_boxplot(coef = 1.5) **x, y** | ..lower..,
..middle.., ..upper.., ..width.. , ..ymin.., ..ymax..

f + stat_ydensity(kernel = "gaussian", scale = "area") **x, y** |
..density.., ..scaled.., ..count.. , ..n.., ..violinwidth.., ..width..

e + stat_ecdf(n = 40) **x, y** | ..x.., ..y..

e + stat_quantile(quantiles = c(0.1, 0.9), formula = y ~
log(x), method = "rq") **x, y** | ..quantile..

e + stat_smooth(method = "lm", formula = y ~ x, se=T,
level=0.95) **x, y** | ..se.., ..x.., ..y.., ..ymin.., ..ymax..

ggplot() + stat_function(aes(x = -3:3), n = 99, fun =
dnorm, args = list(sd=0.5)) **x** | ..x.., ..y..

e + stat_identity(na.rm = TRUE)

ggplot() + stat_qq(aes(sample=1:100), dist = qt,
dparam=list(df=5)) **sample, x, y** | ..sample.., ..theoretical..

e + stat_sum() **x, y, size** | ..n.., ..prop..

e + stat_summary(fun.data = "mean_cl_boot")

h + stat_summary_bin(fun.y = "mean", geom = "bar")

e + stat_unique()

Scales

Scales map data values to the visual values of an aesthetic. To change a mapping, add a new scale.

(n <- d + geom_bar(aes(fill = fl)))

scale_   aesthetic to adjust   prepackaged scale to use   scale-specific arguments

n + scale_fill_manual(
values = c("skyblue", "royalblue", "blue", "navy"),
limits = c("d", "e", "p", "r"), breaks =c("d", "e", "p", "r"),
name = "fuel", labels = c("D", "E", "P", "R"))

range of values to include in mapping   title to use in legend/axis   labels to use in legend/axis   breaks to use in legend/axis

GENERAL PURPOSE SCALES

Use with most aesthetics

scale_*_continuous() - map cont' values to visual ones
scale_*_discrete() - map discrete values to visual ones
scale_*_identity() - use data values **as** visual ones
scale_*_manual(values = c()) - map discrete values to manually chosen visual ones
scale_*_date(date_labels = "%m/%d", date_breaks = "2 weeks") - treat data values as dates.
scale_*_datetime() - treat data x values as date times. Use same arguments as scale_x_date(). See ?strptime for label formats.

X & Y LOCATION SCALES

Use with x or y aesthetics (x shown here)

scale_x_log10() - Plot x on log10 scale
scale_x_reverse() - Reverse direction of x axis
scale_x_sqrt() - Plot x on square root scale

COLOR AND FILL SCALES (DISCRETE)

n <- d + geom_bar(aes(fill = fl))

n + scale_fill_brewer(palette = "Blues")
For palette choices:
RColorBrewer::display.brewer.all()

n + scale_fill_grey(start = 0.2, end = 0.8,
na.value = "red")

COLOR AND FILL SCALES (CONTINUOUS)

o <- c + geom_dotplot(aes(fill = ..x..))

o + scale_fill_distiller(palette = "Blues")

o + scale_fill_gradient(low="red", high="yellow")

o + scale_fill_gradient2(low="red", high="blue",
mid = "white", midpoint = 25)

o + scale_fill_gradientn(colours=topo.colors(6))
Also: rainbow(), heat.colors(), terrain.colors(),
cm.colors(), RColorBrewer::brewer.pal()

SHAPE AND SIZE SCALES

p <- e + geom_point(aes(shape = fl, size = cyl))
p + scale_shape() + scale_size()
p + scale_shape_manual(values = c(3:7))

0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25
□ ○ △ + × ◇ ▽ ⊠ ✳ ⊕ ⊞ ⊠ ⊟ ⊡ ◼ ● ▲ ◆ ● ○ ○ □ ○ ◇ △ ▽

p + scale_radius(range = c(1,6))
p + scale_size_area(max_size = 6)

Coordinate Systems

r <- d + geom_bar()

r + coord_cartesian(xlim = c(0, 5))
xlim, ylim
The default cartesian coordinate system

r + coord_fixed(ratio = 1/2)
ratio, xlim, ylim
Cartesian coordinates with fixed aspect ratio between x and y units

r + coord_flip()
xlim, ylim
Flipped Cartesian coordinates

r + coord_polar(theta = "x", direction=1)
theta, start, direction
Polar coordinates

r + coord_trans(ytrans = "sqrt")
xtrans, ytrans, limx, limy
Transformed cartesian coordinates. Set xtrans and ytrans to the name of a window function.

π + coord_quickmap()

π + coord_map(projection = "ortho",
orientation=c(41, -74, 0))projection, orienztation, xlim, ylim
Map projections from the mapproj package (mercator (default), azequalarea, lagrange, etc.)

Position Adjustments

Position adjustments determine how to arrange geoms that would otherwise occupy the same space.

s <- ggplot(mpg, aes(fl, fill = drv))

s + geom_bar(position = "dodge")
Arrange elements side by side

s + geom_bar(position = "fill")
Stack elements on top of one another, normalize height

e + geom_point(position = "jitter")
Add random noise to X and Y position of each element to avoid overplotting

e + geom_label(position = "nudge")
Nudge labels away from points

s + geom_bar(position = "stack")
Stack elements on top of one another

Each position adjustment can be recast as a function with manual **width** and **height** arguments
s + geom_bar(position = position_dodge(width = 1))

Themes

r + theme_bw()
White background with grid lines

r + theme_gray()
Grey background (default theme)

r + theme_dark()
dark for contrast

r + theme_classic()

r + theme_light()

r + theme_linedraw()

r + theme_minimal()
Minimal themes

r + theme_void()
Empty theme

Faceting

Facets divide a plot into subplots based on the values of one or more discrete variables.

t <- ggplot(mpg, aes(cty, hwy)) + geom_point()

t + facet_grid(cols = vars(fl))
facet into columns based on fl

t + facet_grid(rows = vars(year))
facet into rows based on year

t + facet_grid(rows = vars(year), cols = vars(fl))
facet into both rows and columns

t + facet_wrap(vars(fl))
wrap facets into a rectangular layout

Set **scales** to let axis limits vary across facets

**t + facet_grid(rows = vars(drv), cols = vars(fl),
scales = "free")**
x and y axis limits adjust to individual facets
"free_x" - x axis limits adjust
"free_y" - y axis limits adjust

Set **labeller** to adjust facet labels

t + facet_grid(cols = vars(fl), labeller = label_both)

| fl: c | fl: e | fl: p | fl: r |

**t + facet_grid(rows = vars(fl),
labeller = label_bquote(alpha ^ .(fl)))**

| α^c | α^d | α^e | α^p | α^r |

Labels

t + labs(**x** = "New x axis label", **y** = "New y axis label",
title ="Add a title above the plot",
subtitle = "Add a subtitle below title",
caption = "Add a caption below plot",
<AES> = "New **<AES>** legend title")

Use scale functions to update legend labels

t + annotate(geom = "text", x = 8, y = 9, label = "A")

geom to place   manual values for geom's aesthetics

Legends

n + theme(legend.position = "bottom")
Place legend at "bottom", "top", "left", or "right"

n + guides(fill = "none")
Set legend type for each aesthetic: colorbar, legend, or none (no legend)

n + scale_fill_discrete(name = "Title",
labels = c("A", "B", "C", "D", "E"))
Set legend title and labels with a scale function.

Zooming

Without clipping (preferred)

t + coord_cartesian(
xlim = c(0, 100), ylim = c(10, 20))

With clipping (removes unseen data points)

t + xlim(0, 100) **+ ylim**(10, 20)

t + scale_x_continuous(limits = c(0, 100)) **+
scale_y_continuous**(limits = c(0, 100))

RStudio