

AyitiMarket

Guide de Deploiement Mobile

PWA → Android (APK) → Google Play Store

PWA → iOS (IPA) → Apple App Store

Vèsyon	2.0.0 — MVP Final
Stack	HTML/Tailwind/JS + Supabase BaaS
Wrapper	Capacitor 6.x (Ionic)
Hosting	Vercel (auto-deploy via GitHub)
Dat	Avril 2026

Kontni

1. Achitekti Pwojè a
2. Prè-rekwi (Prerequisites)
3. Konfigirasyon Environman
4. Capacitor — Inisyalizasyon
5. Build Android (APK/AAB)
6. Build iOS (IPA)
7. Manifest PWA & Service Worker
8. Vercel — Deployment Otomatik
9. Supabase — Konfigirasyon Pwodiksyon
10. Checklist Avan Soumisyon Store

1. Achitekti Pwojè a

AyitiMarket se yon PWA (Progressive Web App) ki fonksyone nan navigatè men ki ka transfòme an app natif pou Android ak iOS atravè Capacitor.

```
ayitimarket/  
  index.html          # App konplè (HTML+CSS+JS)  
  vercel.json         # Config Vercel  
  manifest.json       # PWA manifest  
  sw.js              # Service Worker (offline)  
  capacitor.config.ts # Config Capacitor  
  package.json  
  android/           # Pwojè Android Studio  
  ios/               # Pwojè Xcode
```

2. Prè-rekwi

- **Node.js** v18+ ak npm
- **Android Studio** (pou Android build) + JDK 17
- **Xcode 15+** (pou iOS — sèlman sou macOS)
- **Capacitor CLI**: npm install -g @capacitor/cli
- **Git** ak GitHub account
- **Vercel account** konekte ak GitHub repo
- **Supabase account** ak pwojè aktif
- **Google Play Console** (\$25 yon sèl fwa)
- **Apple Developer Program** (\$99/an)

3. Konfigirasyon Environman

Kreye dosye pwojè a epi inisyalize npm:

```
mkdir ayitimarket && cd ayitimarket
npm init -y
npm install @capacitor/core @capacitor/cli
```

Kopye index.html, manifest.json, sw.js nan rasin dosye a.

4. Capacitor — Inisyalizasyon

Inisyalize Capacitor nan pwojè a:

```
npx cap init AyitiMarket com.ayitidigital.ayitimarket --web-dir=.
```

capacitor.config.ts:

```
import { CapacitorConfig } from '@capacitor/cli';

const config: CapacitorConfig = {
  appId: 'com.ayitidigital.ayitimarket',
  appName: 'AyitiMarket',
  webDir: '.',
  server: {
    androidScheme: 'https',
    iosScheme: 'https',
  },
  plugins: {
    SplashScreen: {
      launchAutoHide: false,
      backgroundColor: '#f4f4f4',
    },
  },
};
export default config;
```

Ajoute platfòm yo:

```
npx cap add android
npx cap add ios
```

5. Build Android (APK / AAB)

Etap 1 — Sinkronize kòd web la:

```
npx cap sync android
```

Etap 2 — Ouvri nan Android Studio:

```
npx cap open android
```

Etap 3 — Konfigure Signing:

Nan Android Studio: Build → Generate Signed Bundle/APK → Kreye yon nouvo keystore (.jks). Konsève keystore la nan yon kote ki an sekirite — ou pap ka mete app la ajou san li.

Etap 4 — Build Release:

Chwazi **Android App Bundle (.aab)** pou Google Play Store.

Build → Generate Signed Bundle → release.

Fichye a ap nan: android/app/build/outputs/bundle/release/app-release.aab

Etap 5 — Upload sou Google Play Console:

- Ale sou play.google.com/console
- Kreye nouvo app: AyitiMarket
- Ranpli tout enfòmasyon (deskripsyon, screenshot, ikòn 512x512)
- Upload .aab nan Production → Create Release
- Soumèt pou Review (3-7 jou)

6. Build iOS (IPA)

Rekwi macOS ak Xcode 15+

Etap 1 — Sinkronize:

```
npx cap sync ios
```

Etap 2 — Ouvri Xcode:

```
npx cap open ios
```

Etap 3 — Konfigure Signing:

Nan Xcode: Signing & Capabilities → Chwazi Team (Apple Developer account ou) → Bundle ID: com.ayitidigital.ayitimarket

Etap 4 — Archive ak Upload:

- Product → Archive
- Distribute App → App Store Connect
- Upload
- Ale sou appstoreconnect.apple.com
- Kreye app, ranpli metadata, screenshot
- Soumèt pou Review (1-3 jou)

7. Manifest PWA & Service Worker

manifest.json:

```
{
  "name": "AyitiMarket",
  "short_name": "AyitiMarket",
  "description": "Marketplace mobile pou Ayiti",
  "start_url": "/index.html",
  "display": "standalone",
  "orientation": "portrait",
  "background_color": "#fcf9f4",
  "theme_color": "#00666f",
  "icons": [
    { "src": "icon-192.png", "sizes": "192x192", "type": "image/png" },
    { "src": "icon-512.png", "sizes": "512x512", "type": "image/png" }
  ]
}
```

sw.js (Service Worker — Offline Cache):

```
const CACHE = 'aym-v2';
const URLS = ['/', '/index.html'];

self.addEventListener('install', e => {
  e.waitUntil(caches.open(CACHE).then(c => c.addAll(URLS)));
});

self.addEventListener('fetch', e => {
  e.respondWith(
    caches.match(e.request).then(r => r || fetch(e.request))
  );
});
```

8. Vercel — Deployment Otomatik

Repo GitHub **ayitimarket** deja konekte ak Vercel. Chak push sou branch **main** deklanch yon deploy otomatik.

vercel.json:

```
{
  "rewrites": [{ "source": "/(.*)", "destination": "/index.html" }],
  "headers": [{
    "source": "/(.*)",
    "headers": [
      { "key": "Cache-Control", "value": "public, max-age=3600" },
      { "key": "X-Content-Type-Options", "value": "nosniff" }
    ]
  }]
}
```

Workflow pou mete ajou:

1. Modifye index.html lokalman oswa sou github.com
2. git add . && git commit -m 'update' && git push
3. Vercel detect push la epi deploy otomatikman (30-60s)
4. Verifye sou URL Vercel ou a

9. Supabase — Konfigirasyon Pwodiksyon

Konfigirasyon esansyèl:

- **Site URL:** Mete URL Vercel ou nan Authentication → URL Configuration
- **Redirect URLs:** Ajoute URL Vercel + localhost pou developman
- **Google OAuth:** Verifye Client ID nan Providers → Google
- **RLS Policies:** Egzekite 003_fix_rls.sql nan SQL Editor
- **Storage Buckets:** Kreye 'avatars' ak 'products' (piblik)
- **Plan Blaze:** Upgrade pou Edge Functions si nesèsè

10. Checklist Avan Soumisyon Store

Item	Detay
Ikòn App	512x512 PNG, fon teal #00666f ak logo blan
Screenshot	Omwen 4 screenshot telefòn (1080x1920)
Deskripsyon	Kreyòl + Fransè, 80 karaktè max pou titre
Kategori	Shopping / Marketplace
Privacy Policy	Mete yon paj privacy policy sou sit la
Age Rating	Everyone / 4+
Tès	Teste sou 3+ aparèy avan soumisyon
Performance	Lighthouse score > 80 pou PWA
Supabase RLS	Tout tab gen Row Level Security aktive
HTTPS	Vercel bay HTTPS otomatikman
Offline	Service Worker cache paj prensipal yo
Deep Links	Konfigure pou Google OAuth callback