

<u><b>rufule</b></u> (Thomson, 1858)	<u><b>nebulosa</b></u> Boheman	<u><b>gallarum</b></u> (Spaeth, 1906)	<u><b>revulsa</b></u> (Spaeth, 1906)	<u><b>caedemadens</b></u> (Lichtenstein, 1796)	<u><b>connectens</b></u> (Baly, 1869)
<u><b>crassicornis</b></u> Spaeth, 1905	<u><b>parellina</b></u> Spaeth, 1937	<u><b>vittifera</b></u> Spaeth, 1913	<u><b>dichroa</b></u> Baly, 1858	<u><b>dubia</b></u> (Boheman, 1854)	<u><b>testudinaria</b></u> (Boheman, 1850)
<u><b>picta</b></u> (Spaeth, 1905)	<u><b>impressicollis</b></u> (Fairmaire, 1901)	<u><b>rubrocostata</b></u> (Fairmaire, 1898)	<u><b>deplanata</b></u> (Boheman, 1850)	<u><b>bolivianum</b></u> Borowiec & Sassi, 2001	<u><b>ecuadoricum</b></u> Borowiec, 1998
<u><b>semicircularae</b></u> (Olivier, 1808)	<u><b>adhaerens</b></u> (Weber, 1801)	<u><b>apicalis</b></u> (Klug, 1833)	<u><b>areata</b></u> (Klug, 1835)	<u><b>australasiae</b></u> (Boisduval, 1835)	<u><b>bataviana</b></u> Swietojanska, 2001
<u><b>biguttata</b></u> (Fabricius, 1775)	<u><b>bimaculata</b></u> (Fabricius, 1792)	<u><b>chlorina</b></u> Boheman, 1854	<u><b>chlorotica</b></u> (Olivier, 1808)	<u><b>cincta</b></u> Spaeth, 1914	<u><b>convolvuli</b></u> (Boheman, 1862)
<u><b>deusta</b></u> (Fabricius, 1775)	<u><b>diaphana</b></u> (Sahlberg, 1823)	<u><b>difformis</b></u> (Motschulsky, 1860)	<u><b>dissentanea</b></u> Boheman, 1862	<u><b>dorsata</b></u> (Fabricius, 1787)	<u><b>dovei</b></u>
<u><b>elevata</b></u> (Fabricius, 1801)	<u><b>flavochodorsata</b></u> Wagener, 1881	<u><b>flavovariegata</b></u> Spaeth, 1903	<u><b>flavovariegata</b></u>	<u><b>meraukensis</b></u>	<u><b>fraterna</b></u> Baly, 1863
<u><b>fugax</b></u> (Spaeth, 1906)	<u><b>furcata</b></u> (Thunberg, 1789)	<u><b>fuscopunctata</b></u> Boheman, 1854	<u><b>gausapina</b></u> Spaeth, 1924	<u><b>gruevi</b></u> Borowiec, 1985	<u><b>icterica</b></u> Boheman, 1854
<u><b>indica</b></u> Boheman, 1854	<u><b>ingens</b></u> Duvivier, 1891	<u><b>interrupta</b></u> (Fabricius, 1775)	<u><b>isparetta</b></u> Boheman, 1854	<u><b>lobata</b></u> Boheman, 1854	<u><b>maculatissima</b></u> (Boheman, 1856)
<u><b>madagascarica</b></u> Boheman, 1854	<u><b>miliaris</b></u> (Fabricius, 1775)	<u><b>mutilata</b></u> Boheman, 1854	<u><b>natalensis</b></u> Boheman, 1854	<u><b>nigromaculata</b></u> (Herbst, 1799)	<u><b>obovata</b></u> (Klug, 1935)
<u><b>puncticosta</b></u> Boheman, 1854	<u><b>punctum</b></u> (Fabricius, 1801)	<u><b>quadrimaculata</b></u> (Olivier, 1808)	<u><b>quadriradiata</b></u> Boheman, 1854	<u><b>quinquefasciata</b></u> (Fabricius, 1801)	<u><b>salmonina</b></u> Spaeth
<u><b>sanctaecrucis</b></u> (Fabricius, 1792)	<u><b>sellata</b></u> Weise, 1896	<u><b>septemcostata</b></u> Wagener, 1881	<u><b>socia</b></u> Boheman, 1856	<u><b>submutata</b></u> Weise, 1899	<u><b>tecta</b></u> Boheman, 1854
<u><b>togata</b></u> Thomson, 1858	<u><b>tortuosa</b></u> Boheman, 1862	<u><b>transparipennis</b></u> (Motschulsky, 1860)	<u><b>vietnamica</b></u> Medvedev & Eroshkina, 1982	<u><b>westwoodi</b></u> (Boheman, 1854)	<u><b>thibetana</b></u> (Spaeth, 1914)
<u><b>paeminosa</b></u> (Boheman, 1856)	<u><b>duodecimverrucata</b></u> (Boheman, 1850)	<u><b>maculata</b></u> (Boheman, 1850)	<u><b>miniata</b></u> (Baly, 1887)	<u><b>nervosa</b></u> (Fabricius, 1801)	<u><b>octoplagiata</b></u> (Spaeth, 1909)
<u><b>octopustulata</b></u> (Klug, 1829)	<u><b>ordinata</b></u> (Boheman, 1850)	<u><b>planipennis</b></u> (Spaeth, 1899)	<u><b>rubroguttata</b></u> (Boheman, 1850)	<u><b>sedecimpustulata</b></u> (Fabricius, 1801)	<u><b>segnis</b></u> (Boheman, 1862)
<u><b>agriconotoides</b></u> Borowiec, 2005	<u><b>drewseni</b></u> (Boheman, 1855)	<u><b>andicola</b></u> Spaeth, 1905	<u><b>andrewesi</b></u> (Weise, 1897)	<u><b>leayana</b></u> (Latreille, 1807)	<u><b>mouhoti</b></u> (Baly, 1863)
<u><b>obscura</b></u> Weise, 1897	<u><b>brevicornis</b></u> Boheman, 1850	<u><b>irrorata</b></u> (Guérin-Méneville, 1844)	<u><b>osculatii</b></u> Guérin-Méneville, 1855	<u><b>rubiginosa</b></u> (Guérin-Méneville, 1844)	<u><b>tricostata</b></u> (Spaeth, 1907)

<u><b>altiuscula</b></u> Spaeth, 1916	<u><b>amorifica</b></u> Boheman, 1862	<u><b>angusta</b></u> Marseul, 1876	<u><b>aurora</b></u> Weise, 1907	<u><b>australiae</b></u> (Boheman, 1855)	<u><b>bergeali</b></u> Bordy, 1995
<u><b>cherenica</b></u> Spaeth, 1917	<u><b>chiangmaiensis</b></u> Borowiec, 2001	<u><b>coagulata</b></u> Boheman, 1854	<u><b>compuncta</b></u> (Boheman, 1855)	<u><b>corallina</b></u> Boheman, 1862	<u><b>depicta</b></u> Boheman, 1862
<u><b>dorsovittata</b></u> Boheman, 1854	<u><b>exastigma</b></u> Suffrian, 1844	<u><b>exilis</b></u> Boheman, 1854	<u><b>exprompta</b></u> Spaeth	<u><b>graeca</b></u> Kraatz, 1874	<u><b>humeralis</b></u> Kraatz, 1874
<u><b>hyalina</b></u> Weise, 1891	<u><b>infirma</b></u> Boheman, 1862	<u><b>jacobsoni</b></u> Spaeth, 1914	<u><b>labistophaga</b></u> Medvedev & Eroshkina, 1988	<u><b>major</b></u> Kraatz, 1874	<u><b>melanophthalma</b></u> Boheman, 1854
<u><b>oblonga</b></u> Sturm in Thon, 1827	<u><b>olympica</b></u> Sekerka, 2005	<u><b>pallidicollis</b></u>	<u><b>morawitzi</b></u> Boheman, 1856	<u><b>papuana</b></u> (Spaeth, 1903)	<u><b>pellegrina</b></u> Marseul, 1868
<u><b>pfefferi</b></u> Sekerka, 2006	<u><b>pyrenaica</b></u> Weise, 1893	<u><b>reticularis</b></u> (Linnaeus, 1758)	<u><b>rothschildi</b></u> Spaeth, 1922	<u><b>rubiginosa</b></u>	<u><b>graeca</b></u> Spaeth & Reitter, 1926
<u><b>rubiginosa</b></u>	<u><b>rugosopunctata</b></u> Motschulsky, 1776	<u><b>rufovirens</b></u> Suffrian, 1844	<u><b>scutellaris</b></u> Spaeth, 1914	<u><b>seladonia</b></u> Gyllenhal, 1827	<u><b>semenovi</b></u> Weise, 1889
<u><b>serpusilla</b></u>	<u><b>spaethiana</b></u> Gressitt, 1952	<u><b>subprobata</b></u> (S.-H. Chen & Zia, 1964)	<u><b>transcaucasica</b></u> Borowiec & Swietojanska, 2001	<u><b>triangulus</b></u>	<u><b>indochinensis</b></u>
<u><b>verspertina</b></u> Boheman, 1862	<u><b>perrieri</b></u> Fairmaire, 1900	<u><b>actiosa</b></u> (Spaeth, 1926)	<u><b>bicolor</b></u> (Fabricius, 1798)	<u><b>carnulenta</b></u> (Erichson, 1847)	<u><b>emarginata</b></u> (Boheman, 1855)
<u><b>fumosa</b></u> (Boheman, 1855)	<u><b>glaucovittata</b></u> (Erichson, 1847)	<u><b>hoegbergi</b></u> (Boheman, 1855)	<u><b>immaculata</b></u> (Olivier, 1790)	<u><b>inconstans</b></u> (Boheman, 1855)	<u><b>pallescent</b></u> (Boheman, 1855)
<u><b>puella</b></u> (Boheman, 1855)	<u><b>quadrisignata</b></u> (Boheman, 1855)	<u><b>rubicunda</b></u> (Guérin-Méneville, 1844)	<u><b>sexpunctata</b></u> (Fabricius, 1781)	<u><b>subannulata</b></u> (Boheman, 1862)	<u><b>subnotata</b></u> (Boheman, 1855)
<u><b>tuberculata</b></u> (Fabricius, 1775)	<u><b>ventricosa</b></u> (Boheman, 1855)	<u><b>vinula</b></u> (Boheman, 1855)	<u><b>virgo</b></u> (Boheman, 1855)	<u><b>zona</b></u> (Fabricius, 1801)	<u><b>aurofasciata</b></u> (Erichson, 1847)
<u><b>auroguttata</b></u> Boheman, 1855	<u><b>circinata</b></u> (Boheman, 1855)	<u><b>circumflexa</b></u> (Boheman, 1855)	<u><b>connexa</b></u> (Boheman, 1855)	<u><b>exigua</b></u> Boheman, 1855	<u><b>furva</b></u> Boheman, 1855
<u><b>incincta</b></u>	<u><b>mansueta</b></u> (Boheman, 1855)	<u><b>pulchra</b></u> Spaeth, 1902	<u><b>tersa</b></u> Spaeth, 1936	<u><b>aerata</b></u> (Erichson, 1847)	<u><b>alternans</b></u> Boheman, 1854
<u><b>boliviana</b></u> Boheman, 1854	<u><b>cavata</b></u> Boheman, 1854	<u><b>cinctipennis</b></u> Spaeth	<u><b>cribaria</b></u> (Fabricius, 1775)	<u><b>crucifera</b></u> Boheman, 1854	<u><b>infecta</b></u> Boheman, 1854
<u><b>phytophagica</b></u> Crotch, 1873	<u><b>praetextata</b></u> Boheman, 1854	<u><b>reimoseri</b></u> Spaeth, 1928	<u><b>rufipennis</b></u> Boheman, 1854	<u><b>rugicollis</b></u> Champion, 1893	<u><b>testaceomarginata</b></u> Boheman, 1854
<u><b>aequinotialis</b></u> (Boheman, 1855)	<u><b>guttata</b></u> Boheman	<u><b>plagiata</b></u> Boheman, 1855	<u><b>cribripennis</b></u> (Boheman, 1850)	<u><b>laticollis</b></u> Viana, 1964	<u><b>metallica</b></u> (Klug, 1829)

<u><b>perforata</b></u> (Boheman, 1850)	<u><b>runderaria</b></u> (Erichson, 1847)	<u><b>obducta</b></u> (Boheman, 1854)	<u><b>bonnyana</b></u> (Gorham, 1892)	<u><b>praecox</b></u> (Boheman, 1854)	<u><b>tigrina</b></u> (Olivier, 1808)
<u><b>adamantina</b></u> (Germar, 1824)	<u><b>aequinoctialis</b></u> Boheman, 1855	<u><b>annulus</b></u> Fabricius, 1781	<u><b>aurifera</b></u> Boheman, 1855	<u><b>concolor</b></u> Boheman, 1855	<u><b>constellata</b></u> Boheman, 1855
<u><b>contemta</b></u> (Boheman, 1855)	<u><b>dolosa</b></u> Boheman, 1855	<u><b>dorsoplagiata</b></u> Champion, 1894	<u><b>evidumdacta</b></u>	<u><b>laeta</b></u> Boheman, 1855	<u><b>nigripes</b></u> Olivier
<u><b>roseocincta</b></u> Boheman, 1855	<u><b>stigma</b></u> (Germar, 1824)	<u><b>undecimpunctata</b></u> (Fabricius, 1781)	<u><b>levis</b></u> Borowiec, 1993	<u><b>amicta</b></u> (Boheman, 1855)	<u><b>divalis</b></u> Spaeth, 1926
<u><b>hebrea</b></u> Fabricius	<u><b>hectica</b></u> Boheman	<u><b>quadrata</b></u> De Geer	<u><b>germari</b></u> (Spaeth, 1913)	<u><b>palliat</b></u> (Fabricius, 1787)	<u><b>sericata</b></u> (Guérin-Méneville, 1844)
<u><b>strigata</b></u> (Panzer, 1798)	<u><b>tristis</b></u> (Guérin-Méneville, 1844)	<u><b>dimidiata</b></u> (Boheman, 1850)	<u><b>trigonata</b></u> (Spaeth, 1901)	<u><b>latipennis</b></u> (Champion, 1893)	<u><b>insubida</b></u> (Boheman, 1855)
<u><b>bohemanii</b></u> (Guérin-Méneville, 1855)	<u><b>heikertigeri</b></u> (Spaeth, 1920)	<u><b>languinosa</b></u> (Boheman, 1850)	<u><b>lanuginosa</b></u> (Boheman, 1850)	<u><b>mirifica</b></u> (Boheman, 1856)	<u><b>variegata</b></u> (Linnaeus, 1758)
<u><b>aculeata</b></u> (Boheman, 1854)	<u><b>brevis</b></u> Fabricius	<u><b>collucens</b></u> (Spaeth, 1923)	<u><b>cornigera</b></u> (Boheman, 1854)	<u><b>gregaria</b></u> Boheman	<u><b>monoceros</b></u> (Germar, 1824)
<u><b>parallela</b></u> (Blanchard, )	<u><b>pugionata</b></u> (Germar, 1824)	<u><b>truncata</b></u> (Fabricius, 1781)	<u><b>profana</b></u> (Boheman, 1855)	<u><b>clypeata</b></u> (Panzer, 1798)	<u><b>hialina</b></u>
<u><b>weyenberghi</b></u> (Dohrn, 1878)	<u><b>viridimaculata</b></u>	<u><b>perplexa</b></u> Spaeth, 1938	<u><b>venosa</b></u> (Fabricius, 1798)	<u><b>spilota</b></u> (Gorham, 1885)	<u><b>trilineata</b></u>
<u><b>szechnuana</b></u> Gressitt, 1952	<u><b>elocata</b></u> (Boheman, 1850)	<u><b>boliviana</b></u> Spaeth, 1926	<u><b>lutescens</b></u> (Boheman, 1854)	<u><b>bordoni</b></u> Borowiec, 2002	<u><b>venusta</b></u> (Boheman, 1854)
<u><b>schoutedeni</b></u> (Spaeth, 1913)	<u><b>acutangula</b></u> Spaeth, 1913	<u><b>fornicata</b></u> Boheman, 1855	<u><b>turrigera</b></u> Spaeth, 1909	<u><b>grosse punctata</b></u> Bordy, 2008	<u><b>meridionalis</b></u> (Suffrian, 1844)
<u><b>capense</b></u> Herbst	<u><b>quatuordecimmaculatum</b></u> Latreille, 1811	<u><b>thoracicum</b></u> Fabricius, 1801	<u><b>stabilis</b></u> (Weise, 1899)	<u><b>deserticola</b></u> Spaeth & Reitter, 1926	<u><b>abyssinica</b></u> Weise, 1901
<u><b>aurora</b></u> Fairmaire, 1891	<u><b>burmensis</b></u> Spaeth, 1938	<u><b>corrugata</b></u> (Sahlberg, 1823)	<u><b>excavata</b></u> Boheman, 1855	<u><b>impressa</b></u> (Boheman, 1853)	<u><b>laeta</b></u> Weise
<u><b>montivaga</b></u> Spaeth, 1909	<u><b>murrayi</b></u> Boheman, 1862	<u><b>nepalensis</b></u> Boheman, 1855	<u><b>quadrimaculata</b></u> (Thunberg, )	<u><b>rugosicollis</b></u> (Spaeth, 1902)	<u><b>tredecimpunctata</b></u> (Fabricius, 1801)
<u><b>anatolica</b></u> (Weise, 1900)	<u><b>brevis</b></u> Spaeth	<u><b>eximia</b></u> Boheman, 1850	<u><b>weisei</b></u> (Spaeth, 1903)	<u><b>aateca</b></u>	<u><b>purpurata</b></u>
<u><b>rubicunda</b></u>	<u><b>strigula</b></u> Montrouzier, 1855	<u><b>subirrorata</b></u>	<u><b>trisignata</b></u>	<u><b>inorata</b></u> (Waterhouse, 1877)	<u><b>flavonotata</b></u> (Boheman, 1855)

<u><b>nigrocincta</b></u> (Wagener, 1877)	<u><b>reticulata</b></u>	<u><b>sellata</b></u>	<u><b>gentilis</b></u> (Erichson, 1847)	<u><b>salebrosa</b></u> (Boheman, 1850)	<u><b>armigera</b></u> Olivier, 1808
<u><b>gemmata</b></u> Klug, 1833	<u><b>pochoni</b></u> (Spaeth, 1940)	<u><b>wellmani</b></u> Weise, 1908	<u><b>indicola</b></u> Duvivier, 1892	<u><b>abbreviata</b></u> Baly, 1872	<u><b>boliviana</b></u> Borowiec, 2003
<u><b>pallidipennis</b></u> (Boheman, 1854)	<u><b>sobrina</b></u> (Boheman, 1854)	<u><b>transversa</b></u> Fabricius, 1798	<u><b>aureicornis</b></u> Blanchard, 1837	<u><b>coeruleopunctatus</b></u>	<u><b>cornuta</b></u> Boheman, 1850
<u><b>insalptus</b></u> Thomson, 1861	<u><b>scabrosus</b></u> (Boheman, 1850)	<u><b>smaragdus</b></u> (Boheman, 1850)	<u><b>taurus</b></u> (Fabricius, 1787)	<u><b>truncata</b></u> Boheman, 1850	<u><b>varians</b></u> (Guéri-Ménéville, 1844)
<u><b>bituberculatus</b></u> Borowiec, 2002	<u><b>capensis</b></u> Spaeth, 1933	<u><b>minima</b></u> (Wagener, 1881)	<u><b>spinosa</b></u> (Boheman, 1854)	<u><b>dichroa</b></u> (Spaeth, 1914)	<u><b>flava</b></u> Linné, 1758
<u><b>hyalina</b></u> (Boheman, 1854)	<u><b>nigropunctata</b></u> Borowiec, 2003	<u><b>quadrivittata</b></u>	<u><b>saltaensis</b></u> Borowiec, 2002	<u><b>scapulosa</b></u> (Boheman, 1854)	<u><b>Philaspis</b></u>
<u><b>arizonae</b></u> Schaeffer, 1925	<u><b>quatordecimpunctata</b></u> (Boheman, 1854)	<u><b>clavata</b></u> (Fabricius, 1798)	<u><b>excellens</b></u> Spaeth, 1914	<u><b>pehlkei</b></u> Spaeth, 1912	<u><b>vespertilio</b></u> (Spaeth, 1902)
<u><b>dentipennis</b></u> (Boheman, 1850)	<u><b>nigroaenea</b></u> (Boheman, 1856)	<u><b>punctatissima</b></u> (Wolf, 1818)	<u><b>platynota</b></u> (Germar, 1824)	<u><b>punctatissima</b></u> (Wolf, 1818)	<u><b>cyanea</b></u> (Say, 1823)
<u><b>bimaculata</b></u> Thunberg, 1789	<u><b>decemstillata</b></u> Boheman, 1856	<u><b>sexmaculata</b></u> Boheman, 1850	<u><b>westermanni</b></u> Mannerheim, 1844	<u><b>whitei</b></u> Boheman	<u><b>elaeicola</b></u> Aslam, 1966
<u><b>gomescostal</b></u> (Bondar, 1943)	<u><b>limbatum</b></u> (Baly, 1885)	<u><b>burmensis</b></u> (Spaeth, 1938)	<u><b>clathrata</b></u> Fabricius, 1798	<u><b>vignitisexnotata</b></u> Boheman, 1855	<u><b>hospita</b></u> Boheman, 1855
<u><b>notata</b></u> Boheman	<u><b>setifera</b></u> (Boheman, 1854)	<u><b>carbonaria</b></u> (Klug 1829)	<u><b>siticulosa</b></u> Borowiec, 1997	<u><b>crassicornis</b></u> (Spaeth, 1910)	<u><b>humerosa</b></u> (Boheman, 1854)
<u><b>pulchra</b></u> Boheman, 1850	<u><b>trigemina</b></u> (Guérin-Ménéville, 1844)	<u><b>acuta</b></u> (Boheman, 1850)	<u><b>boliviana</b></u> (Spaeth, 1909)	<u><b>coalita</b></u> (Boheman, 1862)	<u><b>consanguinea</b></u> (Kirsch, 1876)
<u><b>cribrum</b></u> Klug, 1829	<u><b>cyanea</b></u> Hincks, 1956	<u><b>dissecta</b></u> Boheman	<u><b>flavofenestrata</b></u> (Boheman, 1862)	<u><b>flavoreticulata</b></u> (Boheman, 1856)	<u><b>funebis</b></u> (Boheman, 1850)
<u><b>indigaceae</b></u> (Boheman, 1850)	<u><b>indigaceae</b></u>	<u><b>casta</b></u> Blackwelder	<u><b>isthmica</b></u> (Champion, 1893)	<u><b>latevittata</b></u> (Boheman, 1862)	<u><b>modica</b></u> (Boheman, 1850)
<u><b>notativentris</b></u> Wagner	<u><b>pallidoguttata</b></u> (Blanchard, 1837)	<u><b>perfusa</b></u> Boheman	<u><b>pleurosticha</b></u> (Erichson, 1847)	<u><b>puberula</b></u> (Boheman, 1856)	<u><b>sexmaculata</b></u> Boheman
<u><b>sexpustulata</b></u> (Fabricius, 1781)	<u><b>sommeri</b></u> (Boheman, 1850)	<u><b>tachiraensis</b></u> Borowiec, 2009	<u><b>crucipennis</b></u>	<u><b>lewisii</b></u> (Baly, 1874)	<u><b>saucia</b></u> Weise, 1889
<u><b>turcmenica</b></u> Weise, 1892	<u><b>meticulosa</b></u> Spaeth, 1909				