

<p>Acrocassis <i>rufule</i> (Thomson, 1858)</p>	<p>Acromis <i>nebulosa</i> Boheman</p>
<p>Aehtiopocassis <i>gallarum</i> (Spaeth, 1906)</p>	<p>Aehtiopocassis <i>revulsa</i> (Spaeth, 1906)</p>
<p>Agenisa <i>caedemadens</i> (Lichtenstein, 1796)</p>	<p>Agenisa <i>connectens</i> (Baly, 1869)</p>
<p>Agenysa <i>crassicornis</i> Spaeth, 1905</p>	<p>Agroiconota <i>parellina</i> Spaeth, 1937</p>
<p>Agroiconota <i>vittifera</i> Spaeth, 1913</p>	<p>Amythra <i>dichroa</i> Baly, 1858</p>
<p>Anacassis <i>dubia</i> (Bohemian, 1854)</p>	<p>Anacassis <i>testudinaria</i> (Bohemian, 1850)</p>
<p>Andevocassis <i>picta</i> (Spaeth, 1905)</p>	<p>Androya <i>impressicollis</i> (Fairmaire, 1901)</p>
<p>Androya <i>rubrocostata</i> (Fairmaire, 1898)</p>	<p>Anepsiomorpha <i>deplanata</i> (Bohemian, 1850)</p>

<p>Aslamidium <i>bolivianum</i> Borowiec & Sassi, 2001</p>	<p>Aslamidium <i>ecuadoricum</i> Borowiec, 1998</p>
<p>Aslamidium <i>semicirculare</i> (Olivier, 1808)</p>	<p>Aspidomorpha <i>adhaerens</i> (Weber, 1801)</p>
<p>Aspidomorpha <i>apicalis</i> (Klug, 1833)</p>	<p>Aspidomorpha <i>areata</i> (Klug, 1835)</p>
<p>Aspidomorpha <i>australasiae</i> (Boisduval, 1835)</p>	<p>Aspidomorpha <i>bataviana</i> Swietojanska, 2001</p>
<p>Aspidomorpha <i>biguttata</i> (Fabricius, 1775)</p>	<p>Aspidomorpha <i>bimaculata</i> (Fabricius, 1792)</p>
<p>Aspidomorpha <i>chlorina</i> Boheman, 1854</p>	<p>Aspidomorpha <i>chlorotica</i> (Olivier, 1808)</p>
<p>Aspidomorpha <i>cincta</i> Spaeth, 1914</p>	<p>Aspidomorpha <i>convolvuli</i> (Boheman, 1862)</p>
<p>Aspidomorpha <i>deusta</i> (Fabricius, 1775)</p>	<p>Aspidomorpha <i>diaphana</i> (Sahlberg, 1823)</p>

<p>Aspidomorpha <i>diformis</i> (Motschulsky, 1860)</p>	<p>Aspidomorpha <i>dissentanea</i> Boheman, 1862</p>
<p>Aspidomorpha <i>dorsata</i> (Fabricius, 1787)</p>	<p>Aspidomorpha <i>dovei</i></p>
<p>Aspidomorpha <i>elevata</i> (Fabricius, 1801)</p>	<p>Aspidomorpha <i>flavochodorsata</i> Wagener, 1881</p>
<p>Aspidomorpha <i>flavovariegata</i> Spaeth, 1903</p>	<p>Aspidomorpha <i>flavovariegata meraukensis</i></p>
<p>Aspidomorpha <i>fraterna</i> Baly, 1863</p>	<p>Aspidomorpha <i>fugax</i> (Spaeth, 1906)</p>
<p>Aspidomorpha <i>furcata</i> (Thunberg, 1789)</p>	<p>Aspidomorpha <i>fuscopunctata</i> Boheman, 1854</p>
<p>Aspidomorpha <i>gausapina</i> Spaeth, 1924</p>	<p>Aspidomorpha <i>gruevi</i> Borowiec, 1985</p>
<p>Aspidomorpha <i>icterica</i> Boheman, 1854</p>	<p>Aspidomorpha <i>indica</i> Boheman, 1854</p>

<p>Aspidomorpha <i>ingens</i> Duvivier, 1891</p>	<p>Aspidomorpha <i>interrupta</i> (Fabricius, 1775)</p>
<p>Aspidomorpha <i>isparetta</i> Boheman, 1854</p>	<p>Aspidomorpha <i>lobata</i> Boheman, 1854</p>
<p>Aspidomorpha <i>maculatissima</i> (Boheman, 1856)</p>	<p>Aspidomorpha <i>madagascarica</i> Boheman, 1854</p>
<p>Aspidomorpha <i>miliaris</i> (Fabricius, 1775)</p>	<p>Aspidomorpha <i>multilata</i> Boheman, 1854</p>
<p>Aspidomorpha <i>natalensis</i> Boheman, 1854</p>	<p>Aspidomorpha <i>nigromaculata</i> (Herbst, 1799)</p>
<p>Aspidomorpha <i>obovata</i> (Klug, 1935)</p>	<p>Aspidomorpha <i>puncticosta</i> Boheman, 1854</p>
<p>Aspidomorpha <i>punctum</i> (Fabricius, 1801)</p>	<p>Aspidomorpha <i>quadrimaculata</i> (Olivier, 1808)</p>
<p>Aspidomorpha <i>quadriradiata</i> Boheman, 1854</p>	<p>Aspidomorpha <i>quinquefasciata</i> (Fabricius, 1801)</p>

<p>Aspidomorpha</p> <p><i>salmonina</i></p> <p>Spaeth</p>	<p>Aspidomorpha</p> <p><i>sanctaecrucis</i></p> <p>(Fabricius, 1792)</p>
<p>Aspidomorpha</p> <p><i>sellata</i></p> <p>Weise, 1896</p>	<p>Aspidomorpha</p> <p><i>septemcostata</i></p> <p>Wagener, 1881</p>
<p>Aspidomorpha</p> <p><i>socia</i></p> <p>Boheman, 1856</p>	<p>Aspidomorpha</p> <p><i>submutata</i></p> <p>Weise, 1899</p>
<p>Aspidomorpha</p> <p><i>tecta</i></p> <p>Boheman, 1854</p>	<p>Aspidomorpha</p> <p><i>togata</i></p> <p>Thomson, 1858</p>
<p>Aspidomorpha</p> <p><i>tortuosa</i></p> <p>Boheman, 1862</p>	<p>Aspidomorpha</p> <p><i>transparipennis</i></p> <p>(Motschulsky, 1860)</p>
<p>Aspidomorpha</p> <p><i>vietnamica</i></p> <p>Medvedev & Eroshkina, 1982</p>	<p>Aspidomorpha</p> <p><i>westwoodi</i></p> <p>(Boheman, 1854)</p>
<p>Basiprionota</p> <p><i>thibetana</i></p> <p>(Spaeth, 1914)</p>	<p>Bassamia</p> <p><i>paeminosa</i></p> <p>(Boheman, 1856)</p>
<p>Botanochara</p> <p><i>duodecimverrucata</i></p> <p>(Boheman, 1850)</p>	<p>Botanochara</p> <p><i>maculata</i></p> <p>(Boheman, 1850)</p>

Botanochara <i>miniata</i> (Baly, 1887)	Botanochara <i>nervosa</i> (Fabricius, 1801)
Botanochara <i>octoplagiata</i> (Spaeth, 1909)	Botanochara <i>octopustulata</i> (Klug, 1829)
Botanochara <i>ordinata</i> (Boheman, 1850)	Botanochara <i>planipennis</i> (Spaeth, 1899)
Botanochara <i>rubroguttata</i> (Boheman, 1850)	Botanochara <i>sedecimpustulata</i> (Fabricius, 1801)
Botanochara <i>segnis</i> (Boheman, 1862)	Bradycassis <i>agriconotoides</i> Borowiec, 2005
Bradycassis <i>drewseni</i> (Boheman, 1855)	Calliaspis <i>andicola</i> Spaeth, 1905
Calopepla <i>andrewesi</i> (Weise, 1897)	Calopepla <i>leayana</i> (Latreille, 1807)
Calopepla <i>mouhoti</i> (Baly, 1863)	Calopepla <i>obscura</i> Weise, 1897

<p>Calyptocephala <i>brevicornis</i> Boheman, 1850</p>	<p>Canistra <i>irrorata</i> (Guérin-Méneville, 1844)</p>
<p>Canistra <i>osculatii</i> Guérin-Méneville, 1855</p>	<p>Canistra <i>rubiginosa</i> (Guérin-Méneville, 1844)</p>
<p>Carlobruchia <i>tricostata</i> (Spaeth, 1907)</p>	<p>Cassida <i>altiuscula</i> Spaeth, 1916</p>
<p>Cassida <i>amorifica</i> Boheman, 1862</p>	<p>Cassida <i>angusta</i> Marseul, 1876</p>
<p>Cassida <i>aurora</i> Weise, 1907</p>	<p>Cassida <i>australiae</i> (Bohemian, 1855)</p>
<p>Cassida <i>bergeali</i> Bordy, 1995</p>	<p>Cassida <i>cherenica</i> Spaeth, 1917</p>
<p>Cassida <i>chiangmaiensis</i> Borowiec, 2001</p>	<p>Cassida <i>coagulata</i> Boheman, 1854</p>
<p>Cassida <i>compuncta</i> (Bohemian, 1855)</p>	<p>Cassida <i>corallina</i> Boheman, 1862</p>

Cassida <i>depicta</i> Boheman, 1862	Cassida <i>dorsovittata</i> Boheman, 1854
Cassida <i>exastigma</i> Suffrian, 1844	Cassida <i>exilis</i> Boheman, 1854
Cassida <i>exprompta</i> Spaeth	Cassida <i>graeca</i> Kraatz, 1874
Cassida <i>humeralis</i> Kraatz, 1874	Cassida <i>hyalina</i> Weise, 1891
Cassida <i>infirma</i> Boheman, 1862	Cassida <i>jacobsoni</i> Spaeth, 1914
Cassida <i>labistophaga</i> Medvedev & Eroshkina, 1988	Cassida <i>major</i> Kraatz, 1874
Cassida <i>melanophthalma</i> Boheman, 1854	Cassida <i>oblonga</i> Sturm in Thon, 1827
Cassida <i>olympica</i> Sekerka, 2005	Cassida <i>pallidicollis morawitzi</i> Boheman, 1856

Cassida <i>papuana</i> (Spaeth, 1903)	Cassida <i>pellegrina</i> Marseul, 1868
Cassida <i>pfefferi</i> Sekerka, 2006	Cassida <i>pyrenaica</i> Weise, 1893
Cassida <i>reticularis</i> (Linnaeus, 1758)	Cassida <i>rothschildi</i> Spaeth, 1922
Cassida <i>rubiginosa graeca</i> Spaeth & Reitter, 1926	Cassida <i>rubiginosa rugosopunctata</i> Motschulsky, 1776
Cassida <i>rufovirens</i> Suffrian, 1844	Cassida <i>scutellaris</i> Spaeth, 1914
Cassida <i>seladonia</i> Gyllenhal, 1827	Cassida <i>semenovi</i> Weise, 1889
Cassida <i>serpusilla</i>	Cassida <i>spaethiana</i> Gressitt, 1952
Cassida <i>subprobata</i> (S.-H. Chen & Zia, 1964)	Cassida <i>transcaucasica</i> Borowiec & Swietojanska, 2001

Cassida <i>triangulus indochinensis</i>	Cassida <i>verspertina</i> Boheman, 1862
Cassidopsis <i>perrieri</i> Fairmaire, 1900	Charidotella <i>actiosa</i> (Spaeth, 1926)
Charidotella <i>bicolor</i> (Fabricius, 1798)	Charidotella <i>carnulenta</i> (Erichson, 1847)
Charidotella <i>emarginata</i> (Boheman, 1855)	Charidotella <i>fumosa</i> (Boheman, 1855)
Charidotella <i>glaucovittata</i> (Erichson, 1847)	Charidotella <i>hoegbergi</i> (Boheman, 1855)
Charidotella <i>immaculata</i> (Olivier, 1790)	Charidotella <i>inconstans</i> (Boheman, 1855)
Charidotella <i>pallescens</i> (Boheman, 1855)	Charidotella <i>puella</i> (Boheman, 1855)
Charidotella <i>quadrisignata</i> (Boheman, 1855)	Charidotella <i>rubicunda</i> (Guérin-Méneville, 1844)

Charidotella <i>sexpunctata</i> (Fabricius, 1781)	Charidotella <i>subannulata</i> (Bohemian, 1862)
Charidotella <i>subnotata</i> (Bohemian, 1855)	Charidotella <i>tuberculata</i> (Fabricius, 1775)
Charidotella <i>ventricosa</i> (Bohemian, 1855)	Charidotella <i>vinula</i> (Bohemian, 1855)
Charidotella <i>virgo</i> (Bohemian, 1855)	Charidotella <i>zona</i> (Fabricius, 1801)
Charidotis <i>aurofasciata</i> (Erichson, 1847)	Charidotis <i>auroguttata</i> Bohemian, 1855
Charidotis <i>circinata</i> (Bohemian, 1855)	Charidotis <i>circumflexa</i> (Bohemian, 1855)
Charidotis <i>connexa</i> (Bohemian, 1855)	Charidotis <i>exigua</i> Bohemian, 1855
Charidotis <i>furva</i> Bohemian, 1855	Charidotis <i>incincta</i>

<p>Charidotis</p> <p><i>mansueta</i></p> <p>(Boheman, 1855)</p>	<p>Charidotis</p> <p><i>pulchra</i></p> <p>Spaeth, 1902</p>
<p>Charidotis</p> <p><i>tersa</i></p> <p>Spaeth, 1936</p>	<p>Chelymorpha</p> <p><i>aerata</i></p> <p>(Erichson, 1847)</p>
<p>Chelymorpha</p> <p><i>alternans</i></p> <p>Boheman, 1854</p>	<p>Chelymorpha</p> <p><i>boliviiana</i></p> <p>Boheman, 1854</p>
<p>Chelymorpha</p> <p><i>cavata</i></p> <p>Boheman, 1854</p>	<p>Chelymorpha</p> <p><i>cinctipennis</i></p> <p>Spaeth</p>
<p>Chelymorpha</p> <p><i>cribaria</i></p> <p>(Fabricius, 1775)</p>	<p>Chelymorpha</p> <p><i>crucifera</i></p> <p>Boheman, 1854</p>
<p>Chelymorpha</p> <p><i>infecta</i></p> <p>Boheman, 1854</p>	<p>Chelymorpha</p> <p><i>phytophagica</i></p> <p>Crotch, 1873</p>
<p>Chelymorpha</p> <p><i>praetextata</i></p> <p>Boheman, 1854</p>	<p>Chelymorpha</p> <p><i>reimoseri</i></p> <p>Spaeth, 1928</p>
<p>Chelymorpha</p> <p><i>rufipennis</i></p> <p>Boheman, 1854</p>	<p>Chelymorpha</p> <p><i>rugicollis</i></p> <p>Champion, 1893</p>

<p>Chelymorpha <i>testaceomarginata</i> Boheman, 1854</p>	<p>Chiridopsis <i>aequinoctialis</i> (Bohemian, 1855)</p>
<p>Chiridopsis <i>guttata</i> Boheman</p>	<p>Chiridopsis <i>plagiata</i> Boheman, 1855</p>
<p>Chlamydocassis <i>cribripennis</i> (Bohemian, 1850)</p>	<p>Chlamydocassis <i>laticollis</i> Viana, 1964</p>
<p>Chlamydocassis <i>metallica</i> (Klug, 1829)</p>	<p>Chlamydocassis <i>perforata</i> (Bohemian, 1850)</p>
<p>Chlamydocassis <i>ruderaria</i> (Erichson, 1847)</p>	<p>Cistudinella <i>obducta</i> (Bohemian, 1854)</p>
<p>Conchylotenia <i>bonnyana</i> (Gorham, 1892)</p>	<p>Conchylotenia <i>praecox</i> (Bohemian, 1854)</p>
<p>Conchylotenia <i>tigrina</i> (Olivier, 1808)</p>	<p>Coptocycla <i>adamantina</i> (Germar, 1824)</p>
<p>Coptocycla <i>aequinoctialis</i> Boheman, 1855</p>	<p>Coptocycla <i>annulus</i> Fabricius, 1781</p>

Coptocycla <i>aurifera</i> Boheman, 1855	Coptocycla <i>concolor</i> Boheman, 1855
Coptocycla <i>constellata</i> Boheman, 1855	Coptocycla <i>contemta</i> (Boheman, 1855)
Coptocycla <i>dolosa</i> Boheman, 1855	Coptocycla <i>dorsoplagiata</i> Champion, 1894
Coptocycla <i>evidumdacta</i>	Coptocycla <i>laeta</i> Boheman, 1855
Coptocycla <i>nigripes</i> Olivier	Coptocycla <i>roseocincta</i> Boheman, 1855
Coptocycla <i>stigma</i> (Germar, 1824)	Coptocycla <i>undecimpunctata</i> (Fabricius, 1781)
Craspedonta <i>levis</i> Borowiec, 1993	Cteisella <i>amicta</i> (Boheman, 1855)
Cteisella <i>divalis</i> Spaeth, 1926	Ctenochira <i>hebreia</i> Fabricius

Ctenochira <i>hectica</i> Boheman	Ctenochira <i>quadrata</i> De Geer
Cyclosoma <i>germari</i> (Spaeth, 1913)	Cyclosoma <i>palliata</i> (Fabricius, 1787)
Cyclosoma <i>sericata</i> (Guérin-Méneville, 1844)	Cyclosoma <i>strigata</i> (Panzer, 1798)
Cyclosoma <i>tristis</i> (Guérin-Méneville, 1844)	Cyrttonota <i>dimidiata</i> (Boheman, 1850)
Cyrttonota <i>trigonata</i> (Spaeth, 1901)	Delocrania <i>latipennis</i> (Champion, 1893)
Deloyala <i>insubida</i> (Boheman, 1855)	Discomorpha <i>bohemani</i> (Guérin-Méneville, 1855)
Discomorpha <i>heikertigeri</i> (Spaeth, 1920)	Discomorpha <i>languinosa</i> (Boheman, 1850)
Discomorpha <i>lanuginosa</i> (Boheman, 1850)	Discomorpha <i>mirifica</i> (Boheman, 1856)

<p>Discomorpha <i>variegata</i> (Linnaeus, 1758)</p>	<p>Dorynota <i>aculeata</i> (Bohemian, 1854)</p>
<p>Dorynota <i>brevis</i> Fabricius</p>	<p>Dorynota <i>collucens</i> (Spaeth, 1923)</p>
<p>Dorynota <i>cornigera</i> (Bohemian, 1854)</p>	<p>Dorynota <i>gregaria</i> Boheman</p>
<p>Dorynota <i>monoceros</i> (Germar, 1824)</p>	<p>Dorynota <i>parallela</i> (Blanchard,)</p>
<p>Dorynota <i>pugionata</i> (Germar, 1824)</p>	<p>Dorynota <i>truncata</i> (Fabricius, 1781)</p>
<p>Drepanocassis <i>profana</i> (Bohemian, 1855)</p>	<p>Echoma <i>clypeata</i> (Panzer, 1798)</p>
<p>Echoma <i>hialina</i></p>	<p>Echoma <i>weyenberghi</i> (Dohrn, 1878)</p>
<p>Epistictina <i>viridimaculata perplexa</i> Spaeth, 1938</p>	<p>Eugenysa <i>venosa</i> (Fabricius, 1798)</p>

Glyphocassis <i>spilota</i> (Gorham, 1885)	Glyphocassis <i>trilineata szechnuana</i> Gressitt, 1952
Goniochenia <i>elocata</i> (Bohemian, 1850)	Gratiana <i>boliviiana</i> Spaeth, 1926
Gratiana <i>lutescens</i> (Bohemian, 1854)	Hilarocassis <i>bordoni</i> Borowiec, 2002
Hilarocassis <i>venusta</i> (Bohemian, 1854)	Hoplionota <i>schoutedeni</i> (Spaeth, 1913)
Hybosa <i>acutangula</i> Spaeth, 1913	Hybosa <i>fornicata</i> Bohemian, 1855
Hybosinota <i>turrigera</i> Spaeth, 1909	Hypocassida <i>grossepunctata</i> Bordy, 2008
Hypocassida <i>meridionalis</i> (Suffrian, 1844)	Imatidium <i>capense</i> Herbst
Imatidium <i>quatuordecimmaculatum</i> Latreille, 1811	Imatidium <i>thoracicum</i> Fabricius, 1801

<p>Ischiocassis</p> <p><i>stabilis</i></p> <p>(Weise, 1899)</p>	<p>Ischyronota</p> <p><i>deserticola</i></p> <p>Spaeth & Reitter, 1926</p>
<p>Laccoptera</p> <p><i>abyssinica</i></p> <p>Weise, 1901</p>	<p>Laccoptera</p> <p><i>aurosa</i></p> <p>Fairmaire, 1891</p>
<p>Laccoptera</p> <p><i>burmensis</i></p> <p>Spaeth, 1938</p>	<p>Laccoptera</p> <p><i>corrugata</i></p> <p>(Sahlberg, 1823)</p>
<p>Laccoptera</p> <p><i>excavata</i></p> <p>Boheman, 1855</p>	<p>Laccoptera</p> <p><i>impressa</i></p> <p>(Boheman, 1853)</p>
<p>Laccoptera</p> <p><i>laeta</i></p> <p>Weise</p>	<p>Laccoptera</p> <p><i>montivaga</i></p> <p>Spaeth, 1909</p>
<p>Laccoptera</p> <p><i>murrayi</i></p> <p>Boheman, 1862</p>	<p>Laccoptera</p> <p><i>nepalensis</i></p> <p>Boheman, 1855</p>
<p>Laccoptera</p> <p><i>quadrimaculata</i></p> <p>(Thunberg,)</p>	<p>Laccoptera</p> <p><i>rugosicollis</i></p> <p>(Spaeth, 1902)</p>
<p>Laccoptera</p> <p><i>tredecimpunctata</i></p> <p>(Fabricius, 1801)</p>	<p>Macromonycha</p> <p><i>anatolica</i></p> <p>(Weise, 1900)</p>

Megapyga <i>brevis</i> Spaeth	Megapyga <i>eximia</i> Bohemian, 1850
Meroscalsis <i>weisei</i> (Spaeth, 1903)	Metriona <i>aateca</i>
Metriona <i>purpurata</i>	Metriona <i>rubicunda</i>
Metriona <i>strigula</i> Montrouzier, 1855	Metriona <i>subirrorata</i>
Metriona <i>trisignata</i>	Metriopepla <i>inorata</i> (Waterhouse, 1877)
Microctenochira <i>flavonotata</i> (Bohemian, 1855)	Microctenochira <i>nigrocincta</i> (Wagener, 1877)
Microctenochira <i>reticulata</i>	Microctenochira <i>sellata</i>
Miocalaspis <i>gentilis</i> (Erichson, 1847)	Neobroma <i>salebrosa</i> (Bohemian, 1850)

<p>Notosacantha</p> <p><i>armigera</i></p> <p>Olivier, 1808</p>	<p>Notosacantha</p> <p><i>gemmata</i></p> <p>Klug, 1833</p>
<p>Notosacantha</p> <p><i>pochoni</i></p> <p>(Spaeth, 1940)</p>	<p>Notosacantha</p> <p><i>wellmani</i></p> <p>Weise, 1908</p>
<p>Odontionycha</p> <p><i>indicola</i></p> <p>Duvivier, 1892</p>	<p>Omaspides</p> <p><i>abbreviata</i></p> <p>Baly, 1872</p>
<p>Omaspides</p> <p><i>boliviensis</i></p> <p>Borowiec, 2003</p>	<p>Omaspides</p> <p><i>pallidipennis</i></p> <p>(Boheman, 1854)</p>
<p>Omaspides</p> <p><i>sobrina</i></p> <p>(Boheman, 1854)</p>	<p>Omaspides</p> <p><i>transversa</i></p> <p>Fabricius, 1798</p>
<p>Omocerus</p> <p><i>aureicornis</i></p> <p>Blanchard, 1837</p>	<p>Omocerus</p> <p><i>coeruleopunctatus</i></p>
<p>Omocerus</p> <p><i>cornuta</i></p> <p>Boheman, 1850</p>	<p>Omocerus</p> <p><i>insalptus</i></p> <p>Thomson, 1861</p>
<p>Omocerus</p> <p><i>scabrosus</i></p> <p>(Boheman, 1850)</p>	<p>Omocerus</p> <p><i>smaragdus</i></p> <p>(Boheman, 1850)</p>

Omocerus <i>taurus</i> (Fabricius, 1787)	Omocerus <i>truncata</i> Bohemian ,1850
Orexita <i>varians</i> (Guéri-Méneville, 1844)	Oxylepus <i>bituberculatus</i> Borowiec, 2002
Oxylepus <i>capensis</i> Spaeth, 1933	Paranota <i>minima</i> (Wagener, 1881)
Paranota <i>spinosa</i> (Bohemian, 1854)	Paraselenis <i>dichroa</i> (Spaeth, 1914)
Paraselenis <i>flava</i> Linné, 1758	Paraselenis <i>hyalina</i> (Bohemian, 1854)
Paraselenis <i>nigropunctata</i> Borowiec, 2003	Paraselenis <i>quadrivittata</i>
Paraselenis <i>saltaensis</i> Borowiec, 2002	Paraselenis <i>scapulosa</i> (Bohemian, 1854)
Philaspis	Physonota <i>arizonae</i> Schaeffer, 1925

Phytodectoidea <i>quatordecimpunctata</i> (Boheman, 1854)	Plagiometriona <i>clavata</i> (Fabricius, 1798)
Plagiometriona <i>excellens</i> Spaeth, 1914	Plagiometriona <i>pehlkei</i> Spaeth, 1912
Plagiometriona <i>vespertilio</i> (Spaeth, 1902)	Polychalca <i>dentipennis</i> (Boheman, 1850)
Polychalca <i>nigroaenea</i> (Boheman, 1856)	Polychalca <i>punctatissima</i> (Wolf, 1818)
Polychalca <i>platynota</i> (Germar, 1824)	Polychalca <i>punctatissima</i> (Wolf, 1818)
Porphyraspis <i>cyanea</i> (Say, 1823)	Prioptera <i>bimaculata</i> Thunberg, 1789
Prioptera <i>decemstillata</i> Boheman, 1856	Prioptera <i>sexmaculata</i> Boheman, 1850
Prioptera <i>westermannii</i> Mannerheim, 1844	Prioptera <i>whitei</i> Boheman

Pseudoimmatidium <i>elaeicola</i> Aslam, 1966	Pseudoimmatidium <i>gomescostal</i> (Bondar, 1943)
Pseudoimmatidium <i>limbatum</i> (Baly, 1885)	Sindia <i>burmensis</i> (Spaeth, 1938)
Sindia <i>clathrata</i> Fabricius, 1798	Sindia <i>vignitisexnotata</i> Boheman, 1855
Sindiola <i>hospita</i> Boheman, 1855	Sindiola <i>notata</i> Boheman
Smeringaspis <i>setifera</i> (Boheman, 1854)	Smodingonota <i>carbonaria</i> (Klug 1829)
Spaethia <i>siticulosa</i> Borowiec, 1997	Spaethiella <i>crassicornis</i> (Spaeth, 1910)
Sphaerocassis <i>humerosa</i> (Boheman, 1854)	Spilophora <i>pulchra</i> Boheman, 1850
Spilophora <i>trigemina</i> (Guérin-Méneville, 1844)	Stolas <i>acuta</i> (Boheman, 1850)

<p>Stolas <i>boliviensis</i> (Spaeth, 1909)</p>	<p>Stolas <i>coalita</i> (Bohemian, 1862)</p>
<p>Stolas <i>consanguinea</i> (Kirsch, 1876)</p>	<p>Stolas <i>cribrum</i> Klug, 1829</p>
<p>Stolas <i>cyanescens</i> Hincks, 1956</p>	<p>Stolas <i>dissecta</i> Boheman</p>
<p>Stolas <i>flavofenestrata</i> (Bohemian, 1862)</p>	<p>Stolas <i>flavoreticulata</i> (Bohemian, 1856)</p>
<p>Stolas <i>funebris</i> (Bohemian, 1850)</p>	<p>Stolas <i>indigaceae</i> (Bohemian, 1850)</p>
<p>Stolas <i>indigaceae casta</i> Blackwelder</p>	<p>Stolas <i>isthmica</i> (Champion, 1893)</p>
<p>Stolas <i>latevittata</i> (Bohemian, 1862)</p>	<p>Stolas <i>modica</i> (Bohemian, 1850)</p>
<p>Stolas <i>notativentris</i> Wagner</p>	<p>Stolas <i>pallidoguttata</i> (Blanchard, 1837)</p>

<p>Stolas <i>perfusa</i> Boheman</p>	<p>Stolas <i>pleurosticha</i> (Erichson, 1847)</p>
<p>Stolas <i>puberula</i> (Boheman, 1856)</p>	<p>Stolas <i>sexmaculata</i> Boheman</p>
<p>Stolas <i>sexpustulata</i> (Fabricius, 1781)</p>	<p>Stolas <i>sommeri</i> (Boheman, 1850)</p>
<p>Stolas <i>tachiraensis</i> Borowiec, 2009</p>	<p>Syngambria <i>crucipennis</i></p>
<p>Thlaspida <i>lewisii</i> (Baly, 1874)</p>	<p>Tylocentra <i>saucia</i> Weise, 1889</p>
<p>Tylocentra <i>turcmenica</i> Weise, 1892</p>	<p>Zatrephma <i>meticulosa</i> Spaeth, 1909</p>