

Q1 Create a Basic HTML page and demonstrate <p>, heading
,<hr> tags.

Solution: Code :-

```
<!DOCTYPE html>
<html>
<head>
  <title>Basic HTML Page Example</title>
</head>
<body>
  <p>Laraib Khan </p>
  <p>202501100200196</p>
  <p>Cse-C</p>

  <!-- Headings -->
  <h1>Heading (H1)</h1>
  <h2>Heading (H2)</h2>
  <h3>Heading (H3)</h3>

  <!-- Paragraphs -->
  <p>This is a paragraph of text. Paragraphs are created using the para tag</p>

  <p>This paragraph demonstrates a line break.<br>
  See how the text continues on a new line after the break tag.</p>

  <!-- Horizontal Rule -->
  <hr>
  <p>The horizontal line above is created using the hr tag. It is used to separate
content.</p>
</body>
</html>
```

Output :-

Laraib Khan

202501100200196

Cse-C

Heading (H1)

Heading (H2)

Heading (H3)

This is a paragraph of text. Paragraphs are created using the para tag

This paragraph demonstrates a line break.

See how the text continues on a new line after the break tag.

The horizontal line above is created using the hr tag. It is used to separate content.

Q2.Create a Basic HTML page and demonstrate , , <a> tags.

```
<!DOCTYPE html>
<html>
<head>
  <title>HTML Tags Demo</title>
</head>
<body>
  <h1>HTML Tags Demonstration</h1>

  <!-- Image -->
  <h2>Image Example</h2>
  <p>Here is an example image:</p>
  

  <!-- Ordered List -->
  <h2>Ordered List Example</h2>
  <ol>
    <li>First item</li>
    <li>Second item</li>
    <li>Third item</li>
  </ol>

  <!-- Unordered List -->
  <h2>Unordered List Example</h2>
  <ul>
    <li>Banana</li>
    <li>Mango</li>
    <li>Grapes</li>
  </ul>

  <!-- Anchor / Link -->
  <h2>Anchor Tag Example</h2>
  <p>Click the link to visit Google:</p>
  <a href="https://www.google.com" >Go to Google</a>
</body>
</html>
```

HTML Tags Demonstration

Image Example

Here is an example image:



Ordered List Example

1. First item
2. Second item
3. Third item

Unordered List Example

- Banana
- Mango
- Grapes

Anchor Tag Example

Click the link to visit Google:

[Go to Google](#)