Type Theory & Categorical Models

A Unified Approach

Miguel Laredo Barbadillo

September 16, 2025

Master's in Formal Methods in Computer Science

Talk Overview

Introduction

Typing

Introduction

Based Introduction

Talk Overview

Introduction

Typing

Typing

Minimal Typing

$$\mathscr{T} ::= \mathscr{B} \mid \mathscr{T} \to \mathscr{T}$$

Minimal Typing

$$\mathscr{T} ::= \mathscr{B} \mid \mathscr{T} \to \mathscr{T}$$

$$\lambda \mathrm{x} : \sigma . \mathrm{x} \vdash \lambda \mathrm{x} : \sigma . \mathrm{x} : \sigma \to \sigma$$

Minimal Typing

$$\mathscr{T} ::= \mathscr{B} \mid \mathscr{T} \to \mathscr{T}$$

$$\lambda \mathrm{x} : \sigma . \mathrm{x} \vdash \lambda \mathrm{x} : \sigma . \mathrm{x} : \sigma \to \sigma$$

$$\lambda \mathrm{x} . \mathrm{x} \vdash \lambda \mathrm{x} . \mathrm{x} : \sigma \to \sigma$$

Minimal Typing

$$\mathscr{T} ::= \mathscr{B} \mid \mathscr{T} \to \mathscr{T}$$

$$\lambda \mathrm{x} : \sigma . \mathrm{x} \vdash \lambda \mathrm{x} : \sigma . \mathrm{x} : \sigma \to \sigma$$

$$\lambda \mathrm{x} . \mathrm{x} \vdash \lambda \mathrm{x} . \mathrm{x} : \sigma \to \sigma$$

Church–Rosser ✓ Strongly Normalizing ✓ Weakly Normalizing ✓

Extended Typing – Products

$$\mathscr{T}^{\times} ::= \mathscr{B} \mid \mathscr{T}^{\times} \to \mathscr{T}^{\times} \mid \mathscr{T}^{\times} \times \mathscr{T}^{\times} \mid 1$$

Extended Typing – Products

$$\mathscr{T}^{\times} ::= \mathscr{B} \mid \mathscr{T}^{\times} \to \mathscr{T}^{\times} \mid \mathscr{T}^{\times} \times \mathscr{T}^{\times} \mid 1$$

$$\Lambda^{\times} ::= \mathrm{x} \mid \lambda \mathrm{x} : \mathscr{T}.\ \Lambda^{\times} \mid \Lambda^{\times}\ \Lambda^{\times} \mid \langle \Lambda^{\times}, \Lambda^{\times} \rangle \mid \pi_1 \Lambda^{\times} \mid \pi_2 \Lambda^{\times} \mid *$$

Extended Typing – Products

$$\mathscr{T}^{\times} ::= \mathscr{B} \mid \mathscr{T}^{\times} \to \mathscr{T}^{\times} \mid \mathscr{T}^{\times} \times \mathscr{T}^{\times} \mid 1$$

$$\Lambda^{\times} ::= \mathrm{x} \mid \lambda \mathrm{x} : \mathscr{T}.\ \Lambda^{\times} \mid \Lambda^{\times}\,\Lambda^{\times} \mid \langle \Lambda^{\times}, \Lambda^{\times} \rangle \mid \pi_1 \Lambda^{\times} \mid \pi_2 \Lambda^{\times} \mid *$$

Church–Rosser ✓ Strongly Normalizing ✓ Weakly Normalizing ✗

Extended Typing – Sums

asd

Church–Rosser ✓ Strongly Normalizing ✓ Weakly Normalizing ✗

Haskell Example

```haskell
fib :: Integer -> Integer
fib 0 = 0
fib 1 = 1
fib n = fib (n - 1) + fib (n - 2)

main :: IO ()
main = print (fib 10)
```

END