SQL_Queries.sql

```
-- Global Electronics Retailer SQL Analysis
-- Tool: DB Browser for SQLite

-- Query 1: Total Products
SELECT COUNT(*) AS Total_Products
FROM Products;

-- Query 2: Total Customers
SELECT COUNT(*) AS Total_Customers
FROM Customers;

-- Query 3: Total Stores
SELECT COUNT(*) AS Total_Stores
FROM Stores;

-- Query 4: Check Unit Price Data Type
SELECT
   [Unit Price USD],
   typeof([Unit Price USD]) AS Data_Type
FROM Products
LIMIT 10;

-- Query 5: Total Revenue
SELECT
   ROUND(
      SUM(
         s.Quantity *
         CAST(REPLACE(REPLACE(p.[Unit Price USD], '$', ''), ',', '') AS
REAL)
      ),
   2) AS Total_Revenue
FROM Sales s
JOIN Products p
   ON s.ProductKey = p.ProductKey;

-- Query 6: Revenue by Product Category
SELECT
   p.Category,
   ROUND(
      SUM(
         s.Quantity *
```

```
         CAST(REPLACE(REPLACE(p.[Unit Price USD], '$', ''), ',', '') AS
REAL)
      ),
   2) AS Revenue
FROM Sales s
JOIN Products p
   ON s.ProductKey = p.ProductKey
GROUP BY p.Category
ORDER BY Revenue DESC;

-- Query 7: Revenue by Country / Channel
SELECT
   st.Country,
   COUNT(DISTINCT st.StoreKey) AS Number_of_Stores,
   ROUND(
      SUM(
         s.Quantity *
         CAST(REPLACE(REPLACE(p.[Unit Price USD], '$', ''), ',', '') AS
REAL)
      ),
   2) AS Revenue
FROM Sales s
JOIN Stores st
   ON s.StoreKey = st.StoreKey
JOIN Products p
   ON s.ProductKey = p.ProductKey
GROUP BY st.Country
ORDER BY Revenue DESC;

-- Query 8: Top 10 Products by Revenue
SELECT
   p.[Product Name],
   ROUND(
      SUM(
         s.Quantity *
         CAST(REPLACE(REPLACE(p.[Unit Price USD], '$', ''), ',', '') AS
REAL)
      ),
   2) AS Revenue
FROM Sales s
JOIN Products p
   ON s.ProductKey = p.ProductKey
GROUP BY p.[Product Name]
ORDER BY Revenue DESC
```

```
LIMIT 10;

-- Query 9: Top 10 Customers by Revenue
SELECT
   c.Name AS Customer_Name,
   c.Country,
   ROUND(
      SUM(
         s.Quantity *
         CAST(REPLACE(REPLACE(p.[Unit Price USD], '$', ''), ',', '') AS
REAL)
      ),
   2) AS Revenue
FROM Sales s
JOIN Customers c
   ON s.CustomerKey = c.CustomerKey
JOIN Products p
   ON s.ProductKey = p.ProductKey
GROUP BY c.CustomerKey, c.Name, c.Country
ORDER BY Revenue DESC
LIMIT 10;

-- Query 10: Inspect Order Date Format
SELECT [Order Date]
FROM Sales
LIMIT 10;

-- Query 11: Extract Year from Order Date
SELECT
   [Order Date],
   substr([Order Date], -4) AS Year
FROM Sales
LIMIT 10;

-- Query 12: Revenue by Year
SELECT
   substr([Order Date], -4) AS Year,
   ROUND(
      SUM(
         s.Quantity *
         CAST(REPLACE(REPLACE(p.[Unit Price USD], '$', ''), ',', '') AS
REAL)
      ),
   2) AS Revenue
```

```
FROM Sales s
JOIN Products p
   ON s.ProductKey = p.ProductKey
GROUP BY substr([Order Date], -4)
ORDER BY Year;

-- Query 13: Revenue Per Store by Country / Channel
SELECT
   st.Country,
   COUNT(DISTINCT st.StoreKey) AS Stores,
   ROUND(
      SUM(
         s.Quantity *
         CAST(REPLACE(REPLACE(p.[Unit Price USD], '$', ''), ',', '') AS
REAL)
      ),
   2) AS Revenue,
   ROUND(
      SUM(
         s.Quantity *
         CAST(REPLACE(REPLACE(p.[Unit Price USD], '$', ''), ',', '') AS
REAL)
      ) / COUNT(DISTINCT st.StoreKey),
   2) AS Revenue_Per_Store
FROM Sales s
JOIN Stores st
   ON s.StoreKey = st.StoreKey
JOIN Products p
   ON s.ProductKey = p.ProductKey
GROUP BY st.Country
ORDER BY Revenue_Per_Store DESC;

-- Query 14: Top 10 Stores / Channels by Revenue
SELECT
   st.StoreKey,
   st.Country,
   st.State,
   ROUND(
      SUM(
         s.Quantity *
         CAST(REPLACE(REPLACE(p.[Unit Price USD], '$', ''), ',', '') AS
REAL)
      ),
   2) AS Revenue
```

```sql
FROM Sales s
JOIN Stores st
   ON s.StoreKey = st.StoreKey
JOIN Products p
   ON s.ProductKey = p.ProductKey
GROUP BY st.StoreKey, st.Country, st.State
ORDER BY Revenue DESC
LIMIT 10;
```