ATIVIDADE				
Curso:	Superior de Tecnologia em ADS	**Disciplina:**	Laboratório de Programação WEB II	
Docente:	Fábio Lima	**Turma:**	5 ADS	**Data:**
Discente:	Larissa Rodrigues Prado			

Docker instalado:

Ubuntu em WLS:

Laradock instalado:

MINGW64:/c/Docker/laradock/php

```
prado@LAPTOP-2JSNDGOB MINGW64 /c/Docker
$ cd laradock

prado@LAPTOP-2JSNDGOB MINGW64 /c/Docker/laradock (master)
$ docker ps
CONTAINER ID    IMAGE        COMMAND      CREATED      STATUS      PORTS        NAMES

prado@LAPTOP-2JSNDGOB MINGW64 /c/Docker/laradock (master)
$  docker-compose up -d nginx mysql php

No such service: php

prado@LAPTOP-2JSNDGOB MINGW64 /c/Docker/laradock (master)
$

prado@LAPTOP-2JSNDGOB MINGW64 /c/Docker/laradock (master)
$ docker-compose up -d nginx mysql php
No such service: php

prado@LAPTOP-2JSNDGOB MINGW64 /c/Docker/laradock (master)
$ vim .env

[1]+  Stopped                 vim .env

prado@LAPTOP-2JSNDGOB MINGW64 /c/Docker/laradock (master)
$ docker-compose up -d nginx mysql php
No such service: php

prado@LAPTOP-2JSNDGOB MINGW64 /c/Docker/laradock (master)
$ docker-compose up -d mysql phpmyadmin workspace apache2
Building apache2
#2 [internal] load .dockerignore
#2 sha256:b0a94878a425014dd4798de1c830c45fc020a412a41f82598d2ed5fd82569720
```

Hello world

GitHub:


```
prado@LAPTOP-2JSNDGOB MINGW64 /c/Docker/laradock (master)
$ git config --global user.name "larissa"

prado@LAPTOP-2JSNDGOB MINGW64 /c/Docker/laradock (master)
$ git config --global user.email "pradoolari@gmail.com"

prado@LAPTOP-2JSNDGOB MINGW64 /c/Docker/laradock (master)
$ cd php

prado@LAPTOP-2JSNDGOB MINGW64 /c/Docker/laradock/php (master)
$ git init
Initialized empty Git repository in C:/Docker/laradock/php/.git/

prado@LAPTOP-2JSNDGOB MINGW64 /c/Docker/laradock/php (master)
$ git add --all

prado@LAPTOP-2JSNDGOB MINGW64 /c/Docker/laradock/php (master)
$ git commit -m "Initial Commit"
[master (root-commit) 6c6d877] Initial Commit
 1 file changed, 2 insertions(+)
 create mode 100644 index.php

prado@LAPTOP-2JSNDGOB MINGW64 /c/Docker/laradock/php (master)
$ git branch -M main

prado@LAPTOP-2JSNDGOB MINGW64 /c/Docker/laradock/php (main)
$ git remote add origin git@github.com:larisprado/WEBII.git

prado@LAPTOP-2JSNDGOB MINGW64 /c/Docker/laradock/php (main)
$ git push -u origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 238 bytes | 79.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To github.com:larisprado/WEBII.git
 * [new branch]      main -> main
Branch 'main' set up to track remote branch 'main' from 'origin'.

prado@LAPTOP-2JSNDGOB MINGW64 /c/Docker/laradock/php (main)
$ |
```