



REQUEST TO ADD COLUMN IN BARCHART OF 1F FLOOR PANEL ICUBE AND 1F FLOOR PANEL I-HEAD FOR NEB-STR AND INDICATE THE QTY. PLS SEE ATTACHED FOR DETAILS

I-CUBE

1. Go to jd002, get BarchartMaker Test Leng




2. Create a folder in desktop and create a copy of the file



3. Right Click the file, send to resurectshift and press shift enter

4. Ask leader for import file need in system (you will call the requestor to send the file to the leader)

5. Click login if needed, username: gene pass:test. Once logged in, click PPS then choose the system that you need to modify



6. Next is input the week base on the request (if there no week in the request ask leader)

**New**


1F FLOOR PANEL I-CUBE

|                      |                                 |
|----------------------|---------------------------------|
| WEEK                 | YEAR                            |
| <input type="text"/> | <input type="text" value="24"/> |

☐ Japan Data

PROCEED

7. Choose the import file, then click open



8. Click next



9. In loading schedule, the from date will be the date from first load less 2 days, then click finish

Schedule

LOADING SCHEDULE

First Load 2024/07/25Last Load 2024/07/31

DAYS SCOPE 20

FROM2024/07/23TO2024/08/13


PREVIOUSECANCELOKFINISHED

10. Go to SQL DBX , Server: jd003      DatabaseName: Barchart Maker


11. Look for the Sectoin ID of the Request Kind.

| SectionID | SectionName                       | TableName                      | MaxSchedDays | WithNightShift | ConstructionMaterialCode | ConstructionMaterialDetailCode | Divis           |
|-----------|-----------------------------------|--------------------------------|--------------|----------------|--------------------------|--------------------------------|-----------------|
| 31        | 30 JC HANDRAIL                    | T_JC_HANDRAIL                  | 22           | 0 BH           |                          |                                | 1 T_PIPE_INVO   |
| 32        | 31 JY HANDRAIL                    | T_JY_HANDRAIL                  | 22           | 0 BH           |                          |                                | 1 T_PIPE_INVO   |
| 33        | 32 MOUSE STOPPER                  | T_MOUSE_STOPPER                | 15           | 0 MP           |                          |                                | 6 T_DEMADO_IN   |
| 34        | 33 BALCONY KOSHIKABE IHEAD        | T_BALCONY_KOSHIKABE_IHEAD      | 30           | 0 WB           |                          |                                | 1 T_DEMADO_IN   |
| 35        | 34 BALCONY KOSHIKABE ICUBE        | T_BALCONY_KOSHIKABE_ICUBE      | 30           | 0 WB           |                          |                                | 1 T_DEMADO_IN   |
| 36        | 35 BALCONY KOSHIKABE ISMART       | T_BALCONY_KOSHIKABE_ISMART     | 30           | 0 WB           |                          |                                | 1 T_DEMADO_IN   |
| 37        | 36 PARAPET WALL UNIT              | T_PARAPET_WALL_UNIT            | 24           | 0 WB           |                          |                                | 2 T_PANEL_INVO  |
| 38        | 37 OVERHANG TAREKABE UNIT         | T_OVERHANG_TAREKABE_UNIT       | 24           | 0 WB           |                          |                                | 3 T_DEMADO_IN   |
| 39        | 38 PE TUBE                        | T_PE_TUBE                      | 21           | 0 FH           |                          |                                | 3 T_PIPE_INVO   |
| 40        | 39 EXPORT TILES                   | T_EXPORT_TILES                 | 20           | 0 ET           |                          |                                | 1 T_DEMADO_IN   |
| 41        | 40 YOKUSHITSU DANNETSU            | T_YOKUSHITSU_DANNETSU          | 16           | 0 YD           |                          |                                | 1 T_PANEL_INVO  |
| 42        | 41 DOMA                           | T_DOMA                         | 17           | 0 HS           |                          |                                | 1 T_PANEL_INVO  |
| 43        | 42 1F ROOF PANEL                  | T_1F_ROOF_PANEL                | 16           | 0 HS           |                          |                                | 4 T_PANEL_INVO  |
| 44        | 43 2F ROOF PANEL                  | T_2F_ROOF_PANEL                | 16           | 0 HS           |                          |                                | 6 T_PANEL_INVO  |
| 45        | 44 SLOPE 1F                       | T_SLOPE_1F                     | 17           | 0 HS           |                          |                                | 4 T_PANEL_INVO  |
| 46        | 45 YUKA PANEL                     | T_YUKA_PANEL                   | 22           | 0 PU           |                          |                                | 1 T_PANEL_INVO  |
| 47        | 46 TC EXPORT TILE                 | T_TC_EXPORT_TILES              | 15           | 0 ET           |                          |                                | 1 T_DEMADO_IN   |
| 48        | 47 WALL PANEL                     | T_WALL_PANEL                   | 17           | 0 HS           |                          |                                | 5 T_PANEL_INVO  |
| 49        | 48 1F FLOOR PANEL I-CUBE          | T_1F_Floor_Panel_ICUBE         | 20           | 0 HS           |                          |                                | 2 T_PANEL_INVO  |
| 50        | 49 1F FLOOR PANEL I-HEAD          | T_1F_Floor_Panel_IHEAD         | 20           | 0 HS           |                          |                                | 2 T_PANEL_INVO  |
| 51        | 50 PERGOLA                        | T_Pergola                      | 18           | 0 IQ           |                          |                                | 4 T_PANEL_INVO  |
| 52        | 51 2-3F WALL PANEL                | T_2-3F_WALL_PANEL              | 17           | 0 HS           |                          |                                | 7 T_PANEL_INVO  |
| 53        | 52 SLOPE 2F                       | T_SLOPE_2F                     | 17           | 0 HS           |                          |                                | 4 T_PANEL_INVO  |
| 54        | 53 (SC-2) CARPORT STEEL FRAME     | T_Carport_Steel_Frame          | 15           | 0 SC           |                          |                                | 2 T_PIPE_INVO   |
| 55        | 54 NOJI PLYWOOD                   | T_NOJI_PLYWOOD                 | 16           | 0 PU           |                          |                                | 45 T_PANEL_INVO |
| 56        | 55 40GU                           | T_40GU                         | 12           | 0 GU           |                          |                                | 4 T_PIPE_INVO   |
| 57        | 56 FRP ROOF UNIT (WITHOUT MORTAR) | T_FRP_ROOF_UNIT_WITHOUT_MORTAR | 20           | 0 BA           |                          |                                | 3 T_PANEL_INVO  |
| 58        | 57 2FLOOR PANEL                   | T_2Floor_Panel                 | 16           | 0 PU           |                          |                                | 31 T_PANEL_INVO |
| 59        | 58 NOKITEN MIZUKIRI               | T_NOKITEN_MIZUKIRI             | 16           | 0 MP           |                          |                                | 8 T_PIPE_INVO   |
| 60        | 59 PARAPET O (WITH MORTAR)        | T_Parapet_O_With_Mortar        | 20           | 0 BA           |                          |                                | 3 T_PANEL_INVO  |
| 61        | 60 PARAPET O (WITHOUT MORTAR)     | T_Parapet_O_Without_Mortar     | 20           | 0 BA           |                          |                                | 3 T_PANEL_INVO  |


12. Create backup for working table, using query




14. Choose ColumnControls table then click add



15. Double Click the columncontrol to select all




16. Drag all selected data into grid area, and put 48 in criteria, it should look like this






## 17. Make Table query



## 18. Name the backup table, then click run



19. Open the table that you created, then add another data into table

20. Add column between 78thickness and plywood

*Note: This barchart is intended only for production daily status update, not for reference of any plan assemble processes. Some of the in*

| NO | YEAR | WEEK | DESTINATION | CUSTOMER NUMBER | HOUSE CODE | HOUSE TYPE | EPS COLOR | WATERTIGHT | QTY | REMARKS | DODAI INDICATION | 62 THICKNESS | 78 THICKNESS | NEB-STR | PLYWOOD/ KIMITSU ACCESSORIES | LAB |
|----|------|------|-------------|-----------------|------------|------------|-----------|------------|-----|---------|------------------|--------------|--------------|---------|------------------------------|-----|
|----|------|------|-------------|-----------------|------------|------------|-----------|------------|-----|---------|------------------|--------------|--------------|---------|------------------------------|-----|

21. Add another column name base on attachement, sortcolumn value is base on the desired position, in this case it is set to 19

| SectionID            | ColumnName | SortColumn | ShipReqColumnN   | ColumnWidth | PrimaryKeyFlg | NewFlg | OrderbyColumn | ColumnDataType | DefaultValue | ManualUpdateFlg | ManualUpdateSor | ManualLockedFlg | AdditionalOrderFlg | GroupFormulaFlg | CreatedDate         |
|----------------------|------------|------------|------------------|-------------|---------------|--------|---------------|----------------|--------------|-----------------|-----------------|-----------------|--------------------|-----------------|---------------------|
| 48 YY                |            | 1          | RequestYear      | 0           | 0             | -1     | N             |                |              | 0               |                 | 0               | 0                  | 0               | 0 319/02/28 8:40:00 |
| 48 WW                |            | 2          | RequestWeek      | 0           | 0             | -1     | N             |                |              | 0               |                 | 0               | 0                  | 0               | 0 319/02/28 8:40:00 |
| 48 Seq               |            | 3          |                  | 0           | 0             | -1     | N             |                | N:0          | 0               |                 | 0               | 0                  | 0               | 0 319/02/28 8:40:00 |
| 48 CDNO              |            | 4          | ConstructionCode | 0           | -1            | -1     | 1             | A              |              | -1              | 1               | -1              | 0                  | 0               | 0 319/02/28 8:40:00 |
| 48 AdditionalOrderFI |            | 5          |                  | 0           | 0             | 0      | 2             | A              |              | -1              | 3               | -1              | 0                  | 0               | 0 319/02/28 8:40:00 |
| 48 NameCD            |            | 6          | NameCode         | 0           | 0             | -1     | A             |                |              | -1              | 2               | -1              | 0                  | 0               | 0 319/02/28 8:40:00 |
| 48 DSTN              |            | 7          | DSTN_NM          | 0           | 0             | -1     | A             |                |              | 0               | 4               | 0               | 0                  | 0               | 0 319/02/28 8:40:00 |
| 48 House_Type        |            | 8          |                  | 1200        | 0             | 0      | A             |                |              | -1              | 5               | 0               | -1                 | 0               | 0 319/02/28 8:40:00 |
| 48 InsulationType    |            | 9          |                  | 1200        | 0             | 0      | A             |                |              | -1              | 6               | 0               | -1                 | 0               | 0 319/02/28 8:40:00 |
| 48 EPSColor          |            | 9          |                  | 0           | 0             | -1     | A             |                |              | -1              | 2               | 0               | 0                  | 0               | 0 323/12/21 7:46:48 |
| 48 WaterTight        |            | 10         |                  | 1000        | 0             | 0      | N             |                | N:0          | -1              | 8               | 0               | -1                 | 0               | 0 21/01/18 13:35:56 |
| 48 Qty               |            | 11         |                  | 1000        | 0             | 0      | N             |                | N:0          | -1              | 8               | 0               | -1                 | 0               | 0 319/02/28 8:40:00 |
| 48 PWS               |            | 12         |                  | 1000        | 0             | 0      | N             |                | N:0          | -1              | 9               | 0               | 0                  | 0               | 0 319/03/09 7:42:00 |
| 48 SCRAP_12MM        |            | 13         |                  | 1000        | 0             | 0      | N             |                | N:0          | -1              | 10              | 0               | 0                  | 0               | 0 21/06/22 13:27:45 |
| 48 BOXTYPE           |            | 14         |                  | 0           | 0             | 0      | 0             | A              |              | -1              | 10              | 0               | -1                 | 0               | 0 321/03/01 7:54:33 |
| 48 HouseIndication   |            | 15         |                  | 800         | 0             | -1     | A             |                |              | -1              | 2               | 0               | 0                  | 0               | 0 323/12/21 7:49:38 |
| 48 DodaiIndication   |            | 16         |                  | 800         | 0             | -1     | A             |                |              | -1              | 2               | 0               | 0                  | 0               | 0 323/12/21 7:50:17 |
| 48 62Thickness       |            | 17         |                  | 800         | 0             | -1     | A             |                |              | -1              | 2               | 0               | 0                  | 0               | 0 24/02/22 14:04:38 |
| 48 78Thickness       |            | 18         |                  | 800         | 0             | -1     | A             |                |              | -1              | 2               | 0               | 0                  | 0               | 0 24/02/22 14:04:50 |
| 48 Plywood           |            | 19         |                  | 800         | 0             | -1     | A             |                |              | -1              | 2               | 0               | 0                  | 0               | 0 323/12/21 7:50:38 |
| 48 Dodai             |            | 20         |                  | 800         | 0             | 0      | 0             | A              |              | -1              | 10              | 0               | -1                 | 0               | 0 19/05/23 10:38:00 |
| 48 ExcludeFlg        |            | 21         |                  | 0           | 0             | -1     | N             |                | N:0          | 0               |                 | 0               | 0                  | 0               | 0 319/02/28 8:40:00 |
| 48 GETA              |            | 22         |                  | 800         | 0             | -1     | A             |                |              | -1              | 2               | 0               | 0                  | 0               | 0 323/12/21 7:51:01 |
| 48 Shipweek          |            | 23         | ProductionPlantR | 0           | 0             | -1     | A             |                |              | 0               |                 | 0               | 0                  | 0               | 0 319/02/28 8:40:00 |
| 48 Signature         |            | 24         |                  | 1000        | 0             | -1     | A             |                |              | -1              | 2               | 0               | 0                  | 0               | 0 323/12/21 7:51:23 |
| 48 REMARKS           |            | 25         |                  | 1200        | 0             | 0      | 0             | A              |              | -1              |                 | 0               | -1                 | 0               | 0 319/02/28 8:40:00 |
| 48 Indication        |            | 26         | Indication       | 1200        | 0             | -1     | A             |                |              | 0               |                 | 0               | 0                  | 0               | 0 319/02/28 8:40:00 |
| 48 NEB-STR           |            | 19         |                  | 800         | 0             | 0      | N             |                |              | 0               |                 | 0               | 0                  | 0               | 0 202407/31         |

22. Notice that there will be two data that have 19 in sortcolumn, now right click on sortcolumn then click ascending, manually change the numbers

SortColumn

ShipReqColumnN

ColumnN

Sort Ascending

Sort Descending

Copy

Paste

Column Width...

Hide Columns

Freeze Columns

Unfreeze All Columns

Find...

Insert Column

Lookup Column...

Delete Column


Rename Column

| SectionID            | ColumnName | SortColumn |
|----------------------|------------|------------|
| 48 YY                |            | 1          |
| 48 WW                |            | 2          |
| 48 Seq               |            | 3          |
| 48 CDNO              |            | 4          |
| 48 AdditionalOrderFI |            | 5          |
| 48 NameCD            |            | 6          |
| 48 DSTN              |            | 7          |
| 48 House_Type        |            | 8          |
| 48 InsulationType    |            | 9          |
| 48 EPSColor          |            | 9          |
| 48 WaterTight        |            | 10         |
| 48 Qty               |            | 11         |
| 48 PWS               |            | 12         |
| 48 SCRAP_12MM        |            | 13         |
| 48 BOXTYPE           |            | 14         |
| 48 HouseIndication   |            | 15         |
| 48 DodaiIndication   |            | 16         |
| 48 62Thickness       |            | 17         |
| 48 78Thickness       |            | 18         |
| 48 Plywood           |            | 19         |
| 48 NEB-STR           |            | 19         |
| 48 Dodai             |            | 20         |
| 48 ExcludeFlg        |            | 21         |
| 48 GETA              |            | 22         |
| 48 Shipweek          |            | 23         |
| 48 Signature         |            | 24         |
| 48 REMARKS           |            | 25         |
| 48 Indication        |            | 26         |


| SectionID            | ColumnName | SortColumn |
|----------------------|------------|------------|
| 48 YY                |            | 1          |
| 48 WW                |            | 2          |
| 48 Seq               |            | 3          |
| 48 CDNO              |            | 4          |
| 48 AdditionalOrderFI |            | 5          |
| 48 NameCD            |            | 6          |
| 48 DSTN              |            | 7          |
| 48 House_Type        |            | 8          |
| 48 InsulationType    |            | 9          |
| 48 EPSColor          |            | 9          |
| 48 WaterTight        |            | 10         |
| 48 Qty               |            | 11         |
| 48 PWS               |            | 12         |
| 48 SCRAP_12MM        |            | 13         |
| 48 BOXTYPE           |            | 14         |
| 48 HouseIndication   |            | 15         |
| 48 DodaiIndication   |            | 16         |
| 48 62Thickness       |            | 17         |
| 48 78Thickness       |            | 18         |
| 48 NEB-STR           |            | 19         |
| 48 Plywood           |            | 20         |
| 48 Dodai             |            | 21         |
| 48 ExcludeFlg        |            | 22         |
| 48 GETA              |            | 23         |
| 48 Shipweek          |            | 24         |
| 48 Signature         |            | 25         |
| 48 REMARKS           |            | 26         |
| 48 Indication        |            | 27         |



23. Go to T\_1F\_Floor\_Panel\_ICUBE (MS ACCESS)
24. Create backup (same with creating backup of column controls)
25. Rename the **backup** : T\_1F\_Floor\_Panel\_ICUBE, and **Original**: T\_1F\_Floor\_Panel\_ICUBE1
26. Double Click the back up table
27. Right click on row header and insert new record on the position where the new column need to be place, then try to run the system
28. Go to SQLDBX **Server**: HRDSql4 **database**: HTI KIBIROI



29. After getting the query go to Barchart in Ms Access then click on forms then code



30. Ctrl + F then type 'Case 48' , 48 is from sections from barchartmaker database

|   |                        |    |                          |
|---|------------------------|----|--------------------------|
| + | RoofJikuConversion     | 45 | 44 SLOPE IF              |
| + | Sections               | 46 | 45 YUKA PANEL            |
| + | Signatories            | 47 | 46 TC EXPORT TILE        |
| + | sysdiagrams            | 48 | 47 WALL PANEL            |
| + | T_1F_Floor_Panel_ICUBE | 49 | 48 1F FLOOR PANEL I-CUBE |
| + | T_1F_Floor_Panel_IHEAD | 50 | 49 1F FLOOR PANEL I-HEAD |

Select all from sections then find the 1F Floor Panel I - CUBE

31. In here we just insert code inside the `getFloorPanellCUBE`

The screenshot shows the Microsoft Visual Basic IDE with the following details:

- Title Bar:** Microsoft Visual Basic - BarChartMaker\_TestLeng - [SpecificationPanelSection (Code)]
- Menu Bar:** File Edit View Insert Debug Run Tools Add-Ins Window Help
- Toolbar:** Standard toolbar with icons for file operations, editing, and running.
- Project Explorer (Left):**
  - Project: BarChart System
  - Form\_ManualUpdate\_Sub (selected)
  - Form\_MainBarChart
  - Form\_ManualUpdate
  - Form\_ManualUpdate\_Sub
  - Form\_New
  - Form\_Open
  - Form\_PlanMonitoring
  - Form\_PlanMonitoringDetails
  - Form\_PlanStatus
  - Form\_PlanStatus\_Sub
  - Form\_Processes
  - Form\_Processes\_Sub
  - Form\_ProcessSettings
  - Form\_ProcessSettings\_Sub
  - Form\_RearrangeRows
  - Form\_Schedule
  - Form\_ScheduleViaExcel
  - Form\_ScheduleViaExcelPin
  - Form\_Section\_Barchart\_Sub\_01
  - Form\_SetGroup
  - Form\_ShipmentRequestUpdate
  - Form\_UserInfo
  - Form\_UsersFeedBack
  - Modules:
    - BarchartTemplates
    - Common
    - Printing
    - Section
    - SpecificationBySection
    - SpecificationExterior1Section
    - SpecificationExterior2Section
    - SpecificationPanelSection
- Properties Window (Top Right):** Type a question for help
- Code Window (Bottom):**
  - File:** getFloorPanelICUBE
  - Language:** Visual Basic
  - Code:**

```

'jea
str48 = ""
str48 = str48 & " SELECT T_Material_Ele,MAT_ELE_VALUE"
str48 = str48 & " FROM (T_Material_Ele"
str48 = str48 & " INNER JOIN M_Item_Master "
str48 = str48 & " ON T_Material_Ele.ITEM_CD = M_Item_Master.ITEM_CD) "
str48 = str48 & " INNER JOIN M_Material_Master"
str48 = str48 & " ON (T_Material_Ele.ITEM_CD = M_Material_Master.ITEM_CD) "
str48 = str48 & " AND (T_Material_Ele.MAT_CD = M_Material_Master.MAT_CD) "
str48 = str48 & " WHERE (((T_Material_Ele.CDNO)=' " & strCDNO & "' "
str48 = str48 & " AND ((T_Material_Ele.CAT_CD)=12) "
str48 = str48 & " AND ((M_Material_Master.HINBAN)='NEB-STR')));"

Set rs48 = New ADODB.Recordset
rs48.Open str48, CurrentProject.Connection, 1, 2

If rs48.RecordCount <> 0 Then
    strupdate = ""
    strupdate = "Update W_Main_Barchart"
    strupdate = strupdate & " Set [NEB-STR] = " & rs48!MAT_ELE_VALUE
    strupdate = strupdate & " Where CDNO=" & strCDNO & ""
    DoCmd.SetWarnings False
    DoCmd.RunSQL strupdate
    DoCmd.SetWarnings True
End If

End Sub

```

32. Run the system.

Microsoft Access - [MainBarChart : Form]

FileEditViewInsertFormatRecordsToolsWindowHelp

System FilesAdditional OrderSpecification UpdateSortGroup/LineProcess ScheduleShipment UpdateSchedule ScopeScheduler MasterData ComparisonGene Lester P. Orilla

Type a question for help

Arial7

REQUEST SHIPMENT

33-24 1F FLOOR PANEL I-CUBE


2024/08/02

| No. GROUP          | UPDATE | EXD FLG | Year | Week | DESTINATION  | CDNO         | AO    | HOUSE                 | House Type | InsulationType | WaterTight | Qty | PWS | SCRAP 12MM | HouseIndl cation | DodaiIndl cation | 62Thickne ss | 78Thickne ss | NEB STR | Plywood | Dodai | GETA | Signature | REMARKS |
|--------------------|--------|---------|------|------|--------------|--------------|-------|-----------------------|------------|----------------|------------|-----|-----|------------|------------------|------------------|--------------|--------------|---------|---------|-------|------|-----------|---------|
| UPDT               | FILTER |         |      |      |              |              |       |                       |            |                |            |     |     |            |                  |                  |              |              |         |         |       |      |           |         |
| 1                  |        |         | 24   | 33   | NIIGATA_PORT | 1400253-2022 | FK411 | GRAND SMART(グラン・スマート) | PUI40      |                |            | 109 | 47  | 28         | 1PC. L           |                  | 44           |              |         |         |       |      |           |         |
| 2                  |        |         | 24   | 33   | NIIGATA_PORT | 3430168-2023 | FK696 | GRAND SMART(グラン・スマート) | PUI40      |                |            | 92  | 50  | 25         | 1PC. L           |                  | 41           |              | 1       |         |       |      |           |         |
| 3                  |        |         | 24   | 33   | NIIGATA_PORT | 6410081-2023 | FK705 | I-smile II +          | EPS140     |                |            | 69  | 41  | 21         | 1PC. L           | W/O DODAI        |              |              | 1       |         |       |      |           |         |
| 4                  |        |         | 24   | 33   | NIIGATA_PORT | 6410223-2023 | FK724 | I-cube III            |            |                |            | 40  | 28  | 17         | 1PC. S           |                  | 24           |              |         |         |       |      |           |         |
| 5                  |        |         | 24   | 33   | NIIGATA_PORT | 9359430-2023 | FK637 | I-smart               | PUI40      | Y              |            | 93  | 42  | 23         | 1PC. S           |                  |              | 34           |         |         |       |      |           |         |
| 6                  |        |         | 24   | 33   | NIIGATA_PORT | 9751618-2023 | FK719 | HUGme fam.(ハグミー・ファミ)  | PU89       |                |            | 66  | 35  | 21         | 1PC. NORMAL      | W/O DODAI        |              |              | 1       |         |       |      |           |         |
| 7                  |        |         | 24   | 33   | NIIGATA_PORT | 9851998-2024 | FK714 | GRAND SMART(グラン・スマート) | PUI40      |                |            | 80  | 46  | 22         | 1PC. L           |                  |              | 37           | 1       |         |       |      |           |         |
| 8                  |        |         | 24   | 33   | NIIGATA_PORT | 9958105-2019 | FK610 | GRAND SMART(グラン・スマート) | PUI40      |                |            | 87  | 42  | 23         | 1PC. L           |                  | 38           |              | 1       |         |       |      |           |         |
| 9                  |        |         | 24   | 33   | NIIGATA_PORT | T240246-2023 | FK617 | I-smart               | PUI40      |                |            | 131 | 52  | 29         | 1PC. L           |                  | 47           |              |         |         |       |      |           |         |
| 10                 |        |         | 24   | 33   | SANINSO      | 9200669-2023 | VA799 | HUGme(ハグミー)           | EPS89      |                |            | 116 | 45  | 26         | 1PC. NORMAL      | W/O DODAI        |              |              |         |         |       |      |           |         |
| 11                 |        |         | 24   | 33   | SANINSO      | T870125-2022 | VA859 | GRAND SMART(グラン・スマート) | PUI40      |                |            | 76  | 43  | 24         | 1PC. L           |                  | 38           |              | 1       |         |       |      |           |         |
| 12                 |        |         | 24   | 33   | SANINSO      | T902049-1001 | VA829 | GRAND SMART(グラン・スマート) | PUI40      |                |            | 71  | 43  | 22         | 1PC. L           |                  | 35           |              | 1       |         |       |      |           |         |
| 13                 |        |         | 24   | 33   | SANINSO      | T902564-1001 | VA795 | GRAND SMART(グラン・スマート) | PUI40      | Y              |            | 72  | 42  | 22         | 1PC. L           |                  | 34           |              | 1       |         |       |      |           |         |
| PRODUCTION SUMMARY |        |         | 24   | 33   | SANINSO      | T970043-2023 | VA713 | HUGme(ハグミー)           | EPS89      | Y              |            | 68  | 41  | 23         | 1PC. W/O         |                  |              |              | 1       |         |       |      |           |         |

Form View

NUM

### 33. Generate Excel File



34. After generating initial excel file, send IP Message to the requestor to check the file.