```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Clickable Pool Balls</title>
    <style>
        * {
            box-sizing: border-box;
        }
        body {
            background-color: #0d5c3a;
            font-family: Arial, sans-serif;
            display: flex;
            flex-direction: column;
            align-items: center;
            justify-content: center;
            min-height: 100vh;
            margin: 0;
            padding: 10px;
            color: white;
            overflow-x: hidden;
        }

        .table-container {
            width: 100%;
            max-width: 800px;
            display: flex;
            justify-content: center;
        }

        canvas {
            background-color: #0a4d30;
            box-shadow: 0 10px 30px rgba(0,0,0,0.5);
            border: 12px solid #4a2e1b;
            border-radius: 8px;
            cursor: pointer;
            width: 100%;
            height: auto;
            max-width: 800px;
```

```
        touch-action: manipulation;
    }

    #output {
        margin-top: 15px;
        font-size: 20px;
        font-weight: bold;
        min-height: 30px;
        text-shadow: 2px 2px 4px rgba(0,0,0,0.5);
        text-align: center;
    }

    /* History Log Panel */
    .history-container {
        margin-top: 20px;
        width: 100%;
        max-width: 800px;
        background: rgba(0, 0, 0, 0.4);
        border-radius: 8px;
        padding: 15px;
        box-shadow: inset 0 0 10px rgba(0, 0, 0, 0.3);
    }

    .history-container h3 {
        margin: 0 0 10px 0;
        font-size: 16px;
        text-transform: uppercase;
        letter-spacing: 1px;
        border-bottom: 1px solid rgba(255, 255, 255, 0.2);
        padding-bottom: 5px;
    }

    .history-list {
        list-style: none;
        padding: 0;
        margin: 0;
        max-height: 150px;
        overflow-y: auto;
    }
```

```
        .history-list li {
            padding: 6px 10px;
            background: rgba(255, 255, 255, 0.1);
            margin-bottom: 4px;
            border-radius: 4px;
            font-size: 14px;
            display: flex;
            justify-content: space-between;
        }

        /* Modal Overlay Styles */
        .modal {
            display: none;
            position: fixed;
            top: 0;
            left: 0;
            width: 100%;
            height: 100%;
            background: rgba(0, 0, 0, 0.8);
            justify-content: center;
            align-items: center;
            z-index: 1000;
            padding: 15px;
        }

        .modal-content {
            background: #111;
            padding: 20px;
            border-radius: 12px;
            text-align: center;
            width: 100%;
            max-width: 450px;
            box-shadow: 0 0 20px rgba(0,0,0,0.8);
        }

        .modal h2 {
            margin-top: 0;
            font-size: 20px;
        }
```

```
        /* Interactive Table Frame inside Modal */
        .pocket-table {
            position: relative;
            width: 100%;
            padding-top: 50%; /* 2:1 ratio for pool table */
            background-color: #0a4d30;
            border: 12px solid #4a2e1b;
            border-radius: 6px;
            margin: 15px 0;
            box-shadow: inset 0 0 10px rgba(0,0,0,0.5);
        }

        /* Interactive Pocket Buttons */
        .pocket {
            position: absolute;
            width: 36px;
            height: 36px;
            background-color: #000;
            border: 2px solid #666;
            border-radius: 50%;
            color: #fff;
            font-size: 11px;
            font-weight: bold;
            display: flex;
            align-items: center;
            justify-content: center;
            cursor: pointer;
            transform: translate(-50%, -50%);
            transition: transform 0.1s, background-color 0.2s;
        }

        .pocket:active {
            transform: translate(-50%, -50%) scale(1.15);
            background-color: #f9c80e;
            color: #000;
        }

        /* Target Positions for 6 Pockets */
        .pocket.tl { top: 0%; left: 0%; }
        .pocket.tc { top: 0%; left: 50%; }
```

```
        .pocket.tr { top: 0%; left: 100%; }
        .pocket.bl { top: 100%; left: 0%; }
        .pocket.bc { top: 100%; left: 50%; }
        .pocket.br { top: 100%; left: 100%; }

        .btn-cancel {
            background: #d32f2f;
            color: white;
            border: none;
            padding: 8px 16px;
            border-radius: 4px;
            font-size: 14px;
            cursor: pointer;
            font-weight: bold;
        }
    </style>
</head>
<body>

    <div class="table-container">
        <canvas id="poolCanvas" width="800" height="400"></canvas>
    </div>
    <div id="output">Click a ball!</div>

    <div class="history-container">
        <h3>Potted Log</h3>
        <ol id="historyList" class="history-list"></ol>
    </div>

    <div id="pocketModal" class="modal">
        <div class="modal-content">
            <h2 id="modalTitle">Select Pocket</h2>
            <p>Where was this ball potted?</p>

            <div class="pocket-table">
                <button class="pocket tl" onclick="selectPocket('Top
Left')">TL</button>
                <button class="pocket tc" onclick="selectPocket('Top
Center')">TC</button>
```

```
                <button class="pocket tr" onclick="selectPocket('Top
Right')">TR</button>
                <button class="pocket bl" onclick="selectPocket('Bottom
Left')">BL</button>
                <button class="pocket bc" onclick="selectPocket('Bottom
Center')">BC</button>
                <button class="pocket br" onclick="selectPocket('Bottom
Right')">BR</button>
            </div>

            <button class="btn-cancel"
onclick="closeModal()">Cancel</button>
        </div>
    </div>

    <script>
        const canvas = document.getElementById('poolCanvas');
        const ctx = canvas.getContext('2d');
        const output = document.getElementById('output');
        const modal = document.getElementById('pocketModal');
        const modalTitle = document.getElementById('modalTitle');
        const historyList = document.getElementById('historyList');

        const BALL_RADIUS = 30;
        let selectedBall = null;

        // Array to store the chronological history record
        const potHistory = [];

        const ballColors = [
            "#f9c80e", "#004e98", "#e63946", "#4a148c",
            "#f77f00", "#1b4332", "#941b0c", "#111111",
            "#f9c80e", "#004e98", "#e63946", "#4a148c",
            "#f77f00", "#1b4332", "#941b0c"
        ];

        let balls = [];
        const startX = 180;
        const startY = 200;
        let ballIndex = 0;
```

```
    for (let col = 0; col < 5; col++) {
        for (let row = 0; row <= col; row++) {
            if (ballIndex >= 15) break;

            const x = startX + col * (BALL_RADIUS * 1.732);
            const y = startY + (row - col / 2) * (BALL_RADIUS * 2);

            balls.push({
                number: ballIndex + 1,
                x: x,
                y: y,
                color: ballColors[ballIndex],
                isStripe: ballIndex >= 8
            });
            ballIndex++;
        }
    }

    function drawTable() {
        ctx.clearRect(0, 0, canvas.width, canvas.height);

        balls.forEach(ball => {
            ctx.save();
            ctx.shadowColor = 'rgba(0, 0, 0, 0.4)';
            ctx.shadowBlur = 8;
            ctx.shadowOffsetX = 3;
            ctx.shadowOffsetY = 5;

            ctx.beginPath();
            ctx.arc(ball.x, ball.y, BALL_RADIUS, 0, Math.PI * 2);
            ctx.fillStyle = ball.isStripe ? "#ffffff" : ball.color;
            ctx.fill();
            ctx.closePath();
            ctx.restore();

            if (ball.isStripe) {
                ctx.save();
                ctx.beginPath();
                ctx.arc(ball.x, ball.y, BALL_RADIUS, 0, Math.PI * 2);
```

```
                    ctx.clip();

                    ctx.fillStyle = ball.color;
                    ctx.fillRect(ball.x - BALL_RADIUS, ball.y -
BALL_RADIUS/2, BALL_RADIUS * 2, BALL_RADIUS);
                    ctx.closePath();
                    ctx.restore();
                }

                ctx.beginPath();
                ctx.arc(ball.x, ball.y, BALL_RADIUS * 0.45, 0, Math.PI *
2);
                ctx.fillStyle = "#ffffff";
                ctx.fill();
                ctx.closePath();

                ctx.fillStyle = "#000000";
                ctx.font = "bold 14px Arial";
                ctx.textAlign = "center";
                ctx.textBaseline = "middle";
                ctx.fillText(ball.number, ball.x, ball.y);
            });
        }

        canvas.addEventListener('click', function(event) {
            const rect = canvas.getBoundingClientRect();

            const scaleX = canvas.width / rect.width;
            const scaleY = canvas.height / rect.height;

            const mouseX = (event.clientX - rect.left) * scaleX;
            const mouseY = (event.clientY - rect.top) * scaleY;

            let clickedBall = null;

            balls.forEach(ball => {
                const distance = Math.sqrt((mouseX - ball.x) ** 2 +
(mouseY - ball.y) ** 2);
                if (distance <= BALL_RADIUS) {
                    clickedBall = ball;
```

```
                }
            });

            if (clickedBall) {
                selectedBall = clickedBall;
                modalTitle.innerText = `Ball #${selectedBall.number}
Selected`;
                modal.style.display = 'flex';
            }
        });

        function selectPocket(pocketName) {
            if (selectedBall) {
                const type = selectedBall.number === 8 ? "Solid" :
(selectedBall.isStripe ? "Stripe" : "Solid");

                // Record the potted event into the tracking array
                const record = {
                    order: potHistory.length + 1,
                    ballNumber: selectedBall.number,
                    type: type,
                    pocket: pocketName
                };
                potHistory.push(record);

                // Update UI status text
                output.innerText = `Ball #${selectedBall.number} (${type})
potted into ${pocketName}!`;

                // Remove the ball from active rendering list
                balls = balls.filter(ball => ball.number !==
selectedBall.number);

                // Re-render canvas and update history UI list
                drawTable();
                updateHistoryUI();
            }
            closeModal();
        }
```

```
        function updateHistoryUI() {
            historyList.innerHTML = "";
            potHistory.forEach(item => {
                const li = document.createElement("li");
                li.innerHTML = `<span><strong>#${item.order}</strong> —
Ball ${item.ballNumber} (${item.type})</span>
<span>${item.pocket}</span>`;
                historyList.appendChild(li);
            });
            // Auto-scroll to bottom of list
            historyList.scrollTop = historyList.scrollHeight;
        }

        function closeModal() {
            modal.style.display = 'none';
            selectedBall = null;
        }

        drawTable();
    </script>
</body>
</html>
```