



Surgery Date:

SPECIMENS:

- A. RIGHT THYROID LOBECTOMY
- B. LEFT THYROID LOBE

SPECIMEN(S):

- A. RIGHT THYROID LOBECTOMY
- B. LEFT THYROID LOBE

DIAGNOSIS:

- A. THYROID, RIGHT LOBECTOMY:
 - PAPILLARY THYROID CARCINOMA (2.8 CM), CONFINED TO THE GLAND
 - ONE BENIGN LYMPH NODE (0/1) AND PARATHYROID GLAND

- B. THYROID, LEFT LOBECTOMY:
 - BENIGN THYROID PARENCHYMA

1CD-0-3

Carcinoma, papillary, thyroid 8260/3
Site: Thyroid, NOS C73.9 10/26/11

SYNOPTIC REPORT - THYROID GLAND

Specimens Involved

Specimens: A: RIGHT THYROID LOBECTOMY

B: LEFT THYROID LOBE

Specimen Type: Right Lobe

Left Lobe

Tumor Site: Right lobe

Tumor Focality: Multifocal

Tumor Size (largest nodule): Greatest dimension: 2.8cm

Additional dimensions: 1.7cm x 1.5cm

WHO CLASSIFICATION

Papillary carcinoma 8260/3

Margins: Margins uninvolved by carcinoma

Distance of invasive carcinoma to closest margin: 0.1cm

Vascular Invasion: Absent

Lymph Node: Not performed

Pathological Staging (pTNM): pT 2 N x M x

Pathological staging is based on the AJCC Cancer Staging Manual, 7th Edition

GROSS DESCRIPTION:

A. RIGHT THYROID LOBECTOMY

Received fresh labeled with the patient's identification and "right thyroid lobectomy" is an oriented 12-g lobe of thyroid measuring 4.4 x 3.2 x 2.4 cm with a suture designating the superior pole. Capsule is nodular, red, and intact; the anterior capsule is inked blue and the posterior capsule-black. On sectioning, there is a well-circumscribed tan papillary nodule, 2.8 x 1.7 x 1.5 cm which extends to the capsule. Tissue is procured; submitted entirely:

A1: superior pole

A2-A9: cross-section is submitted from superior to inferior (4-5, 6-7, 8-9: bisected sections)

A10-A12: inferior pole, perpendicular sections

B. LEFT THYROID LOBE

Received fresh labeled with the patient's identification and "left thyroid lobe" is an oriented 4-g lobe of thyroid measuring 3.8 x 2.4 x 0.5 cm with a suture designating the superior pole. Capsule is nodular, red, and intact; the anterior capsule is inked blue, and the posterior-black. On sectioning, there is a red-brown parenchyma; no masses or lesions are identified. Submitted entirely from superior to inferior in cassettes B1-B6.

CLINICAL HISTORY:

None given

PRE-OPERATIVE DIAGNOSIS:

Thyroid nodule

Microscopic/Diagnostic Dictation: ,
 Final Review: , M.D., PATHOLOGIST ,
 Final: , M.D., PATHOLOGIST

Criteria	Yes	No
Diagnosis Discrepancy		/
Primary Tumor Site Discrepancy		/
HIPAA Discrepancy		/
Prior Malignancy History		/
Dual/Synchronous Primary Noted		/
Case is (circle): <u>QUALIFIED</u> <u>DERIVATIVE</u>		
Reviewer Initials <u>HW</u> Date Reviewed: <u>10/21/11</u>		
<u>bw</u> <u>10/26/11</u>		