

SurgPath Final
 Temporary Copy

FINAL DIAGNOSIS

- A) Left thyroid lobe and isthmus, resection: Papillary thyroid carcinoma (3.5 cm), extending through the capsule into the perithyroidal soft tissues as well as focally into the attached skeletal muscle; the surgical margins are free; multiple (2 of 2) perithyroidal lymph nodes are both benign (synoptic report below).
- B) Right thyroid lobe, resection: Benign thyroid tissue.
- C) Central compartment lymph nodes, excision: One (of total 2) lymph node is involved by metastatic papillary thyroid carcinoma, without extranodal tumor extension. The specimen also includes benign thymic tissue with a parathyroid gland.

A: Thyroid Gland

HISTOLOGIC TYPE:

Papillary carcinoma
 Classical (usual)

TUMOR FOCALITY:

Unifocal

ICD-O-3

Carcinoma, papillary, thyroid

8240/3

Site: thyroid, NOS
C73.9

TUMOR SIZE:

Greatest Dimension: 3.5 cm

6-7-12

R0

HISTOLOGIC GRADE:

G1: Well differentiated

PRIMARY TUMOR (pT):

pT3: Tumor more than 4 cm, limited to thyroid or with minimal extrathyroidal extension (eg, extension to sternothyroid muscle or perithyroid soft tissues)

REGIONAL LYMPH NODES (pN):

pN1a: Nodal metastases to Level VI (pretracheal, paratracheal and prelaryngeal/Delphian) lymph nodes

NUMBER OF LYMPH NODE(S) INVOLVED: 1

NUMBER OF LYMPH NODE(S) EXAMINED: 4 (specimens A and C)

LYMPH NODE, EXTRANODAL EXTENSION:

Not identified

SurgPath Final
Temporary Copy

DISTANT METASTASIS (pM):
Not applicable

MARGINS:

Margins uninvolved by carcinoma

PERINEURAL INVASION:

Not identified

EXTRATHYROIDAL EXTENSION:

Present

Minimal

~electronic signature~

SPECIMEN RECEIVED

- A) LEFT THYROID LOBE AND ISTHMUS, FS
- B) RIGHT THYROID LOBE
- C) CENTRAL COMPARTMENT LYMPH NODES


FROZEN SECTION

A) Right thyroid lobe and isthmus, resection: Papillary thyroid carcinoma. Seen with

GROSS DESCRIPTION

A) Received fresh for frozen section labeled "left thyroid lobe and isthmus" is a 12-gram lobe of thyroid with isthmus measuring overall approximately 4.5 x 2.8 x 2.4 cm. The capsule grossly appears intact. The specimen is inked on its surgical margins. Sectioning reveals an indurated brown/tan to tan nodule measuring approximately 3.5 cm in greatest dimension. Touch preps are made. Representative tissue is submitted for frozen section as A1-A2. The remainder of the specimen is submitted as A3-A10 for permanent sections. Tissue is also collected for the

B) In formalin labeled "right thyroid lobe". The specimen consists of a portion of dark purple/red thyroid tissue measuring 4.3 x 2.6 x 1.5 cm, 5.5 grams. The specimen is inked and serially sectioned revealing dark purple/red tissue. Representative sections are submitted in cassettes B1-B5.



C) In formalin labeled "central compartment lymph nodes". The specimen consists of an irregular portion of pink/tan to yellow/tan soft tissue measuring 1.5 x 1.5 x 0.8 cm. Multiple small lymph nodes are identified ranging in size from 0.3 up to 0.8 cm. The specimen is submitted entirely in cassette C1.

CLINICAL INFORMATION
LEFT THYROID NODULE

Criteria	Yes	No
Diagnosis Discrepancy		/
Primary Tumor Site Discrepancy		/
IPAA Discrepancy		/
Prior Malignancy History		/
Local/Synchronous Primary Noted		/
Case is (circle):	QUALIFIED	DISQUALIFIED
Reviewer Initials	5/28/12	

5/28/12