

Criteria	Yes	No
Diagnosis Discrepancy		☒
Primary Tumor Site Discrepancy		☒
HPAA Discrepancy		☒
Prior Malignancy History		☒
Dual, Synchronous Primary / Mixed		☒
Case is (circle): <u>QUALIFIED</u> <u>DISQUALIFIED</u>		
Reviewer Initials: <u>RB</u> Date Reviewed: <u>8/18/11</u>		

SPECIMEN TAKEN:

FINAL DIAGNOSIS -----

THYROID (TOTAL THYROIDECTOMY):

1CD-0-3

carcinoma, papillary, follicular variant 8340/3

TUMOR SITE:

Right lobe, isthmus, left lobe

Site: thyroid, NOS C73.9

hw
8/18/11

HISTOLOGIC TYPE:

Papillary carcinoma, follicular variant with angioinvasion

TUMOR SIZE:

Greatest dimension: 4.5 cm (entirety of the left lobe, extending into isthmus)

FOCALITY:

Multifocal

UUID: 76F3BFF3-8538-4736-85AB-2BEE2629F3BE
TCGA-ET-A2N4-01A-PR

Redacted

LYMPH NODES:

All 2 nodes negative for tumor



EXTENT OF INVASION

PRIMARY TUMOR:

pT3: Tumor >4 cm, limited to thyroid or with minimal extrathyroidal extension

REGIONAL LYMPH NODES:

pNO: No regional lymph node metastasis

DISTANT METASTASIS:

pMX: Cannot be assessed

MARGINS:

Margins are uninvolved

Distance of invasive carcinoma from nearest margin: <1 mm (anterior, posterior)

VENOUS/LYMPHATIC INVASION:

Present

ADDITIONAL PATHOLOGIC FINDINGS:

Nodular hyperplasia with cystic degeneration

NOTE: This case was shown at the