

Criteria	Yes	No
Diagnosis Discrepancy		☒
Primary Tumor Site Discrepancy		☒
IIIIAA Discrepancy		☒
Prior Malignancy history		☒
Dual/synchronous Primary noted		☒
Case is (circle):	QUALIFIED	DISQUALIFIED
Reviewer initials	RB	Date Reviewed 8/17/11

for 8/31/11

Date of Procedure:

Date of Receipt:

Date of Report:

Account #:

Billing Type:

Additional Copy to:

INPATIENT

Clinical Diagnosis & History:

year old male with thyroid nodule (+) papillary in FNA, papillary carcinoma.

Specimens Submitted:

1: Thyroid; total thyroidectomy

UUID: EE368CF1-9955-49B2-9EBA-3F6E37EE8D46
TCGA-DJ-A2PP-01A-PR

Redacted



DIAGNOSIS:

1. Thyroid; total thyroidectomy:

Tumor Type:

Papillary carcinoma, follicular variant
with oncocytic features

Histologic Grade:

Well differentiated

Mitotic Activity:

Mild to moderate
Two mitosis /10 high power fields

Tumor Necrosis:

Not identified

Tumor Location:

Right lobe

Tumor Size:

Greatest diameter is 3.6 cm.

Tumor Encapsulation:

Completely surrounded

Capsular Invasion:

Not identified

Blood Vessel Invasion:

Not identified

Extrathyroid Extension:

Not identified

Surgical Margins:

Free of tumor

Tumor Multicentricity:

One separate papillary microcarcinoma (0.08cm) in left lobe

Non-Neoplastic Thyroid:

ICD-0-3
carcinoma, papillary, follicular variant
8340/3

Site: thyroid, NOS 673.9

for
8/31/11

shows a few hyperplastic nodules.
Parathyroid Glands:
Not identified

Lymph Nodes:
Three benign lymph nodes (0/3)

I ATTEST THAT THE ABOVE DIAGNOSIS IS BASED UPON MY PERSONAL EXAMINATION OF THE SLIDES (AND/OR OTHER MATERIAL), AND THAT I HAVE REVIEWED AND APPROVED THIS REPORT.

*** Report Electronically Signed Out ***

Special Studies:

Result	Special Stain	Comment
	RECUT	
	RECUT	
	RECUT	

Gross Description:

1). The specimen is received fresh and subsequently placed in formalin, labeled "total thyroidectomy, double stitch marks superior pole, fresh and sterile, TPS" and consists of a 40 g thyroid. The right lobe measures 5 x 3.5 x 2.5 cm with an anteriorly attached 6 x 2 x 1.3 cm portion of red-pink, striated muscle tissue. The left lobe measures 3.9 x 1.9 x 1.5 cm and the isthmus measures 2.4 x 1.5 x 1 cm. Superior attached to the isthmus, toward the left lobe, is the pyramidal lobe, measuring 2.3 x 0.8 x 0.5 cm. The external surface is covered by a thin fibrous capsule. The posterior surface of the specimen is inked black, and the anterior is inked blue. Sectioning reveals a 3.6 x 3.5 x 2.5 cm tan-pink, finely lobular, circumscribed nodule in the right upper to mid lobe. The nodule does not appear to extend to the isthmus. The remaining thyroid parenchyma is red tan and meaty. A portion of the specimen is sent for TPS. The remaining tissue is serially sectioned and entirely submitted.

Summary of sections:

RL - right lobe
LL - left lobe
IS - isthmus
PL - pyramidal lobe

Summary of Sections:**Part 1: Thyroid; total thyroidectomy**

Block	Sect. Site	PCs
5	IS	9
8	LL	14
2	PL	7
24	RL	24