


LABORATORY MEDICINE PROGRAM

UUID: D989DFCB-64F0-48A5-A70C-B1D8B9044417

TCGA-EM-A3SY-01A-PR

Redacted



Surgical Pathology Consultation Report

Criteria	Yes	No
Diagnosis Discrepancy	☒	☒
Primary Tumor Site Discrepancy	☒	☒
HIPAA Discrepancy	☒	☒
Prior Malignancy History	☒	☒
Dual/Synchronous Primary Noted	☒	☒
Case is (circle):	QUALIFIED	DISQUALIFIED
Reviewed by:	3/30/12	3/30/12

Specimen(s) Received

1. Thyroid: Right Lobe

PW TSS on 2/2013, TCGA tumor 15

Diagnosis

Papillary carcinoma, oncocytic variant 1.4 cm, right: Thyroid, right hemithyroidectomy specimen.

Comment

This case has been seen in consultation with Dr. and he agrees with the interpretation and diagnosis.

Synoptic Data

Procedure: Right hemithyroidectomy
 Received: Fresh
 Specimen Integrity: Intact
 Specimen Size: Right lobe:
 3.4 cm
 2.5 cm
 1.5 cm
 Isthmus +/- pyramidal lobe:
 1.5 cm
 0.2 cm
 0.2 cm
 Specimen Weight: 7.1 g
 Tumor Focality: Unifocal

----- DOMINANT TUMOR -----

Tumor Laterality: Right lobe
 Tumor Size: Greatest dimension: 1.4cm
 Additional dimension: 1.3 cm
 Additional dimension: 1.2 cm
 Histologic Type: Papillary carcinoma, oncocytic or oxyphilic variant
 Follicular architecture
 Solid architecture
 Oncocytic or oxyphilic cytomorphology
 Histologic Grade: Not applicable
 Margins: Margins uninvolved by carcinoma
 Tumor Capsule: Totally encapsulated
 Tumor Capsular Invasion: Present, extent minimal

ICD-O-3
 CQ of: Carcinoma, papillary, follicular variant 8340/3
 Rth: carcinoma, papillary oxyphilic cell 8342/3
 Site: thyroid, NOS C73.9
 4-312
 ED

Surgical Pathology Consultation Report

Lymph-Vascular Invasion: Not identified
Perineural Invasion: Not identified
Extrathyroidal Extension: Not identified
TNM Descriptors: Not applicable
Primary Tumor (pT): pT1b: Tumor more than 1 cm but not more than 2 cm in greatest dimension, limited to the thyroid
Regional Lymph Nodes (pN): pNX: Regional lymph nodes cannot be assigned
Number of regional lymph nodes examined: 0
Number of regional lymph nodes involved: 0
Distant Metastasis (pM): Not applicable
Additional Pathologic Findings: None Identified

*Pathologic Staging is based on AJCC/UICC TNM, Edition

Electronically verified by:

Clinical History

STITCH MARKS UPPER POLE

Gross Description

1. The specimen labeled with the patient's name and as "right lobe", consists of a right hemithyroidectomy specimen that is oriented with a stitch at the upper pole and weighs 7.1 g. The lobe measures 3.4 cm SI x 2.5 cm ML x 1.5 cm AP and the isthmus measures 1.5 SI x 0.2 cm ML x 0.2 cm AP. The external surfaces have fibrous adhesions and are painted with liquid bluing. No parathyroid glands and/or lymph nodes are identified grossly. The lower pole contains one delineated nodule(s) that measure 1.4 cm SI x 1.3 cm ML x 1.2 cm AP. The remainder of the thyroid tissue is grossly normal. Sections of nodule and normal tissue are stored frozen. The remainder of the specimen is submitted as follows:
1A-G specimen submitted, superior to inferior
