

| Criteria                        | Yes       | No                                  |
|---------------------------------|-----------|-------------------------------------|
| Diagnosis Discrepancy           |           | <input checked="" type="checkbox"/> |
| Primary Tumor Site Discrepancy  |           | <input checked="" type="checkbox"/> |
| IPAA Discrepancy                |           | <input checked="" type="checkbox"/> |
| Prior Malignancy History        |           | <input checked="" type="checkbox"/> |
| Local/Synchronous Primary Noted |           | <input checked="" type="checkbox"/> |
| Case is (circle):               | QUALIFIED | DISQUALIFIED                        |
| Reviewer Initials               | RB        |                                     |
| Date Reviewed                   | 2/1/12    |                                     |

UID: F8E84396-7186-41BA-B48D-98E38ED489E6  
TCGA-FE-A3PD-01A-PR Redacted



Page 1 of 3

Print this Page

Sex

# Specimen Description

procurement date: - - -

## Surgical Pathology Report



ICD-0-3

\*\*\*\*Clinical History\*\*\*\*  
Clinical history: Thyroid cancer.

Path: carcinoma, papillary, follicular variant 8340/3

CQCF: carcinoma, papillary, thyroid 8260/3

Site: thyroid, NOS C73.9

hw  
2/5/12

## \*\*\*\*Final Pathologic Diagnosis\*\*\*\*

Pretracheal mass, biopsy:  
Three Benign Lymph Nodes (0/3).

Left Thyroid Lobe, excision:  
Papillary Thyroid Carcinoma, Follicular Variant see synoptic  
report.  
- Lymphocytic Thyroiditis.

Right Thyroid Lobe and Isthmus, excision:  
- Lymphocytic Thyroiditis.  
- Negative for Carcinoma.



## \*\*\*\*Addendum Report\*\*\*\*

Addendum

Status: Signed Out

Immunohistology shows positive staining for TTF-1.  
The immunohistochemical and/or in situ hybridization tests reported here,  
except for those addressing Her-2Neu overexpression, have been developed  
and their performance characteristics determined by the  
Immunohistochemistry and  
Department of Pathology at [redacted] in the



\*\*\*\*\*Synoptic Report\*\*\*\*\*

SYNOPTIC REPORT FOR THYROID CANCER:

Procedure: total thyroidectomy  
Tumor location: left lobe  
Tumor size: 2.3 x 1.8 x 1.7 cm.  
Histologic type: Papillary Thyroid Carcinoma, follicular variant  
Tumor grade: low grade  
Lymphatic/vascular invasion: present  
Capsular invasion: absent  
Tumor extent:  
    Confined to the thyroid: yes  
    Multifocal: no  
    Infiltration of adjacent structures: not seen  
Lymph nodes:  
    Total number examined: three  
    Number positive: none  
pTNM: T2 N0 Mx.

\*\*\*The above synoptic report complies, in slightly modified form, with the guidelines of the [redacted] for the reporting of cancer specimens\*\*\*

\*\*\*\*\*INTRAOPERATIVE CONSULTATION DIAGNOSIS:\*\*\*\*\*

[redacted] Pretracheal mass: (FROZEN SECTION PERFORMED)  
- Benign.

[redacted] Left thyroid lobe: (FROZEN SECTION PERFORMED)  
- Papillary carcinoma, follicular variant.

Examining pathologist: [redacted]

\*\*\*\*\*SPECIMEN(S) RECEIVED:\*\*\*\*\*

[redacted] Trachea, REG  
Thyroid, REG  
Thyroid, REG

\*\*\*\*\*GROSS DESCRIPTION:\*\*\*\*\*

The specimens are received in three properly labeled containers with the patient's name and accession number.

[redacted] The specimen is designated "pretracheal mass" and consists of a fragment of tissue measuring 0.9 x 0.5 x 0.2 cm. The tissue was previously submitted for frozen section and is now resubmitted for evaluation.

[redacted] The specimen is designated "left thyroid lobe" and was previously oriented as follows: One stitch = superior pole. Two stitches = inferior pole and consists of an 8.8 gram thyroid lobe that measures 3.8 x 2.7 x 1.8 cm. The thyroid lobe is inked black. On cut section there is a tan-yellow nodule that measures 2.3 x 1.8 x 1.7 cm. The tumor shows

infiltrative borders and is seen to infiltrate the thyroid capsule. The uninvolved surrounding thyroid parenchyma is beefy red-brown and unremarkable.

Summary of Cassettes: BF1, tumor, frozen section; B1, superior pole, shave; B2, inferior pole shave; B3-4, representative sections of tumor; B5, left lobe random section

● The specimen is designated "right thyroid lobe" and is oriented as follows: One stitch = superior pole. Two stitches = inferior pole and consist of a 5.75 gram thyroid lobe that measures 4.3 x 3.2 x 0.7 cm. The thyroid lobe is inked black and the isthmus is inked green. On cut section, the thyroid parenchyma is beefy red-brown and unremarkable.

Summary of Cassettes: C1, superior pole, shave; C2, inferior pole, shave; C3, isthmus; C4-5, right lobe random sections

Lab Use Only: [REDACTED]

Gross description by: [REDACTED]

---

[REDACTED] Top of Page