


Criteria	Yes	No
Diagnosis Discrepancy		☒
Primary Tumor Site Discrepancy		☒
HIP/ A Discrepancy		☒
Prior Malignancy History		☒
Qual/Synchronous Primary Malignancy		☒
Case Is (circle):	QUALIFIED	DISQUALIFIED
Reviewer Initials: <i>RS</i>	Date Reviewed: <i>8/31/11</i>	

Neck

Date of Procedure:
 Date of Receipt:
 Date of Report:
 Account #:
 Billing Type:
 Additional Copy to: INPATIENT

Clinical Diagnosis & History:
Papillary thyroid cancer.

Specimens Submitted:
 1: Left paratracheal lymph node (fs)
 2: Left lobe of thyroid and isthmus



DIAGNOSIS:

1. Left paratracheal lymph node (fs):
 Lymph Node Dissection:
 Benign lymph nodes
 Number of lymph nodes examined: 1

2. Left lobe of thyroid and isthmus:
 Tumor Type:
 Papillary carcinoma, classical type

Histologic Grade:
 Well differentiated

Mitotic Activity:
 Not identified

Tumor Necrosis:
 Not identified

Tumor Location:
 Left lobe

Tumor Size:
 Greatest diameter is 1.7 cm.

Tumor Encapsulation:
 Partially surrounded

Blood Vessel Invasion:
 Not identified

Extrathyroid Extension:
 Invades: extrathyroidal adipose tissue
 Focal

Surgical Margins:
 Free of tumor

Tumor Multicentricity:

1CD-0-3

Carcinoma, papillary, thyroid 8260/3
 Site: thyroid, NOS C73.9
 8/31/11

Not identified

Non-Neoplastic Thyroid:
Exhibits nodular hyperplasia
Parathyroid Glands:
Not identified

I ATTEST THAT THE ABOVE DIAGNOSIS IS BASED UPON MY PERSONAL EXAMINATION OF THE SLIDES (AND/OR OTHER MATERIAL), AND THAT I HAVE REVIEWED AND APPROVED THIS REPORT.

*** Report Electronically Signed Out ***
M.D.

Special Studies:

Result	Special Stain	Comment
	RECUT	

Gross Description:

M.D.

1. The specimen is received fresh and is labeled "left para-tracheal lymph node". It consists of one piece of tan yellow soft tissue, measuring 0.5 x 0.5 x 0.4 cm. One lymph node is identified, measuring 0.3 cm in greatest dimension. Lymph node is entirely submitted for frozen section.

Summary of sections:
FSC- frozen section control

M.D.

2). The specimen is received fresh and is labeled "left lobe of thyroid and isthmus". It consists of a previously incised thyroid lobe measuring 4.5 x 2.5 x 1.5 cm and weighing 12 g. There is a 2 x 1 x 0.6 cm portion of skeletal muscle attached to the anterior aspect. The lobe is inked black posterior and blue anterior. Serial sectioning reveals 1.7 x 1.6 x 1.2 cm partially encapsulated hard tan nodule with gritty cut surface in the mid to upper lobe. The specimen is entirely submitted to include TPS.

Summary of sections:
N - nodule
RS - remaining sections

Summary of Sections:

Part 1: Left paratracheal lymph node (fs)

Block	Sect. Site	PCs
1	FSC	1

Part 2: Left lobe of thyroid and isthmus

Block	Sect. Site	PCs
4	N	4
4	RS	4

Intraoperative Consultation:

Note: The diagnoses given in this section pertain only to the tissue sample examined at the time of the intraoperative consultation.

-
1. Frozen section diagnosis: Left paratracheal lymph node (fs): Benign
Permanent diagnosis: