

UUID: 31921221-0877-47EE-B989-3551A7C71FFB
 TCGA-EM-A3AL-01A-PR **Redacted**



Surgical Pathology Consultation Report

Patient Name:

MRN:

DOB:

Service:

Visit #:

Accession #:

Collected:

Received:

Gender:

Location:

Reported:

Ordering MD:

Facility:

Copy To:

Specimen(s) Received

1. Parathyroid: Right Upper
2. Parathyroid: Left lower parathyroid QS
3. Thyroid: Total thyroid stitch marks upper pole left lobe

Diagnosis

1. No pathological diagnosis: Parathyroid (right upper) biopsy
2. No pathological diagnosis: Parathyroid (left lower) biopsy
3. Multifocal papillary carcinoma, dominant follicular variant, 1.9 cm, right; severe chronic lymphocytic thyroiditis with reactive atypia and mild nodular hyperplasia: Thyroid
 No pathological diagnosis: Parathyroids, 2, right and left perithyroidal
 No pathological diagnosis: Lymph nodes, 14
 -Total thyroidectomy specimen

Synoptic Data

Procedure:	Total thyroidectomy
Received:	Fresh
Specimen Integrity:	Intact
Specimen Size:	Right lobe:
	4.5 cm
	3.1 cm
	1.5 cm
	Left lobe:
	3.6 cm
	2.0 cm
	1.3 cm
	Isthmus +/- pyramidal lobe:
	2.8 cm

1CD-0-3
 carcinoma, papillary, follicular variant
 8340/3
 Site: thyroid, NOS C73.9
 lw
 10/21/11

Criteria	Yes	No
Diagnosis Discrepancy		X
Primary Tumor Site Discrepancy		X
HIPAA Discrepancy		X
Prior Malignancy History		X
Dual/Synchronous Primary Noted		X
Case is (circle):	QUALIFIED	DISQUALIFIED
Reviewer Initials	lw 10/21/11	
Date Reviewed:	10/21/11	

Specimen Weight: 1.5 cm
 0.8 cm
 18.8 g
 Tumor Focality: Multifocal, ipsilateral
 Multifocal, midline (isthmus)
 ----- DOMINANT TUMOR -----
 Tumor Laterality: Right lobe
 Tumor Size: Greatest dimension: 1.9cm
 Additional dimension: 1.6 cm
 Additional dimension: 1.5 cm
 Histologic Type: Papillary carcinoma, follicular variant *per TSS, follicular variant = 100%*
 Follicular architecture
 Classical cytomorphology
 Histologic Grade: Not applicable
 Margins: Margins uninvolved by carcinoma
 Tumor Capsule: Totally encapsulated
 Tumor Capsular Invasion: Present, extent minimal
 Lymph-Vascular Invasion: Not identified
 Perineural Invasion: Not identified
 Extrathyroidal Extension: Not identified
 ----- SECOND TUMOR -----
 Tumor Laterality: Isthmus
 Tumor Size: Greatest dimension: 0.1cm
 Histologic Type: Papillary carcinoma, follicular variant
 Papillary carcinoma, microcarcinoma (occult, small or microscopic) variant
 Follicular architecture
 Classical cytomorphology
 Histologic Grade: Not applicable
 Margins: Margins uninvolved by carcinoma
 Tumor Capsule: None
 Tumor Capsular Invasion: Not identified
 Lymph-Vascular Invasion: Not identified
 Perineural Invasion: Not identified
 Extrathyroidal Extension: Not identified
 TNM Descriptors: m (multiple primary tumors)
 Primary Tumor (pT): pT1b: Tumor more than 1 cm but not more than 2 cm in greatest dimension, limited to the thyroid
 Regional Lymph Nodes (pN): pN0: No regional lymph node metastasis
 Number of regional lymph nodes examined: 14
 Number of regional lymph nodes involved: 0
 Distant Metastasis (pM): Not applicable
 Additional Pathologic Findings: Adenomatoid nodule(s) or Nodular follicular disease
 Thyroiditis, advanced
 Parathyroid gland(s), within normal limits

*Pathologic Staging is based on AJCC/UICC TNM, 7th Edition

Electronically verified by:

3ross Description

1. The specimen labeled with the patient's name and as "Parathyroid: Right upper" contains a piece of tissue that measures 0.2 x 0.2 x 0.1 cm. It is frozen for intraoperative consultation.
- 1A frozen tissue resubmitted

2. The specimen labeled with the patient's name and as "left lower parathyroid" contains a piece of tissue that measures 0.4 x 0.2 x 0.1 cm and weighs 0.01 g. It is frozen for intraoperative consultation.

2A frozen tissue resubmitted

3. The specimen labeled with the patient's name and as "total thyroid stitch upper pole left lobe" consists of a thyroid gland that is oriented with a suture marking the left upper pole and weighs 18.76 g (fresh). The right lobe measures 4.5 cm SI x 3.1 cm ML x 1.5 cm AP, the left lobe measures 3.8 cm SI x 2.0 cm ML x 1.3 cm AP and the isthmus measures 2.8 cm SI x 1.5 cm ML x 0.8 cm AP. The external surfaces have fibrous adhesions and are painted with blue dye. No parathyroid glands or no lymph nodes are identified grossly. The right lobe contains a well delineated nodule that measures 1.6 cm SI x 1.9 cm ML x 1.5 cm AP. The left lobe contains an ill-defined, query nodule that measures 0.6 cm SI x 0.7 cm ML x 0.6 cm AP. Sections of right lobe nodule, one piece of normal tissue from the left lobe and one piece of thyroid from the right lobe are stored frozen. The remainder of the specimen is submitted as follows:

3A-K right lobe, superior to inferior

3C-D, E-F, G-H: one piece of tissue bisected in each set of blocks

3L-M isthmus

3M: one piece bisected

3N-S left lobe, superior to inferior

Quick Section Diagnosis

1. Parathyroid, right upper: parathyroid tissue
Called OR at

2. Parathyroid, left lower: parathyroid tissue
Called OR at

MD