REVIEW LEDGER / TRACK 5

Evidence desk

From agent findings to human-reviewed outcomes.

READ-ONLY · LOCAL

PROJECT MAP / TWO SEPARATE SCOPES

Original commitment. Additional capabilities.

PRIMARY RECORDING

Original scope Ã‚Â· rubric demonstration

Untimed failure/recovery completed and audited · repair human-approved VERIFIED · timed recording still pending

Four specialist reviews, an explicit plan, personal approval before each change, isolated verification, deliberate failure and recovery. This remains the primary recording path.

The original evaluation measures review findings. Its results and verified/failed demonstration runs are preserved. General PR intake is not required by the codebase-or-PR-diff rubric wording.

7bfe8ef Ã‚Â· pre-dashboard submission baseline

Explore this scope ↓

ADDITIONAL DEVELOPMENT

Additional scope Ã‚Â· repository hardening

Local repair human-approved and VERIFIED Ã‚Â· additional scope

Read-only dashboard, bounded Python repository and public GitHub PR intake, five reviewers including correctness, dependent repair steps, and complete repair-outcome evaluation.

Known development benchmark cases used simulated approvals. A separate seeded Assignment 5 local repair was personally approved and VERIFIED with three visible tests; its 12-test preflight was simulated. Public GitHub and stdlib Python tests only; private hosts, arbitrary dependencies and a personally approved live PR repair remain outside demonstrated scope. Reflection trimmed to two pages and visual deck prepared; rehearsal and recording remain pending.

c42712b Ã‚Â· repository hardening milestone

Explore this scope ↓

All views are read-only. Original results, adjudicated labels and newer experiments stay separate. The selected original run appears below; additional evidence follows it.

Original-scope run thursday-dress-20261103-01 Refresh evidence

Refresh every 5 seconds Read at 2:19:51 AM

ORIGINAL SCOPE · SELECTED RUN EVIDENCE

See the reasoning. Follow the evidence.

thursday-dress-20261103-01

TIMER NOT STARTED PREPARED REVIEWS

Repair has a VERIFIED result

The saved human-approved repair outcome is below. Reopening this run does not perform a new execution.

No approval controls are available in this dashboard.

4
Specialist reports

2
Human-approved verified

1

2

Failed / ambiguous

Prepared candidates

Scope overview Original findings Plan & dependencies Changes & outcomes

Original evaluation Additional work

01 / UNDERSTAND

Four perspectives on the code

Prepared agent reports. Agreement is not proof; every finding retains its source evidence.

complete

performance

Membership test in a collection of unspecified type inside a loop may lead to quadratic O(N * M) time complexity if 'other' is a list or sequence.

```
Line 8:         if item in other:
```

Convert 'other' to a set (e.g., other_set = set(other)) before iterating, or use set intersection if order and duplicates do not need to be preserved.

▶ Limitations

complete

security

SQL injection vulnerability due to direct string concatenation of user-supplied parameter into SQL query.

```
Line 2:     query = "SELECT id, name FROM users WHERE name = '" + name + "'"
```

Use parameterized queries with placeholders instead of string concatenation.

▶ **Limitations**

complete

style

Function name uses PascalCase and shadows built-in 'list'.

```
Line 5: def Common_Items(list, other):
```

Rename the function to snake_case (e.g., 'common_items') and avoid shadowing the built-in type 'list' by renaming the parameter (e.g., 'items').

▶ **Limitations**

complete

test gap

Function find_users has no accompanying test cases provided in the snapshot.

```
Line 1: def find_users(connection, name):
```

Add unit tests verifying query construction, execution, and handling of special characters or inputs for find_users.

Function Common_Items has no accompanying test cases provided in the snapshot.

```
Line 5: def Common_Items(list, other):
```

Add unit tests verifying intersection logic, duplicate handling, and empty list inputs for Common_Items.

▶ **Limitations**

02 / PLAN

Dependencies before execution

Replan following the disclosed demonstration failure in demo-fault-lookup where an unguarded set conversion failed on unhashable nested list items (TypeError: unhashable type: 'list'). The failed operation is recorded as deferred historical state. A new repair action demo-repair-lookup is introduced as an authoring-ready proposal branched from the verified parent (act-char-common-items), incorporating guarded fallback constraints: restricting set optimization strictly to exact built-in list or tuple types composed purely of exact primitive types (int, bool, str, bytes, NoneType) and falling back to the original loop for all other inputs. demo-dependent-followup is redirected to depend on demo-repair-lookup and remains blocked until verification.

PLAN 4

Readiness below is the recorded proposal classification, not authorization or a fresh eligibility check.

characterization_test **ready** **risk: low**

Historical VERIFIED characterization tests

`act-char-common-items` · Depends on: No prerequisite

Maintained as the verified parent baseline for subsequent safe proposals.

defer **human_direction_needed** **risk: high**

Demonstrate rejection of an intentionally unguarded set optimization

`demo-fault-lookup` · Depends on: act-char-common-items

Historical negative demonstration failed due to naive set conversion of unhashable elements; deferred and superseded by demo-repair-lookup.

refactor **ready** **risk: medium**

Implement guarded set fast-path for primitive collections with conservative loop fallback

`demo-repair-lookup` · Depends on: act-char-common-items

Proposes authoring a behavior-preserving refactor against the verified parent. Fast path triggers only when both arguments are exact list/tuple and elements are exact

int/bool/str/bytes/NoneType, avoiding unhashable exceptions while preserving order, duplicates, and generator behaviors via fallback.

investigate **prerequisite_needed** **risk: low**

Dependent follow-up must wait for a VERIFIED lookup change

`demo-dependent-followup` · Depends on: demo-repair-lookup

Follow-up depends on demo-repair-lookup, which is not yet verified or executed.

▶ **Original review plan**

▶ **Recorded replanning evidence**

03 / INSPECT

Proposals, decisions & outcomes

Grouped by candidate, not a global chronological log. A matching patch hash is not a full binding or log audit.

RECORDED EVIDENCE **FAILED** **PATCH HASH MATCHES**

demo-fault-lookup

Proposal-layer fault injection: remove type guards so the existing nested-list test produces a real TypeError.

Candidate demo-fault-e292e414e1 · Plan 3 · 1 recorded decision(s)

FAILED **HUMAN DECISION**

`d07703fa85824742be4aba5cc87f4e55`

7 tests run · 0 assertion failures · 1 errors

0 additional behavior checks · 0 skipped

QUARANTINE RETAINED

▶ **Execution log · hash matches**

▶ **Test outcome and execution evidence**

▶ **Inspect proposed change**

▶ **Approval records and exact bindings**

RECORDED EVIDENCE VERIFIED PATCH HASH MATCHES

demo-repair-lookup

Implements guarded fast-path using a set lookup only when both collections are exact list or tuple instances and all elements are exact primitives (int, bool, str, bytes, NoneType). Falls back to the original O(N*M) sequential scan loop for unhashable, custom, or generator inputs, preserving original behaviors, left-hand order, and duplicate handling without raising TypeErrors.

Candidate demo-repair-4bdc38f6dc · Plan 4 · 1 recorded decision(s)

> VERIFIED HUMAN DECISION
>
> `76ca6f6fbe98465683074d76edb1a9cc`
>
> **7 tests run · 0 assertion failures · 0 errors**
>
> 13 additional behavior checks · 0 skipped
>
> ▶ **Execution log · hash matches**
>
> ▶ **Test outcome and execution evidence**

▶ **Inspect proposed change**

▶ **Approval records and exact bindings**

RECORDED EVIDENCE PREPARED PATCH HASH MATCHES

act-char-common-items

Implements exactly 7 independent characterization tests using standard-library unittest to baseline Common_Items behavior covering empty inputs, left-input ordering, left duplicate retention, right duplicate handling, unhashable element support, and input non-mutation.

Candidate candidate-7da399bfc64b · Plan 1 · 0 recorded decision(s)

No operation recorded. Preparation does not grant permission to execute.

▶ **Inspect proposed change**

▶ **Approval records and exact bindings**

RECORDED EVIDENCE VERIFIED PATCH HASH MATCHES

act-char-common-items

Implements exactly 7 independent characterization tests using standard-library unittest to baseline Common_Items behavior covering empty inputs, left-input ordering, left duplicate retention, right duplicate handling, unhashable element support, and input non-mutation.

Candidate candidate-7da399bfc64b-exec-v1 · Plan 1 · 1 recorded decision(s)

> VERIFIED HUMAN DECISION
>
> `eae1ddf125954a0ea3565538bd2f80b3`
>
> **7 tests run · 0 assertion failures · 0 errors**
>
> 0 additional behavior checks · 0 skipped
>
> ▶ **Execution log · hash matches**
>
> ▶ **Test outcome and execution evidence**

▶ **Inspect proposed change**

▶ **Approval records and exact bindings**

RECORDED EVIDENCE PREPARED PATCH HASH MATCHES

act-refactor-lookup

Optimizes Common_Items by providing an average-case O(N+M) set lookup fast path strictly when both inputs are exact built-in lists or tuples and all elements belong exclusively to exact built-in types (int, bool, str, bytes, or NoneType). The exact original loop is preserved as a fallback for all other input types, subclasses, unhashables, or custom objects to avoid behavioral divergences and preserve element ordering and duplicate handling.

Candidate lookup-9db457dfc447 · Plan 2 · 0 recorded decision(s)

No operation recorded. Preparation does not grant permission to execute.

▶ **Inspect proposed change**

▶ **Approval records and exact bindings**

▶ **Separate simulated / preflight evidence (3)**

04 / EVALUATE

Original review-finding evaluation

Frozen comparison results, separate from the selected run. Review precision does not measure repair success.

Four specialists

Held-out precision **0.411** · recall **1.000**

48 completed reviews · 101708 tokens

Single reviewer

Held-out precision **0.510** · recall **1.000**

48 completed reviews · 34945 tokens

This original frozen comparison missed the precision target. Its scores are preserved. The later Luna holdout and development repair outcomes are shown separately below; they do not replace this experiment.

Read corpus comparison

ADDITIONAL SCOPE / DISTINCT EVIDENCE

Repository hardening & broader evaluation

What changed

Bounded repository intake, public GitHub PR revisions, a fifth reviewer for logic correctness, dependent repair steps, and retained failure/retry evidence. Approvals still belong in the terminal.

Not yet demonstrated: a personally approved live PR repair, arbitrary dependencies, private Git hosts or general repository reliability.

Complete repair outcomes · development corpus

Four related synthetic cases, repeated twice. These are complete case outcomes, not precision or recall. All approvals below were simulated; recovery failures were deliberately injected by the harness.

Original four-reviewer workflow

2/8 complete outcomes · 25.0%

0/6 repairs resolved
2/2 clean controls preserved
0/2 forced-failure recoveries

▶ **Case-by-case outcomes (including misses)**

Expanded five-reviewer workflow

8/8 complete outcomes · 100.0%

6/6 repairs resolved
2/2 clean controls preserved
2/2 forced-failure recoveries

▶ **Case-by-case outcomes (including misses)**

The original workflow missed ordinary logic defects because no reviewer owned correctness. The tuned improvement is development evidence, not an unseen accuracy claim. Both versions are preserved.

Blinded Luna review holdout · separate accuracy experiment

Original answer key

Overall precision **72.7%**
Macro precision **85.0%**
Recall **100.0%**

▶ **Finding counts**

After human adjudication

Overall precision **100.0%**
Macro precision **100.0%**
Recall **100.0%**

▶ **Finding counts**

Twelve synthetic cases, one repeat. Three additional test-coverage findings were accepted by the project author after scoring. Original outputs and scores remain unchanged. Adjudicated targets are met on this small set; this is not independent external adjudication, a general accuracy claim, or repair success. The frozen holdout used four reviewers.

PR intake · observed scope

https://github.com/larsklanderpers/agents-assignment-5/pull/1

closed Historical Assignment 5 intake; this closed PR cannot receive a live repair approval.

Base: `9d40ee4b032ab31abebefe39faab6242f770a893`
Head: `3ec39333b23cbcb67bbdd87bcec68fb2914029af`

Three selected guardrail files were frozen; this does not claim every changed PR file was reviewed. Changed-head/base and closed-PR rejection have controlled tests.

Personal repository approval · live ledger state

These are separate development candidates, not the original rehearsal. A simulated preflight never counts as your personal approval. Status and decision counts below are reread from their ledgers.

RECORDED EVIDENCE VERIFIED PATCH HASH MATCHES

fix-email-redaction

In `sanitize_output`, remove the `if name != "email":` condition so that email addresses are properly replaced with `[EMAIL REDACTED]` along with SSN, credit cards, and phone numbers.

Candidate 828e9223a8824644bfac821a7c7f3461 · 1 recorded decision(s)

artifacts/hardening/assignment5-local-repair-20261104-v1/preparation/candidate

Scope: backend/guardrails/output_filter.py

▶ **Reviewer findings and dependent plan**

> VERIFIED HUMAN DECISION
>
> `4354e13524e14850b253dcc5dbd6c0f3`
>
> **3 tests run · 0 assertion failures · 0 errors**
>
> 0 additional behavior checks · 0 skipped
>
> ▶ **Test outcome and execution evidence**

▶ **Inspect proposed change**

▶ **Approval records and exact bindings**

▶ **Simulated repair candidates and retained failures (11)**

Back to scope overview ↑

Google ADK · Four original reviewers / five in repository hardening / LangGraph · Persistent human approval / Git + Docker · Isolated execution

This viewer reads existing evidence. Approvals and execution remain in your terminal.