

## 0.1 The equal sign, amounts and number lines

### The equal sign

As its name implies, the *equal sign*  $=$  refers to things that are the same. In what sense some things are the same is a philosophical question and initially we are bound to this: What equality  $=$  points to must be understood by the context in which the sign is used. With this understanding of  $=$  we can study some basic properties of our numbers and then later return to more precise meanings of the sign.

#### The language box

Common ways of expressing  $=$  is

- "equals"
- "is the same as"

### Amounts and number lines

There are so many things numbers can represent, however, in this book we will stick to two ways of interpreting a number; a number as an *amount* and a number as a *placement on a line*. All representations of numbers relies on the understanding of 0 and 1.

#### Numbers as amounts

Talking about an amount, the number 0 is<sup>1</sup> connected to "nothing". A figure showing nothing will therefore equal 0:

$$= 0$$

1 we'll draw like a box:

$$\square = 1$$

In this way, other numbers are defined by how many one-boxes (ones) we have:

$$\begin{array}{c} \square \\ \square \end{array} = 2$$

$$\begin{array}{c} \square \\ \square \\ \square \end{array} = 3$$

$$\begin{array}{c} \square \\ \square \\ \square \\ \square \end{array} = 4$$

---


<sup>1</sup>In [chapter ??](#) we'll see that there are also other interpretations of 0.

## Numbers as placements on a line


When placing numbers on a line, 0 is our starting point:



Now we place 1 a certain length to the right of 0:



Other numbers are now defined by how many one-lengths (ones) we are away from 0:



## Positive integers

We'll soon see that numbers do not necessarily have to be a *whole* amount of ones, but those who are have their own name:

### 0.1 Positive integers

Numbers which are a whole amount of ones are called *positive<sup>1</sup> integers*. The positive integers are

1, 2, 3, 4, 5 and so on.

Positive integers are also called *natural numbers*.

### What about 0?

Some authors also include 0 in the definition of positive integers/natural numbers. This will in some cases be beneficial, in others not.

---


<sup>1</sup>We'll see what the the word *positive* refers to in chapter [chapter ??](#).

# 0.2 Numbers, digits and value

Our numbers consists of the *digits* 0, 1, 2, 3, 4, 5, 6, 7, 8 and 9 and their *position*. The digits and their positions defines<sup>1</sup> the *value* of numbers.



## Integers larger then 10

Let's, as an example, write the number *fourteen* by our digits.



We can now make a group of 10 ones, then we also have 4 ones. By this, we write fourteen as

$$\text{fourteen} = 14$$





---

<sup>1</sup>Later on we'll see that also *signs* have an impact on a numbers value (look in [chapter ??](#)).

# Desimaltal


In many cases we don't have a whole amount of ones and this gives us the need of dividing 1 into smaller pieces. Let's start off by drawing a one:

 = 1





Now we divide our one into 10 smaller pieces:


 = 1




Since we have divided 1 into 10 pieces, we name one such piece *a tenth*:

 = a tenth





We indicate tenths by using the *decimal mark*  :

 = 0.1




## Example

 = 2.7



## The language box

In a lot of countires comma  is used as decimal mark i stead of dot:

3,5 (*other*)

3.5 (*english*)

# Base-10 positional notation


So far we have seen how we can express the value of a number by placing digits according to the amount of tens, ones and tenths and the pattern continues:

## 0.2 Base-10 positional notation

The value of a number is given by the digits 0, 1, 2, 3, 4, 5, 6, 7, 8 and 9 and their position. In respect of the digit indicating ones,

- digits to the left (respectively) indicate amount of tens, hundreds, thousands etc.
- digits to the right (respectively) indicate amount of tenths, hundredths, thousandths etc.

### Example 1



### Example 2

thousands  
hundreds  
tens  
ones  
tenths  
hundredths  
3805.72

## 0.3 Koordinatsystem

Two number lines can be put together to form a *coordinate system*. In that case we place one number line *horizontally* and one *vertically*. A position in a coordinate system is called a *point*.

In fact, there are a lot of types of coordinate systems but in this book we'll use the term about the *cartesian coordinate system*. It is named after the french mathematician and philosopher René Descartes.

A point is written as two numbers inside a bracket. The two numbers we shall call the *first coordinate* and the *second coordinate*.

- The first coordinate tells us how far we shall wander along the horizontal axis.
- The second coordinate tells us how far we shall wander along the vertical axis.

In the figure the points  $(2,3)$ ,  $(5,1)$  and  $(0,0)$  are shown. The point where the axis intersect, that is  $(0,0)$ , is called *origo*.

