BRAND ENGINE · CONNECTION GUIDE

Create a GitHub token for this computer

The token lets this browser read your private Brand Engine repository and start its GitHub Actions. Create a separate token for each computer.

---

1 Open fine-grained tokens

In GitHub, open your profile menu → **Settings** → **Developer settings** → **Personal access tokens** → **Fine-grained tokens** → **Generate new token**.

2 Name it and limit repository access

Use a recognizable name such as `Brand Engine - Laptop`. Choose the resource owner `larsstierna`, an expiration you can maintain, and **Only select repositories**. Select only `brand-engine`.

Token name *

Brand Engine - Example Device

'Brand Engine - Example Device' is available.

A unique name for this token. May be visible to resource owners or users with possession of the token.

Description

Resource owner

larsstierna

The token will only be able to make changes to resources owned by the selected resource owner. Tokens can always read all public repositories.

Expiration


90 days (Jan 12, 2027)

The token will expire on the selected date

Repository access

- ○ **Public repositories**
  Read-only access to public repositories.
- ○ **All repositories**
  This applies to all current and future repositories you own. Also includes public repositories (read-only).
- ◉ **Only select repositories**
  Select at least one repository. Max 50 repositories. Also includes public repositories (read-only)

Select repositories 1




Example: only the private Brand Engine repository is selected, with a 90-day expiry. No token is created by this guide.

3 Add only the required permissions

Under **Repository permissions**, add these two permissions and set both to **Read and write**. Keep GitHub's required **Metadata** permission at **Read-only**. Do not grant account permissions.

- **Contents**: Read and write
- **Actions**: Read and write
- **Metadata**: Read-only (required by GitHub)



These are the exact repository permissions the app needs.

4 Generate and copy the token once

Click **Generate token**, then copy the value immediately. GitHub will not show it again. Do not put this token in a repository file, an Actions secret, or a chat message.

> **This is the GitHub access token.** It is different from `ANTHROPIC_FOUNDRY_API_KEY`. The Foundry key belongs in GitHub Actions repository secrets; it does not go in this form.

5 Connect Brand Engine

Return to the app's **Settings** page. The owner, repository, and branch should be prefilled. Paste the token into **Access token**, then click **Test and connect**. The app stores it in this browser only; another computer needs its own token.

GitHub changes its screens from time to time. The screenshots are examples of the current fine-grained token form. If a token is exposed, revoke it in GitHub and create a replacement.