

Code and Data for: Reproducibility and Open Science in Economics

Lars Vilhuber

2025-11-27

- 1 Cite as
- 2 Overview
- 3 Data Availability and Provenance Statements
- 4 Computational requirements
- 5 Description of programs/code
- 6 Instructions to Replicators
- 7 List of tables, figures, and programs
- 8 Acknowledgements
- 9 References
- Appendix

File prepared for **Revue Economique**.

1 Cite as

Lars Vilhuber, 2025, “Code and Data for: Reproducibility and Open Science in Economics”, Zenodo, v20251127b, <https://doi.org/10.5281/zenodo.17739648> (<https://doi.org/10.5281/zenodo.17739648>)

DOI [10.5281/zenodo.17739648](https://doi.org/10.5281/zenodo.17739648) (<https://doi.org/10.5281/zenodo.17739648>)

2 Overview

The code in this replication package constructs most tables and figures from outside data sources. The code is in R. The replication package also includes PNG and PDF copies of screenshots and external figures, as noted below.

3 Data Availability and Provenance Statements

All data are public, and can be redistributed.

3.1 Statement about Rights

- ☒ I certify that the author(s) of the manuscript have legitimate access to and permission to use the data used in this manuscript.
- ☒ I certify that the author(s) of the manuscript have documented permission to redistribute/publish the data contained within this replication package. Appropriate permission are documented in the LICENSE.txt (LICENSE.txt) file.

3.2 License for Data

- Data fom Crossref (2023) is “is open and available for reuse without restriction” (<https://www.crossref.org/documentation/retrieve-metadata/> (<https://www.crossref.org/documentation/retrieve-metadata/>))

All derivative data contained herein, if not otherwise encumbered, is available under a CC-BY-NC-4.0 (<https://creativecommons.org/licenses/by-nc/4.0/legalcode>) license. Usage by commercial entities is permitted, reselling the data is not.

3.3 Summary of Availability

- ☒ All data are publicly available.
- ☐ Some data cannot be made publicly available.
- ☐ No data can be made publicly available.

3.4 Complete List of Data Files by Data Source

The following table lists the complete set of data files **used** by the code, and whether they are provided as part of the replication package.

Data Source	Filename	Provided
Ferguson et al (2023)	./data/christensen-2019-fig1-legend.png	TRUE
Ferguson et al (2023)	./data/christensen-2019-fig1b.png	TRUE
Ferguson et al (2023)	./data/christensen-2019-fig7-legend.png	TRUE
Ferguson et al (2023)	./data/christensen-2019-fig7.png	TRUE
Vilhuber (2025)	./data/confidential/Jira Export CSV (my defaults) 20250218210036.csv	FALSE
Vilhuber (2025)	./data/confidential/jira-search-84765891-47e0-43ec-874d-365f527ef997.xlsx	FALSE
CRAN	./data/interwrk/cran_logs/2025-02-01-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-02-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-03-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-04-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-05-r.csv.gz	TRUE

Data Source	Filename	Provided
CRAN	./data/interwrk/cran_logs/2025-02-06-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-07-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-08-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-09-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-10-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-11-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-12-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-13-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-14-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-15-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-16-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-17-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-18-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-19-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-20-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-21-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-22-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-23-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-24-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-25-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-26-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-27-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-28-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-03-01-r.csv.gz	TRUE
NSF (2024)	./data/nsf24336-tab001-005.xlsx	TRUE
U.S. Census Bureau (2024)	./data/ProjectsAllMetadata_25JUN2024.xlsx	TRUE
Baum (2025)	./data/raw/WebSTAR.log.gz	FALSE
Vilhuber (2025)	./data/jira_access_cleaned.csv	TRUE
Vilhuber (2025)	./data/jira_access_cleaned.Rds	TRUE

Data Source	Filename	Provided
CrossRef	./data/crossref_dois_enhanced.Rds	TRUE
CrossRef	./data/crossref_dois.Rds	TRUE
CRAN	./data/interwrk/cran_logs/downloaded_files_select.rds	TRUE
CRAN	./data/interwrk/r_downloads_by_country_select_nochina.csv	TRUE
CRAN	./data/interwrk/r_downloads_by_country_select_nochina.rds	TRUE
CRAN	./data/interwrk/r_downloads_by_country_select.csv	TRUE
CRAN	./data/interwrk/r_downloads_by_country_select.rds	TRUE
CRAN	./data/interwrk/r_downloads_by_global_select_nochina.csv	TRUE
CRAN	./data/interwrk/r_downloads_by_global_select_nochina.rds	TRUE
CRAN	./data/interwrk/r_downloads_by_global_select.csv	TRUE
CRAN	./data/interwrk/r_downloads_by_global_select.rds	TRUE
CRAN	./data/interwrk/r_downloads_by_region_select_nochina.csv	TRUE
CRAN	./data/interwrk/r_downloads_by_region_select_nochina.rds	TRUE
CRAN	./data/interwrk/r_downloads_by_region_select.csv	TRUE
CRAN	./data/interwrk/r_downloads_by_region_select.rds	TRUE
CRAN	./data/interwrk/r_downloads_select_combined.csv	TRUE
CRAN	./data/interwrk/r_downloads_select_combined.rds	TRUE
Baum (2025)	./data/interwrk/geolocations.rds	FALSE
Baum (2025)	./data/interwrk/ssclogs.parquet	FALSE
Baum (2025)	./data/interwrk/ssclogs.rds	FALSE
Baum (2025)	./data/interwrk/stata_downloads_by_country_select_nochina.csv	TRUE
Baum (2025)	./data/interwrk/stata_downloads_by_country_select_nochina.rds	TRUE
Baum (2025)	./data/interwrk/stata_downloads_by_country_select.csv	TRUE
Baum (2025)	./data/interwrk/stata_downloads_by_country_select.rds	TRUE
Baum (2025)	./data/interwrk/stata_downloads_by_global_select_nochina.csv	TRUE
Baum (2025)	./data/interwrk/stata_downloads_by_global_select_nochina.rds	TRUE
Baum (2025)	./data/interwrk/stata_downloads_by_global_select.csv	TRUE
Baum (2025)	./data/interwrk/stata_downloads_by_global_select.rds	TRUE
Baum (2025)	./data/interwrk/stata_downloads_by_region_select_nochina.csv	TRUE
Baum (2025)	./data/interwrk/stata_downloads_by_region_select_nochina.rds	TRUE

Data Source	Filename	Provided
Baum (2025)	./data/interwrk/stata_downloads_by_region_select.csv	TRUE
Baum (2025)	./data/interwrk/stata_downloads_by_region_select.rds	TRUE
Manually compiled	./data/issns.Rds	TRUE
Observed	./data/signal-2025-06-27-10-20-09-831.jpg	TRUE
PSID	./data/PSID Bibliography Search.pdf	TRUE
PSID	./data/Screenshot 2025-02-08 at 19-49-29 PSID Bibliography Search.png	TRUE
CASD	./data/Screenshot 2025-05-16 at 14-49-46 CASD - Centre d'accès[...].png	TRUE
Gibson (2025)	./data/crdcn-Publications-Export-2025-February-11-0901.csv	TRUE
Manually compiled	./data/stata-licenses-by-country.xlsx	TRUE

3.5 Details on each Data Source

3.5.1 Ferguson et al. (2023)

The figures were taken from Ferguson et al. (2023) and are only reformatted here for illustration. Original document, including figures, is under a CC-BY 4.0 (<http://creativecommons.org/licenses/by/4.0/>) license.

Data Source	Filename	Provided
Ferguson et al (2023)	./data/christensen-2019-fig1-legend.png	TRUE
Ferguson et al (2023)	./data/christensen-2019-fig1b.png	TRUE
Ferguson et al (2023)	./data/christensen-2019-fig7-legend.png	TRUE
Ferguson et al (2023)	./data/christensen-2019-fig7.png	TRUE

3.5.2 Access statistics for AEA journals

The access statistics were extracted by me from internal AEA systems used by the AEA Data Editor. Similar statistics are published in Vilhuber (2025). The direct extracts are confidential and not provided, but the code produces distributable data, which are included here.

Users with access to the confidential data need to specify environment variables

```
#DROPBOX_SECRET_BASE=""
#DROPBOX_SECRET_RLKEY=""
```

in their `.Renvi` file or Unix environment, to allow the code to download the confidential data from a private Dropbox folder. The data will be preserved for 5 years after publication of the manuscript.

Data Source	Filename	Provided
Vilhuber (2025)	./data/confidential/Jira Export CSV (my defaults) 20250218210036.csv	FALSE
Vilhuber (2025)	./data/confidential/jira-search-84765891-47e0-43ec-874d-365f527ef997.xlsx	FALSE
Vilhuber (2025)	./data/jira_access_cleaned.csv	TRUE
Vilhuber (2025)	./data/jira_access_cleaned.Rds	TRUE

3.5.3 Crossref data

Data were accessed in 2024 (Crossref 2023). The CrossRef database is described in Hendricks et al. (2020). CrossRef data are accessed via an API, and can be updated over time. The derived data are included in this deposit. I use a hand-curated list of ISSNs to identify publishers.

Data Source	Filename	Provided
CrossRef	./data/crossref_dois_enhanced.Rds	TRUE
CrossRef	./data/crossref_dois.Rds	TRUE

3.5.4 Stata download data

Stata download statistics were provided by Kit Baum in February 2025. They are not included here, because they contain IP addresses. Derivative files are provided.

Data Source	Filename	Provided
Baum (2025)	./data/raw/WebSTAR.log.gz	FALSE
Baum (2025)	./data/interwrk/geolocations.rds	FALSE
Baum (2025)	./data/interwrk/ssclogs.parquet	FALSE
Baum (2025)	./data/interwrk/ssclogs.rds	FALSE
Baum (2025)	./data/interwrk/stata_downloads_by_country_select_nochina.csv	TRUE
Baum (2025)	./data/interwrk/stata_downloads_by_country_select_nochina.rds	TRUE
Baum (2025)	./data/interwrk/stata_downloads_by_country_select.csv	TRUE
Baum (2025)	./data/interwrk/stata_downloads_by_country_select.rds	TRUE
Baum (2025)	./data/interwrk/stata_downloads_by_global_select_nochina.csv	TRUE
Baum (2025)	./data/interwrk/stata_downloads_by_global_select_nochina.rds	TRUE
Baum (2025)	./data/interwrk/stata_downloads_by_global_select.csv	TRUE
Baum (2025)	./data/interwrk/stata_downloads_by_global_select.rds	TRUE
Baum (2025)	./data/interwrk/stata_downloads_by_region_select_nochina.csv	TRUE
Baum (2025)	./data/interwrk/stata_downloads_by_region_select_nochina.rds	TRUE

Data Source	Filename	Provided
Baum (2025)	./data/interwrk/stata_downloads_by_region_select.csv	TRUE
Baum (2025)	./data/interwrk/stata_downloads_by_region_select.rds	TRUE
Manually compiled	./data/issns.Rds	TRUE

3.5.5 R download statistics

R download statistics for the Rstudio servers were downloaded in March 2025.

Data Source	Filename	Provided
CRAN	./data/interwrk/cran_logs/2025-02-01-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-02-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-03-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-04-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-05-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-06-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-07-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-08-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-09-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-10-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-11-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-12-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-13-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-14-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-15-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-16-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-17-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-18-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-19-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-20-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-21-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-22-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-23-r.csv.gz	TRUE

Data Source	Filename	Provided
CRAN	./data/interwrk/cran_logs/2025-02-24-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-25-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-26-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-27-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-02-28-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/2025-03-01-r.csv.gz	TRUE
CRAN	./data/interwrk/cran_logs/downloaded_files_select.rds	TRUE
CRAN	./data/interwrk/r_downloads_by_country_select_nochina.csv	TRUE
CRAN	./data/interwrk/r_downloads_by_country_select_nochina.rds	TRUE
CRAN	./data/interwrk/r_downloads_by_country_select.csv	TRUE
CRAN	./data/interwrk/r_downloads_by_country_select.rds	TRUE
CRAN	./data/interwrk/r_downloads_by_global_select_nochina.csv	TRUE
CRAN	./data/interwrk/r_downloads_by_global_select_nochina.rds	TRUE
CRAN	./data/interwrk/r_downloads_by_global_select.csv	TRUE
CRAN	./data/interwrk/r_downloads_by_global_select.rds	TRUE
CRAN	./data/interwrk/r_downloads_by_region_select_nochina.csv	TRUE
CRAN	./data/interwrk/r_downloads_by_region_select_nochina.rds	TRUE
CRAN	./data/interwrk/r_downloads_by_region_select.csv	TRUE
CRAN	./data/interwrk/r_downloads_by_region_select.rds	TRUE
CRAN	./data/interwrk/r_downloads_select_combined.csv	TRUE
CRAN	./data/interwrk/r_downloads_select_combined.rds	TRUE

3.5.6 NSF Doctorate Recipients National Science Foundation (2024)

The Excel file was downloaded in January 2025, and was created in 2024 by the National Center for Science and Engineering Statistics. Numbers were manually inserted into the text. Data published by the NSF is habitually in the public domain, no copyright is claimed in the United States.

Data Source	Filename	Provided
NSF (2024)	./data/nsf24336-tab001-005.xlsx	TRUE

3.5.7 U.S. Census Bureau (2024)

The Excel file with participants in Census Bureau-related research projects was downloaded in January 2025 from Github. As of June 2025, the Github repository had been made private. Data published by the U.S. Census Bureau is habitually in the public domain, no copyright is claimed in the United States.

Data Source	Filename	Provided
U.S. Census Bureau (2024)	./data/ProjectsAllMetadata_25JUN2024.xlsx	TRUE

3.5.8 Data on Norwegian economists

The data on Norwegian economists was obtained from the RePEc page IDEAS//RePEc (2025), and manually transcribed.

3.5.9 Data on NBER affiliates

Data on the number of NBER affiliates was observed from the NBER website National Bureau of Economic Research (2025), and manually transcribed.

3.5.10 Data on J-PAL affiliates

Data on the number of J-PAL affiliates was observed from the J-PAL website Abdul Latif Jameel Poverty Action Lab (2025) and manually transcribed.

3.5.11 Data on PSID publications

Data on the number of PSID publications was obtained from the PSID website. A PDF and screenshot are provided in this package. The website and date accessed are listed in Footnote 10.

Data Source	Filename	Provided
PSID	./data/PSID Bibliography Search.pdf	TRUE
PSID	./data/Screenshot 2025-02-08 at 19-49-29 PSID Bibliography Search.png	TRUE

3.5.12 Data on SOEP publications

Data on the number of SOEP publications was obtained from the SOEP website. The website and date accessed are listed in Footnote 9.

3.5.13 Data on CASD publications

Data on the number of CASD publications was obtained from the CASD website. A screenshot is provided in this package. The website and date accessed are listed in Footnote 13.

Data Source	Filename	Provided
CASD	./data/Screenshot 2025-05-16 at 14-49-46 CASD - Centre d'accès[...].png	TRUE


3.5.14 Data on CRDCN publications

Data on the number of CRDCN-related publications was obtained from Grant Gibson, see Footnote 14. The data are observable on the CRDCN website, but hard to scrape. The data file is provided here, with Gibson’s permission.

Data Source	Filename	Provided
Gibson (2025)	./data/crdcn-Publications-Export-2025-February-11-0901.csv	TRUE

3.5.15 Data on Stata licenses and computer costs

Stata licenses were obtained in June 2025 from the StataCorp website. Laptop prices were observed on HP.com website for the USA and Germany for roughly similar models, and on Shopee.vn for Vietnam. A screenshot for Vietnam is included.



Data Source	Filename	Provided
Observed	./data/signal-2025-06-27-10-20-09-831.jpg	TRUE

4 Computational requirements

4.1 Software Requirements

- ☒The replication package contains one or more programs to install all dependencies and set up
- the necessary directory structure.

- R version 4.5.1 (2025-06-13) on x86_64, linux-gnu
 - Docker image is used, with system libraries defined by the relevant image (rocker/geospatial:4.5.1 (<https://hub.docker.com/r/rocker/>)) (optional, but recommended)
 - Posit Package Manager, PPM (<https://packagemanager.posit.co/client/>) is used, set to the time-stamped date defined by the container image (rocker/geospatial:4.5.1)
 - Libraries are managed through `renv` .

Libraries are defined in

`_readme/libraries.R`

`code/libraries.R`

4.1.1 Software citations

Only directly loaded libraries are cited.

Package	Version	Citation
arrow	20.0.0.2	Richardson et al. (2025)
base	4.5.1	R Core Team (2025)
countrycode	1.6.1	Arel-Bundock, Enevoldsen, and Yetman (2018)
devtools	2.4.5	Wickham et al. (2022)
ggpattern	1.1.4	FC, Davis, and ggplot2 authors (2025)
here	1.0.1	Müller (2020)
kableExtra	1.4.0	Zhu (2024)
knitr	1.49	Xie (2014); Xie (2015); Xie (2024)
mapdata	2.3.1	Richard A. Becker and Ray Brownrigg. (2022)
maps	3.4.3	Becker et al. (2025)
patchwork	1.3.1	Pedersen (2025)
rcrossref	1.2.0	Chamberlain et al. (2022)
remotes	2.5.0	Csárdi et al. (2024)
renv	1.1.1	Ushey and Wickham (2025)
rgeolocate	1.4.2	Keyes et al. (2021)
rmarkdown	2.29	Xie, Allaire, and Golemund (2018); Xie, Dervieux, and Riederer (2020); Allaire et al. (2024)
rprojroot	2.0.4	Müller (2023)
scales	1.3.0	Wickham, Pedersen, and Seidel (2023)

Package	Version	Citation
skimr	2.1.5	Waring et al. (2022)
tidylog	1.1.0	Elbers (2024)
tidyverse	2.0.0	Wickham et al. (2019)
viridis	0.6.5	Garnier et al. (2024)
xtable	1.8.4	Dahl et al. (2019)
yaml	2.3.10	Garbett et al. (2024)

4.2 Controlled Randomness

- ☐ Random seed is set at line _____ of program _____
- ☒ No Pseudo random generator is used in the analysis described here.

Note that re-running the API queries (turned off by default) **will** generate different data, which is likely to affect the regression output.

4.3 Memory, Runtime, Storage Requirements

4.3.1 Summary

Approximate time needed to reproduce the analyses on a standard (CURRENT YEAR) desktop machine (when not running API queries):

- ☐ <10 minutes
- ☒ 10-60 minutes
- ☐ 1-2 hours
- ☐ 2-8 hours
- ☐ 8-24 hours
- ☐ 1-3 days
- ☐ 3-14 days
- ☐ > 14 days

API queries can take a long time, are not guaranteed to work, and are not guaranteed to return the same results. All API queries are stored as of the last run, and made available in the replication package.

Approximate storage space needed:

- ☐ < 25 MBytes
- ☒ 25 MB - 250 MB
- ☐ 250 MB - 2 GB

☐ 2 GB - 25 GB☐ 25 GB - 250 GB☐ > 250 GB☐ Not feasible to run on a desktop machine, as described below.

4.3.2 Details

The code was last run on (see Appendix)

- R version 4.5.1 (2025-06-13)
- os: openSUSE Leap 15.6
- Processor: 13th Gen Intel(R) Core(TM) i7-1365U, 12 cores
- Memory available: 30GB memory

5 Description of programs/code

Each numbered R program can be run independently, in the sequence implied by the numbering scheme. A convenience bash main script (`run.sh`) to run all programs is provided in the root of the project, and will run all data cleaning and analysis programs.

Of note, several programs leverage APIs, which can yield different results, and might take long time. The programs will detect previously downloaded data files, and skip the download part if those files are present. To start with a fresh download, delete the following files:

Internet access is required to run the programs,

- to download the key input files

5.1 License for Code

The code (all files ending in `.R` , `.Rmd` , and `.sh`) is licensed under a BSD license. See `LICENSE.txt` (`LICENSE.txt`) for details.

6 Instructions to Replicators

If using Docker image on Linux or macOS system:

- run `start_rstudio.sh` and connect to `https://localhost:8787` (`https://localhost:8787`)
- in the “Terminal” of the RStudio app, run `bash ./run.sh`

or equivalently,

- in the terminal of a computer with Docker installed, run `bash ./run_docker.sh ./run.sh`

Alternative ways to run this (these were not tested):

- optionally, before running project code, run `Rscript -e "renv::restore()"` (on Windows, `Rscript.exe -e "renv::restore()"`) to isolate the project libraries from your system (assumes

renv is installed, see renv (<https://rstudio.github.io/renv/articles/renv.html>)).

- Using the same R version as described above, run each program individually as desired, in the order indicated above.

6.1 Details

Filename	Note
config.R	Basic configuration
code/libraries.R	Defines libraries used globally in various pieces (data acquisition, analysis)
code/01_compute_econphd.R	Computes the number of Econ grads from NSF data.
code/02_convert_tables.R	Converts variables tables from Excel to LaTeX
code/03_tabulate_access_aea.R	Reads private AEA data and writes cleaned data
code/04_tabulate_access_categories.R	Tabulate AEA access outcomes
code/11_get_crossref.R	Get full list of NBER publications, print out in-text numbers.
code/13_analyse_authors.R	Unduplicates authors, prints out in-text numbers
code/20_geocode_stata_step1.R	Uses data provided by Kit Baum and writes out intermediate file
code/21_geocode_stata_step2.R	Uses Geolite database and host command to identify geography of IP addresses
code/22_generate_download_map.R	Uses geocoded download data to create map.
code/25_download_R_logs.R	Download Posit/CRAN logs
code/26_aggregate_data.R	Aggregates Posit/CRAN data by country
code/27_map_R_by_country.R	Creates maps, and computes regional statistics for R download
code/28_stata_map_by_country.R	Creates maps, and computes regional statistics for Stata download
code/29_compare_stata_r_by_region.R	Loads the regional and North/South statistics from the R and Stata analyses, # computes the percent difference, and outputs combined tables and a horizontal histogram of differences.
code/99_zz_info.R	System information on the system running the code
code/99_zzz_compile_readme.R	Compiles the README
_readme/libraries.R	Defines libraries used for the documentation only

7 List of tables, figures, and programs

The provided code reproduces:

☒ All numbers provided in text in the paper

☒ **All tables and figures in the paper**

☐ **Selected tables and figures in the paper, as explained and justified below.**

The code also produces numerous tables which were not included in the paper, and are used for the in-text numbers.

8 Acknowledgements

This README based on the template (V1.1) created by Vilhuber et al. (2022)

README was compiled on

- OS: “Ubuntu 24.04.3 LTS”
- Processor: 13th Gen Intel(R) Core(TM) i7-1365U, 12 cores
- Memory available: 30GB memory
- R version 4.5.1 (2025-06-13) on x86_64, linux-gnu

9 References

- Abdul Latif Jameel Poverty Action Lab. 2025. “Affiliated Professors.” <https://web.archive.org/web/20250117031829/https://www.povertyactionlab.org/affiliated-professors/all> (<https://web.archive.org/web/20250117031829/https://www.povertyactionlab.org/affiliated-professors/all>).
- Allaire, JJ, Yihui Xie, Christophe Dervieux, Jonathan McPherson, Javier Luraschi, Kevin Ushey, Aron Atkins, et al. 2024. *rmarkdown: Dynamic Documents for r*. <https://github.com/rstudio/rmarkdown> (<https://github.com/rstudio/rmarkdown>).
- Arel-Bundock, Vincent, Nils Enevoldsen, and CJ Yetman. 2018. “countrycode: An r Package to Convert Country Names and Country Codes.” *Journal of Open Source Software* 3 (28): 848. <https://doi.org/10.21105/joss.00848> (<https://doi.org/10.21105/joss.00848>).
- Becker, Richard A., Allan R. Wilks, Ray Brownrigg, Thomas P. Minka, and Alex Deckmyn. 2025. *maps: Draw Geographical Maps*. <https://github.com/adeckmyn/maps> (<https://github.com/adeckmyn/maps>).
- Chamberlain, Scott, Hao Zhu, Najko Jahn, Carl Boettiger, and Karthik Ram. 2022. *rcrossref: Client for Various “CrossRef” “APIs”*. <https://docs.ropensci.org/rcrossref/> (<https://docs.ropensci.org/rcrossref/>).
- Crossref. 2023. “Crossref API.” Dataset extracted 2023-10-12. <https://www.crossref.org/documentation/retrieve-metadata/rest-api/> (<https://www.crossref.org/documentation/retrieve-metadata/rest-api/>).
- Csárdi, Gábor, Jim Hester, Hadley Wickham, Winston Chang, Martin Morgan, and Dan Tenenbaum. 2024. *remotes: R Package Installation from Remote Repositories, Including “GitHub”*. <https://remotes.r-lib.org> (<https://remotes.r-lib.org>).
- Dahl, David B., David Scott, Charles Roosen, Arni Magnusson, and Jonathan Swinton. 2019. *xtable: Export Tables to LaTeX or HTML*. <http://xtable.r-forge.r-project.org/> (<http://xtable.r-forge.r-project.org/>).
- Elbers, Benjamin. 2024. *tidylog: Logging for “dplyr” and “tidyr” Functions*. <https://github.com/elbersb/tidylog> (<https://github.com/elbersb/tidylog>).
- FC, Mike, Trevor L. Davis, and ggplot2 authors. 2025. *ggpattern: “ggplot2” Pattern Geoms*. <https://github.com/trevorld/ggpattern> (<https://github.com/trevorld/ggpattern>).
- Ferguson, Joel, Rebecca Littman, Garret Christensen, Elizabeth Levy Paluck, Nicholas Swanson, Zenan Wang, Edward Miguel, David Birke, and John-Henry Pezzuto. 2023. “Survey of Open Science Practices and Attitudes in the Social Sciences.” *Nature Communications* 14 (1): 5401. <https://doi.org/10.1038/>

- s41467-023-41111-1 (<https://doi.org/10.1038/s41467-023-41111-1>).
- Garbett, Shawn P, Jeremy Stephens, Kirill Simonov, Yihui Xie, Zhuoer Dong, Hadley Wickham, Jeffrey Horner, et al. 2024. *yaml: Methods to Convert r Data to YAML and Back*. <https://github.com/vubioestat/r-yaml/> (<https://github.com/vubioestat/r-yaml/>).
- Garnier, Simon, Ross, Noam, Rudis, Robert, Camargo, et al. 2024. *viridis(Lite) - Colorblind-Friendly Color Maps for r*. <https://doi.org/10.5281/zenodo.4679423> (<https://doi.org/10.5281/zenodo.4679423>).
- Hendricks, Ginny, Dominika Tkaczyk, Jennifer Lin, and Patricia Feeney. 2020. "Crossref: The sustainable source of community-owned scholarly metadata." *Quantitative Science Studies* 1 (1): 414–27. https://doi.org/10.1162/qss_a_00022 (https://doi.org/10.1162/qss_a_00022).
- IDEAS//RePEc. 2025. "Within Country and State Economics Rankings: Norway." <https://web.archive.org/web/20250117034629/https://ideas.repec.org/top/top.norway.html> (<https://web.archive.org/web/20250117034629/https://ideas.repec.org/top/top.norway.html>).
- Keyes, Os, Drew Schmidt, David Robinson, Chris Davis, Bob Rudis, Maxmind, Inc., Pascal Gloor, and IP2Location.com. 2021. *rgeolocate: IP Address Geolocation*.
- Müller, Kirill. 2020. *here: A Simpler Way to Find Your Files*. <https://here.r-lib.org/> (<https://here.r-lib.org/>).
- . 2023. *rprojroot: Finding Files in Project Subdirectories*. <https://rprojroot.r-lib.org/> (<https://rprojroot.r-lib.org/>).
- National Bureau of Economic Research. 2025. "Affiliated Scholars." <https://web.archive.org/web/20250110073711/https://www.nber.org/affiliated-scholars?page=1&perPage=50> (<https://web.archive.org/web/20250110073711/https://www.nber.org/affiliated-scholars?page=1&perPage=50>).
- National Science Foundation. 2024. "Doctorate Recipients from U.S. Universities: 2023." Report NSF 25-300. <https://ncses.nsf.gov/pubs/nsf25300> (<https://ncses.nsf.gov/pubs/nsf25300>).
- Pedersen, Thomas Lin. 2025. *patchwork: The Composer of Plots*. <https://patchwork.data-imaginist.com> (<https://patchwork.data-imaginist.com>).
- R Core Team. 2025. *R: A Language and Environment for Statistical Computing*. Vienna, Austria: R Foundation for Statistical Computing. <https://www.R-project.org/> (<https://www.R-project.org/>).
- Richard A. Becker, Original S code by, and Allan R. Wilks. R version by Ray Brownrigg. 2022. *mapdata: Extra Map Databases*.
- Richardson, Neal, Ian Cook, Nic Crane, Dewey Dunnington, Romain François, Jonathan Keane, Dragoş Moldovan-Grünfeld, Jeroen Ooms, Jacob Wujciak-Jens, and Apache Arrow. 2025. *arrow: Integration to "Apache" "Arrow"*. <https://github.com/apache/arrow/> (<https://github.com/apache/arrow/>).
- U.S. Census Bureau. 2024. "Uscensusbureau/Fsrdc-External-Census-Projects at 2625c2169f2d1b22cac262b90f7af87b7e969d6b." Github. <https://github.com/uscensusbureau/fsrdc-external-census-projects/tree/2625c2169f2d1b22cac262b90f7af87b7e969d6b> (<https://github.com/uscensusbureau/fsrdc-external-census-projects/tree/2625c2169f2d1b22cac262b90f7af87b7e969d6b>).
- Ushey, Kevin, and Hadley Wickham. 2025. *renv: Project Environments*. <https://rstudio.github.io/renv/> (<https://rstudio.github.io/renv/>).
- Vilhuber, Lars. 2025. "Report of the AEA Data Editor." *AEA Papers and Proceedings*, May.
- Vilhuber, Lars, Marie Connolly, Miklós Koren, Joan Llull, and Peter Morrow. 2022. "A Template README for Social Science Replication Packages." v1.1.0. Zenodo. <https://doi.org/10.5281/zenodo.7293838> (<https://doi.org/10.5281/zenodo.7293838>).
- Waring, Elin, Michael Quinn, Amelia McNamara, Eduardo Arino de la Rubia, Hao Zhu, and Shannon Ellis. 2022. *skimr: Compact and Flexible Summaries of Data*. <https://docs.ropensci.org/skimr/> (<https://docs.ropensci.org/skimr/>).
- Wickham, Hadley, Mara Averick, Jennifer Bryan, Winston Chang, Lucy D'Agostino McGowan, Romain François, Garrett Grolemond, et al. 2019. "Welcome to the tidyverse." *Journal of Open Source Software* 4 (43): 1686. <https://doi.org/10.21105/joss.01686> (<https://doi.org/10.21105/joss.01686>).

- Wickham, Hadley, Jim Hester, Winston Chang, and Jennifer Bryan. 2022. *devtools: Tools to Make Developing r Packages Easier*. <https://devtools.r-lib.org/> (<https://devtools.r-lib.org/>).
- Wickham, Hadley, Thomas Lin Pedersen, and Dana Seidel. 2023. *scales: Scale Functions for Visualization*. <https://scales.r-lib.org> (<https://scales.r-lib.org>).
- Xie, Yihui. 2014. “knitr: A Comprehensive Tool for Reproducible Research in R.” In *Implementing Reproducible Computational Research*, edited by Victoria Stodden, Friedrich Leisch, and Roger D. Peng. Chapman; Hall/CRC.
- . 2015. *Dynamic Documents with R and Knitr*. 2nd ed. Boca Raton, Florida: Chapman; Hall/CRC. <https://yihui.org/knitr/> (<https://yihui.org/knitr/>).
- . 2024. *knitr: A General-Purpose Package for Dynamic Report Generation in r*. <https://yihui.org/knitr/> (<https://yihui.org/knitr/>).
- Xie, Yihui, J. J. Allaire, and Garrett Grolemund. 2018. *R Markdown: The Definitive Guide*. Boca Raton, Florida: Chapman; Hall/CRC. <https://bookdown.org/yihui/rmarkdown> (<https://bookdown.org/yihui/rmarkdown>).
- Xie, Yihui, Christophe Dervieux, and Emily Riederer. 2020. *R Markdown Cookbook*. Boca Raton, Florida: Chapman; Hall/CRC. <https://bookdown.org/yihui/rmarkdown-cookbook> (<https://bookdown.org/yihui/rmarkdown-cookbook>).
- Zhu, Hao. 2024. *kableExtra: Construct Complex Table with “kable” and Pipe Syntax*. <http://haozhu233.github.io/kableExtra/> (<http://haozhu233.github.io/kableExtra/>).

Appendix

9.1 Appendix: System and package info

Packages are listed here if they are loaded by the code.

```
## — Session info —————
## setting value
## version R version 4.5.1 (2025-06-13)
## os      openSUSE Leap 15.6
## system  x86_64, linux-gnu
## ui      X11
## language (EN)
## collate en_US.UTF-8
## ctype   en_US.UTF-8
## tz      America/Montreal
## date    2025-08-13
## pandoc  3.1.11.1 @ /usr/bin/pandoc
## quarto  1.6.40 @ /home/vilhuber/bin/quarto
##
## — Packages —————
## ! package      * version date (UTC) lib source
## P cachem        1.1.0   2024-05-16 [?] CRAN (R 4.5.0)
##   cli           3.6.5   2025-04-23 [1] RSPM (R 4.5.1)
## P devtools      2.4.5   2022-10-11 [?] RSPM
## P digest        0.6.37  2024-08-19 [?] RSPM (R 4.5.0)
## P ellipsis      0.3.2   2021-04-29 [?] RSPM
## P fastmap       1.2.0   2024-05-15 [?] CRAN (R 4.5.0)
## P fs            1.6.5   2024-10-30 [?] RSPM (R 4.5.0)
## P glue          1.8.0   2024-09-30 [?] CRAN (R 4.5.0)
## P here          1.0.1   2020-12-13 [?] RSPM (R 4.5.0)
## P htmltools     0.5.8.1 2024-04-04 [?] RSPM (R 4.5.0)
## P htmlwidgets  1.6.4   2023-12-06 [?] RSPM (R 4.5.0)
## P httpuv        1.6.15  2024-03-26 [?] RSPM (R 4.5.0)
## P later         1.4.1   2024-11-27 [?] RSPM (R 4.5.0)
## P lifecycle     1.0.4   2023-11-07 [?] CRAN (R 4.5.0)
## P magrittr      2.0.3   2022-03-30 [?] CRAN (R 4.5.0)
## P memoise       2.0.1   2021-11-26 [?] CRAN (R 4.5.0)
##   mime          0.13    2025-03-17 [1] RSPM (R 4.5.0)
## P miniUI        0.1.1.1 2018-05-18 [?] RSPM (R 4.5.0)
## P pkgbuild      1.4.8   2025-05-26 [?] RSPM
## P pkgload       1.4.0   2024-06-28 [?] RSPM
## P profvis       0.4.0   2024-09-20 [?] RSPM
## P promises      1.3.2   2024-11-28 [?] RSPM (R 4.5.0)
## P purrr         1.0.4   2025-02-05 [?] CRAN (R 4.5.0)
## P R6            2.6.1   2025-02-15 [?] CRAN (R 4.5.0)
## P Rcpp          1.0.14  2025-01-12 [?] RSPM (R 4.5.0)
## P remotes       2.5.0   2024-03-17 [?] RSPM (R 4.5.0)
##   renv          1.1.1   2025-02-07 [1] RSPM (R 4.5.0)
##   rlang         1.1.6   2025-04-11 [1] RSPM (R 4.5.1)
## P rprojroot     2.0.4   2023-11-05 [?] RSPM (R 4.5.0)
## P sessioninfo   1.2.3   2025-02-05 [?] RSPM
## P shiny         1.10.0  2024-12-14 [?] RSPM (R 4.5.0)
## P urlchecker    1.0.1   2021-11-30 [?] RSPM
## P usethis       3.1.0   2024-11-26 [?] RSPM
## P vctrs         0.6.5   2023-12-01 [?] CRAN (R 4.5.0)
```

```
## P xtable          1.8-4    2019-04-21 [?] RSPM (R 4.5.0)
##
## [1] /home/vilhuber/Workspace/Github/economics-open-science/renv/library/linux-ope
nsuse-leap-15.6/R-4.5/x86_64-suse-linux-gnu
## [2] /home/vilhuber/.cache/R/renv/sandbox/linux-opensuse-leap-15.6/R-4.5/x86_64-su
se-linux-gnu/60c4e220
##
## P — Loaded and on-disk path mismatch.
##
## _____
##
## platform          -
## arch              x86_64-suse-linux-gnu
## arch              x86_64
## os                linux-gnu
## system            x86_64, linux-gnu
## status
## major             4
## minor             5.1
## year              2025
## month             06
## day               13
## svn rev           88306
## language          R
## version.string    R version 4.5.1 (2025-06-13)
## nickname          Great Square Root
```

9.2 Appendix: R Libraries Available on This System

This lists the packages that are installed. If you are not using a package environment manager, this list might be very long and useless.

9.2.1 renv Environment Detected

List of installed packages (186 total)

	Package	Version	Source	Installed
arrow	arrow	20.0.0.2	Repository	TRUE
askpass	askpass	1.2.1	Repository	TRUE
assertthat	assertthat	0.2.1	Repository	TRUE
backports	backports	1.5.0	Repository	TRUE
base64enc	base64enc	0.1-3	Repository	TRUE
bit	bit	4.6.0	Repository	TRUE
bit64	bit64	4.6.0-1	Repository	TRUE
blob	blob	1.2.4	Repository	TRUE

	Package	Version	Source	Installed
brew	brew	1.0-10	Repository	TRUE
brio	brio	1.1.5	Repository	TRUE
broom	broom	1.0.8	Repository	TRUE
bslib	bslib	0.9.0	Repository	TRUE
cachem	cachem	1.1.0	Repository	TRUE
callr	callr	3.7.6	Repository	TRUE
cellranger	cellranger	1.1.0	Repository	TRUE
class	class	7.3-22	Repository	TRUE
classInt	classInt	0.4-11	Repository	TRUE
cli	cli	3.6.5	Repository	TRUE
clipr	clipr	0.8.0	Repository	TRUE
clisymbols	clisymbols	1.2.0	Repository	TRUE
colorspace	colorspace	2.1-1	Repository	TRUE
commonmark	commonmark	1.9.2	Repository	TRUE
conflicted	conflicted	1.2.0	Repository	TRUE
countrycode	countrycode	1.6.1	Repository	TRUE
cpp11	cpp11	0.5.2	Repository	TRUE
crayon	crayon	1.5.3	Repository	TRUE
credentials	credentials	2.0.2	Repository	TRUE
crosstalk	crosstalk	1.2.1	Repository	TRUE
crul	crul	1.5.0	Repository	TRUE
curl	curl	6.4.0	Repository	TRUE
data.table	data.table	1.17.6	Repository	TRUE
DBI	DBI	1.2.3	Repository	TRUE
dbplyr	dbplyr	2.5.0	Repository	TRUE
desc	desc	1.4.3	Repository	TRUE
devtools	devtools	2.4.5	Repository	TRUE
diffobj	diffobj	0.3.6	Repository	TRUE
digest	digest	0.6.37	Repository	TRUE
downlit	downlit	0.4.4	Repository	TRUE

	Package	Version	Source	Installed
dplyr	dplyr	1.1.4	Repository	TRUE
DT	DT	0.33	Repository	TRUE
dtplyr	dtplyr	1.3.1	Repository	TRUE
e1071	e1071	1.7-16	Repository	TRUE
ellipsis	ellipsis	0.3.2	Repository	TRUE
evaluate	evaluate	1.0.3	Repository	TRUE
fansi	fansi	1.0.6	Repository	TRUE
farver	farver	2.1.2	Repository	TRUE
fastmap	fastmap	1.2.0	Repository	TRUE
fontawesome	fontawesome	0.5.3	Repository	TRUE
forcats	forcats	1.0.0	Repository	TRUE
fs	fs	1.6.5	Repository	TRUE
gargle	gargle	1.5.2	Repository	TRUE
generics	generics	0.1.3	Repository	TRUE
gert	gert	2.1.5	Repository	TRUE
ggpattern	ggpattern	1.1.4	Repository	TRUE
ggplot2	ggplot2	3.5.1	Repository	TRUE
gh	gh	1.5.0	Repository	TRUE
gitcreds	gitcreds	0.1.2	Repository	TRUE
glue	glue	1.8.0	Repository	TRUE
googledrive	googledrive	2.1.1	Repository	TRUE
googlesheets4	googlesheets4	1.1.1	Repository	TRUE
grateful	grateful	0.3.0	GitHub	TRUE
gridExtra	gridExtra	2.3	Repository	TRUE
gridpattern	gridpattern	1.3.1	Repository	TRUE
gtable	gtable	0.3.6	Repository	TRUE
haven	haven	2.5.5	Repository	TRUE
here	here	1.0.1	Repository	TRUE
highr	highr	0.11	Repository	TRUE
hms	hms	1.1.3	Repository	TRUE

	Package	Version	Source	Installed
htmltools	htmltools	0.5.8.1	Repository	TRUE
htmlwidgets	htmlwidgets	1.6.4	Repository	TRUE
httpcode	httpcode	0.3.0	Repository	TRUE
httpuv	httpuv	1.6.15	Repository	TRUE
httr	httr	1.4.7	Repository	TRUE
httr2	httr2	1.2.1	Repository	TRUE
ids	ids	1.0.1	Repository	TRUE
ini	ini	0.3.1	Repository	TRUE
isoband	isoband	0.2.7	Repository	TRUE
jquerylib	jquerylib	0.1.4	Repository	TRUE
jsonlite	jsonlite	2.0.0	Repository	TRUE
kableExtra	kableExtra	1.4.0	Repository	TRUE
KernSmooth	KernSmooth	2.23-21	Repository	TRUE
knitr	knitr	1.49	Repository	TRUE
labeling	labeling	0.4.3	Repository	TRUE
later	later	1.4.1	Repository	TRUE
lattice	lattice	0.22-6	Repository	TRUE
lazyeval	lazyeval	0.2.2	Repository	TRUE
lifecycle	lifecycle	1.0.4	Repository	TRUE
lubridate	lubridate	1.9.4	Repository	TRUE
magrittr	magrittr	2.0.3	Repository	TRUE
mapdata	mapdata	2.3.1	Repository	TRUE
maps	maps	3.4.3	Repository	TRUE
MASS	MASS	7.3-64	Repository	TRUE
Matrix	Matrix	1.7-2	Repository	TRUE
memoise	memoise	2.0.1	Repository	TRUE
mgcv	mgcv	1.9-1	Repository	TRUE
mime	mime	0.13	Repository	TRUE
miniUI	miniUI	0.1.1.1	Repository	TRUE
modelr	modelr	0.1.11	Repository	TRUE

	Package	Version	Source	Installed
munsell	munsell	0.5.1	Repository	TRUE
nlme	nlme	3.1-167	Repository	TRUE
openssl	openssl	2.3.3	Repository	TRUE
patchwork	patchwork	1.3.1	Repository	TRUE
pillar	pillar	1.11.0	Repository	TRUE
pkgbuild	pkgbuild	1.4.8	Repository	TRUE
pkgconfig	pkgconfig	2.0.3	Repository	TRUE
pkgdown	pkgdown	2.1.3	Repository	TRUE
pkgload	pkgload	1.4.0	Repository	TRUE
plyr	plyr	1.8.9	Repository	TRUE
png	png	0.1-8	Repository	TRUE
praise	praise	1.0.0	Repository	TRUE
prettyunits	prettyunits	1.2.0	Repository	TRUE
processx	processx	3.8.6	Repository	TRUE
profvis	profvis	0.4.0	Repository	TRUE
progress	progress	1.2.3	Repository	TRUE
promises	promises	1.3.2	Repository	TRUE
proxy	proxy	0.4-27	Repository	TRUE
ps	ps	1.9.1	Repository	TRUE
purrr	purrr	1.0.4	Repository	TRUE
R6	R6	2.6.1	Repository	TRUE
ragg	ragg	1.4.0	Repository	TRUE
rappdirs	rappdirs	0.3.3	Repository	TRUE
rcmdcheck	rcmdcheck	1.4.0	Repository	TRUE
RColorBrewer	RColorBrewer	1.1-3	Repository	TRUE
Rcpp	Rcpp	1.0.14	Repository	TRUE
rcrossref	rcrossref	1.2.0	Repository	TRUE
readr	readr	2.1.5	Repository	TRUE
readxl	readxl	1.4.3	Repository	TRUE
rematch	rematch	2.0.0	Repository	TRUE

	Package	Version	Source	Installed
rematch2	rematch2	2.1.2	Repository	TRUE
remotes	remotes	2.5.0	Repository	TRUE
renv	renv	1.1.1	Repository	TRUE
repr	repr	1.1.7	Repository	TRUE
reprex	reprex	2.1.1	Repository	TRUE
rgeolocate	rgeolocate	1.4.2	Repository	TRUE
rlang	rlang	1.1.6	Repository	TRUE
rmarkdown	rmarkdown	2.29	Repository	TRUE
roxygen2	roxygen2	7.3.2	Repository	TRUE
rprojroot	rprojroot	2.0.4	Repository	TRUE
rstudioapi	rstudioapi	0.17.1	Repository	TRUE
rversions	rversions	2.1.2	Repository	TRUE
rvest	rvest	1.0.4	Repository	TRUE
s2	s2	1.1.9	Repository	TRUE
sass	sass	0.4.9	Repository	TRUE
scales	scales	1.3.0	Repository	TRUE
selectr	selectr	0.4-2	Repository	TRUE
sessioninfo	sessioninfo	1.2.3	Repository	TRUE
sf	sf	1.0-21	Repository	TRUE
shiny	shiny	1.10.0	Repository	TRUE
skimr	skimr	2.1.5	Repository	TRUE
sourcetools	sourcetools	0.1.7-1	Repository	TRUE
stringi	stringi	1.8.4	Repository	TRUE
stringr	stringr	1.5.1	Repository	TRUE
svglite	svglite	2.1.3	Repository	TRUE
sys	sys	3.4.3	Repository	TRUE
systemfonts	systemfonts	1.2.1	Repository	TRUE
testthat	testthat	3.2.3	Repository	TRUE
textshaping	textshaping	1.0.1	Repository	TRUE
tibble	tibble	3.3.0	Repository	TRUE

	Package	Version	Source	Installed
tidylog	tidylog	1.1.0	Repository	TRUE
tidyr	tidyr	1.3.1	Repository	TRUE
tidyselect	tidyselect	1.2.1	Repository	TRUE
tidyverse	tidyverse	2.0.0	Repository	TRUE
timechange	timechange	0.3.0	Repository	TRUE
tinytex	tinytex	0.56	Repository	TRUE
triebeard	triebeard	0.4.1	Repository	TRUE
tzdb	tzdb	0.5.0	Repository	TRUE
units	units	0.8-7	Repository	TRUE
urlchecker	urlchecker	1.0.1	Repository	TRUE
urltools	urltools	1.7.3	Repository	TRUE
usethis	usethis	3.1.0	Repository	TRUE
utf8	utf8	1.2.6	Repository	TRUE
uuid	uuid	1.2-1	Repository	TRUE
vctrs	vctrs	0.6.5	Repository	TRUE
viridis	viridis	0.6.5	Repository	TRUE
viridisLite	viridisLite	0.4.2	Repository	TRUE
vroom	vroom	1.6.5	Repository	TRUE
waldo	waldo	0.6.2	Repository	TRUE
whisker	whisker	0.4.1	Repository	TRUE
withr	withr	3.0.2	Repository	TRUE
wk	wk	0.9.4	Repository	TRUE
xfun	xfun	0.51	Repository	TRUE
xml2	xml2	1.3.7	Repository	TRUE
xopen	xopen	1.0.1	Repository	TRUE
xtable	xtable	1.8-4	Repository	TRUE
yaml	yaml	2.3.10	Repository	TRUE
zip	zip	2.3.3	Repository	TRUE