TeX Live 2026 英文字体样本与调用手册

本机已安装字体扫描结果

2026 年 10 月 30 日

如何阅读

本手册在本机 TeX Live 2026 安装目录中扫描字体，收录能够显示英文字母的 OpenType、TrueType 字族，以及本机编译探测通过的传统 LaTeX 字族。共收录 557 个现代字族条目和 444 个传统字族条目；同一字体可能因调用方式不同而出现两次。每项列出来源、可复制的调用代码和五种样本。使用的短句为 **Sphinx of black quartz, judge my vow.**，包含 26 个英文字母。

常规、**粗体**、***斜体***、**小型大写**分别展示检测到的对应字形。**等宽**仅在本字族的英文字母等宽时显示；它与常规行可能相同。标记“无”表示本次未找到或未能验证该字形，不使用其他字体伪装。每个样本行使用同一个短句，便于对照。斜体行可能展示该字体提供的倾斜体。常规行使用本字族的直立基准字形；有些独立字族的基准字形本身较粗或较细，具体字形名称见标题。

现代字体的代码放在文档导言区，先加载 `\usepackage{fontspec}`，并以 XeLaTeX 或 LuaLaTeX 编译；命令中的文件名依赖本机 TeX Live 的字体搜索路径。传统字族通过 `fontenc` 调用，可使用 pdfLaTeX；示例中同时明确指定编码与字族。每项展示的是其来源 TeX Live 字体包；已验证常规字形的宏包快捷调用也会附在对应条目下，快捷方式标明了验证所用的编译器；不同宏包的粗体等设置可能不同。更多选项请参考 `texdoc 宏包名`。

本表面向英文排版，因此没有收录纯数学符号、图标、古文字专用字体和不含完整英文字母的字体。同一字型的光学字号一般选一个代表；相同字型可能以现代和传统方式分别出现，且部分传统字族存在细微变体。旧式字族先使用本机 pdfLaTeX 独立探测；当字体文件或具体字形无法正常输出时，不把它列为可用。用户目录或系统安装、但不属于此 TeX Live 扫描目录的字体不在此表中。

目录

1 现代 OpenType 与 TrueType 字体（fontspec） 8

A 8
B 21
C 24
D 37
E 41
F 42
G 48
H 53

I . . . 56
J . . . 64
K . . . 67
L . . . 73
M . . . 88
N . . . 95
O . . . 101
P . . . 104
Q . . . 108
R . . . 134
S . . . 141
T . . . 146
U . . . 153
V . . . 159
W . . . 166
X . . . 167
Y . . . 168
Z . . . 169
其他 . . . 170

2 传统 LaTeX 字体（fontenc / NFSS） 171

accanthis . . . 171
ae . . . 171
alegreya . . . 173
alfaslabone . . . 173
algolrevived . . . 174
almendra . . . 175
andika . . . 175
anonymouspro . . . 176
antiqua . . . 176
antt . . . 176
archivo . . . 179
arev . . . 179
arimo . . . 180
arvo . . . 180
atkinson . . . 181
augie . . . 181
baskervaldadf . . . 182

baskervaldx . . . 182
baskervillef . . . 183
bera . . . 183
berenisadf . . . 184
bitter . . . 185
blacklettert1 . . . 185
boisik . . . 186
cabin . . . 186
caladea . . . 187
cantarell . . . 187
carlito . . . 188
cascadia-code . . . 188
ccfonts . . . 189
cfr-lm . . . 189
charissil . . . 195
chextras . . . 196
chivo . . . 197
cinzel . . . 197
clara . . . 198
clearsans . . . 198
cm-lgc . . . 199
cmbright . . . 200
cmsrb . . . 200
cochineal . . . 201
coelacanth . . . 202
comfortaa . . . 202
comicneue . . . 202
concmath . . . 203
cooperhewitt . . . 204
cormorantgaramond . . . 204
courier . . . 205
courier-scaled . . . 205
courierten . . . 206
crimson . . . 206
crimsonpro . . . 207
cuprum . . . 207
cyklop . . . 208

cyrillic-modern . . . 208
dejavu . . . 209
domitian . . . 210
droid . . . 211
ebgaramond . . . 212
eco . . . 212
eiad . . . 214
electrumadf . . . 215
erewhon . . . 216
etbb . . . 216
fbb . . . 216
fetamont . . . 217
fira . . . 217
forum . . . 218
fourier . . . 218
fouriernc . . . 219
garamond-libre . . . 219
gelasio . . . 220
gfsartemisia . . . 220
gfsbodoni . . . 221
gfsdidot . . . 221
gfsneohellenic . . . 222
gillius . . . 222
gofonts . . . 223
grotesq . . . 224
gudea . . . 224
hacm . . . 225
helvetic . . . 227
heuristica . . . 227
hindmadurai . . . 228
ibarra . . . 228
imfellenglish . . . 229
inconsolata . . . 229
inriafonts . . . 230
inter . . . 230
ipaex-type1 . . . 231
iwona . . . 231

josefin . . . 234
junicode . . . 234
kpfonts . . . 235
kurier . . . 248
latex . . . 250
lato . . . 252
libertine . . . 252
libertinus-type1 . . . 253
librebaskerville . . . 255
librebodoni . . . 255
librecaslon . . . 256
librefranklin . . . 256
libris . . . 257
linguisticspro . . . 257
lm . . . 258
lobster2 . . . 260
lxfonts . . . 260
magra . . . 261
marcellus . . . 261
mathdesign . . . 262
merriweather . . . 262
mfb-oldstyle . . . 263
miama . . . 263
mlmodern . . . 264
montserrat . . . 266
nanumtype1 . . . 266
ncntrsbk . . . 267
newpx . . . 267
newtx . . . 270
newtxtt . . . 272
nimbus15 . . . 272
noto . . . 274
nunito . . . 275
ocr-latex . . . 275
oldstandard . . . 277
opensans . . . 277
oswald . . . 277

overlock . . . 278
palatino . . . 278
paratype . . . 279
playfair . . . 281
plex . . . 281
poiretone . . . 282
poltawski . . . 283
psnfss . . . 283
punk-latex . . . 288
pxfonts . . . 288
quattrocento . . . 289
raleway . . . 290
roboto . . . 290
romandeadf . . . 291
rosario . . . 293
sansmathfonts . . . 293
scholax . . . 294
schulschriften . . . 294
sourcecodepro . . . 296
sourcesans . . . 296
sourceserif . . . 297
spectral . . . 297
splentinex . . . 298
srbtiks . . . 298
step . . . 299
stickstoo . . . 299
stix . . . 300
stix2-type1 . . . 300
tempora . . . 301
tex-gyre . . . 301
theanodidot . . . 303
theanomodern . . . 304
theanooldstyle . . . 304
times . . . 305
tinos . . . 305
txfonts . . . 306
universa . . . 307

universalis 307
uppunctlm 308
variablelm 308
venturisadf 310
xcharter 314
ysabeau 314
zlmtt 314


1 现代 OpenType 与 TrueType 字体（fontspec）

以下按字体名称排序。每段代码须配合导言区的 `\usepackage{fontspec}`，并使用 XeLaTeX 或 LuaLaTeX。

A

Aboensis 来源：aboensis；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{Aboensis-Regular.otf}
```

- 常规字形： 
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Acathist 来源：fonts-churchslavonic；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{Acathist-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Accanthis ADF Std No3 来源：accanthis；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{accanthis}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={AccanthisADFStdNo3-Bold.otf},
  ItalicFont={AccanthisADFStdNo3-Italic.otf},BoldItalicFont={AccanthisADFStdNo3-BoldItalic.otf}]{Accant」
  ↪ hisADFStdNo3-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Alegreya 来源：alegreya；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{Alegreya}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={Alegreya-Bold.otf},
  ItalicFont={Alegreya-Italic.otf},BoldItalicFont={Alegreya-BoldItalic.otf}]{Alegreya-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Alegreya Sans 来源：alegreya；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{AlegreyaSans}`（导言区）；`{\sffamily ...}`（正文）。

```
\setmainfont[BoldFont={AlegreyaSans-Bold.otf},
  ItalicFont={AlegreyaSans-Italic.otf},BoldItalicFont={AlegreyaSans-BoldItalic.otf}]{AlegreyaSans-Regul」
  ↪ ar.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Alegreya Sans SC 来源：alegreya；样本字形：Regular

```
\setmainfont[BoldFont={AlegreyaSansSC-Bold.otf},
  ItalicFont={AlegreyaSansSC-Italic.otf},BoldItalicFont={AlegreyaSansSC-BoldItalic.otf}]{AlegreyaSansSC」
  ↪ -Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.（字族默认字形）

Alegreya SC 来源：alegreya；样本字形：Regular

```
\setmainfont[BoldFont={AlegreyaSC-Bold.otf},
  ItalicFont={AlegreyaSC-Italic.otf},BoldItalicFont={AlegreyaSC-BoldItalic.otf}]{AlegreyaSC-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.（字族默认字形）

AlgolRevived 来源：algolrevived；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={AlgolRevived-Slanted.otf},BoldItalicFont={}]{AlgolRevived.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Alkalami 来源：alkalami；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{Alkalami-Regular.ttf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：**Sphinx of black quartz, judge my vow.**

Alkalami Light 来源：alkalami；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{Alkalami-Light.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

ALM Fixed 来源：almfixed；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{almfixed.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

Almendra 来源：almendra；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{almendra}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={Almendra-Bold.ttf},
  ItalicFont={Almendra-Italic.ttf},BoldItalicFont={Almendra-BoldItalic.ttf},SmallCapsFont={AlmendraSC-R」
  ↪ egular.ttf}]{Almendra-Regular.ttf}
```

- 常规字形：*Sphinx of black quartz, judge my vow.*
- 粗体：***Sphinx of black quartz, judge my vow.***
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Almendra SC 来源：almendra；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{AlmendraSC-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.（字族默认字形）

Alpha Slab One 来源：alfaslabone；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{AlphaSlabOne-Regular.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Amiri 来源：amiri；样本字形：Regular

```
\setmainfont[BoldFont={Amiri-Bold.ttf},
  ItalicFont={Amiri-Italic.ttf},BoldItalicFont={Amiri-BoldItalic.ttf}]{Amiri-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Amiri Quran 来源：amiri；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{AmiriQuran.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Amiri Quran Colored 来源：amiri；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{AmiriQuranColored.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Andika 来源：andika；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{andika}`（导言区）；`{\sffamily ...}`（正文）。

```
\setmainfont[BoldFont={Andika-Bold.ttf},
  ItalicFont={Andika-Italic.ttf},BoldItalicFont={Andika-BoldItalic.ttf}]{Andika-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

Anonymous Pro 来源：anonymouspro；样本字形：Regular

```
\setmainfont[BoldFont={AnonymousPro-Bold.ttf},
  ItalicFont={AnonymousPro-Italic.ttf},BoldItalicFont={AnonymousPro-BoldItalic.ttf}]{AnonymousPro-Regul」
  ↪ ar.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

Antykwa Poltawskiego（字宽 3） 来源：poltawski；样本字形：Cond Regular

```
\setmainfont[BoldFont={antpoltcond-bold.otf},
  ItalicFont={antpoltcond-italic.otf},BoldItalicFont={antpoltcond-bolditalic.otf}]{antpoltcond-regular.」
  ↪ otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

Antykwa Poltawskiego（字宽 4） 来源：poltawski；样本字形：SemiCond Regular

```
\setmainfont[BoldFont={antpoltsemicond-bold.otf},
  ItalicFont={antpoltsemicond-italic.otf},BoldItalicFont={antpoltsemicond-bolditalic.otf}]{antpoltsemic」
  ↪ ond-regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Antykwa Poltawskiego 来源：poltawski；样本字形：Regular

```
\setmainfont[BoldFont={antpolt-bold.otf},
  ItalicFont={antpolt-italic.otf},BoldItalicFont={antpolt-bolditalic.otf}]{antpolt-regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Antykwa Poltawskiego（字宽 6） 来源：poltawski；样本字形：SemiExpd Regular

```
\setmainfont[BoldFont={antpoltsemiexpd-bold.otf},
  ItalicFont={antpoltsemiexpd-italic.otf},BoldItalicFont={antpoltsemiexpd-bolditalic.otf}]{antpoltsemie」
  ↪ xpd-regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Antykwa Poltawskiego（字宽 7） 来源：poltawski；样本字形：Expd Regular

```
\setmainfont[BoldFont={antpoltexpd-bold.otf},
  ItalicFont={antpoltexpd-italic.otf},BoldItalicFont={antpoltexpd-bolditalic.otf}]{antpoltexpd-regular.
  ↪ otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Antykwa Poltawskiego Light（字宽 3） 来源：poltawski；样本字形：Cond Regular

```
\setmainfont[BoldFont={antpoltltcond-bold.otf},
  ItalicFont={antpoltltcond-italic.otf},BoldItalicFont={antpoltltcond-bolditalic.otf}]{antpoltltcond-re
  ↪ gular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Antykwa Poltawskiego Light（字宽 4） 来源：poltawski；样本字形：SemiCond Regular

```
\setmainfont[BoldFont={antpoltltsemicond-bold.otf},
  ItalicFont={antpoltltsemicond-italic.otf},BoldItalicFont={antpoltltsemicond-bolditalic.otf}]{antpoltl
  ↪ tsemicond-regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Antykwa Poltawskiego Light 来源：poltawski；样本字形：Regular

```
\setmainfont[BoldFont={antpoltlt-bold.otf},
  ItalicFont={antpoltlt-italic.otf},BoldItalicFont={antpoltlt-bolditalic.otf}]{antpoltlt-regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Antykwa Poltawskiego Light（字宽 6） 来源：poltawski；样本字形：SemiExpd Regular

```
\setmainfont[BoldFont={antpoltltsemiexpd-bold.otf},
  ItalicFont={antpoltltsemiexpd-italic.otf},BoldItalicFont={antpoltltsemiexpd-bolditalic.otf}]{antpoltl
  ↪ tsemiexpd-regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Antykwa Poltawskiego Light（字宽 7） 来源：poltawski；样本字形：Expd Regular

```
\setmainfont[BoldFont={antpoltltexpd-bold.otf},
  ItalicFont={antpoltltexpd-italic.otf},BoldItalicFont={antpoltltexpd-bolditalic.otf}]{antpoltltexpd-re
  ↪ gular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Antykwa Torunska 来源：antt；样本字形：Regular

```
\setmainfont[BoldFont={AntykwaTorunska-Bold.otf},
  ItalicFont={AntykwaTorunska-Italic.otf},BoldItalicFont={AntykwaTorunska-BoldItalic.otf}]{AntykwaTorun
  ↪ ska-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Antykwa Torunska Condensed 来源：antt；样本字形：Regular

```
\setmainfont[BoldFont={AntykwaTorunskaCond-Bold.otf},
  ItalicFont={AntykwaTorunskaCond-Italic.otf},BoldItalicFont={AntykwaTorunskaCond-BoldItalic.otf}]{Anty
  ↪ kwaTorunskaCond-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

AR PL KaitiM Big5 来源：arphic-ttf；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{bkai00mp.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

AR PL KaitiM GB 来源：arphic-ttf；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{gkai00mp.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

AR PL Mingti2L Big5 来源：arphic-ttf；样本字形：Reguler

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{bsmi00lp.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

AR PL SungtiL GB 来源：arphic-ttf；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{gbsn00lp.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

Archiv0 来源：archivo；样本字形：Regular

```
\setmainfont[BoldFont={Archiv0-Bold.otf},
  ItalicFont={Archiv0-Italic.otf},BoldItalicFont={Archiv0-BoldItalic.otf}]{Archiv0-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Archiv0 Medium 来源：archivo；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={Archiv0-MediumItalic.otf},BoldItalicFont={}]{Archiv0-Medium.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Archiv0 SemiBold 来源：archivo；样本字形：SemiBold

```
\setmainfont[BoldFont={Archiv0-SemiBold.otf},
  ItalicFont={Archiv0-SemiBoldItalic.otf},BoldItalicFont={Archiv0-SemiBoldItalic.otf}]{Archiv0-SemiBold
  ↪ .otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：***Sphinx of black quartz, judge my vow.***
- 等宽：无
- 小型大写：无

Arimo 来源：arimo；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{arimo}`（导言区）；`{\sffamily ...}`（正文）。

```
\setmainfont[BoldFont={Arimo-Bold.ttf},
  ItalicFont={Arimo-Italic.ttf},BoldItalicFont={Arimo-BoldItalic.ttf}]{Arimo-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Arsenal 来源：arsenal；样本字形：Regular
宏包快捷方式（XeLaTeX）：`\usepackage{arsenal}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={Arsenal-Bold.otf},
  ItalicFont={Arsenal-Italic.otf},BoldItalicFont={Arsenal-BoldItalic.otf}]{Arsenal-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

Arvo 来源：arvo；样本字形：Regular

```
\setmainfont[BoldFont={Arvo-Bold.ttf},
  ItalicFont={Arvo-Italic.ttf},BoldItalicFont={Arvo-BoldItalic.ttf}]{Arvo-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Atkinson Hyperlegible Mono 来源：atkinson；样本字形：Regular
宏包快捷方式（XeLaTeX）：`\usepackage{atkinson}`（导言区）；`{\ttfamily ...}`（正文）。

```
\setmainfont[BoldFont={AtkinsonHyperlegibleMono-Bold.otf},
  ItalicFont={AtkinsonHyperlegibleMono-RegularItalic.otf},BoldItalicFont={AtkinsonHyperlegibleMono-Bold」
  ↪ Italic.otf}]{AtkinsonHyperlegibleMono-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

Atkinson Hyperlegible Next 来源：atkinson；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{atkinson}`（导言区）；`{\sffamily ...}`（正文）。

```
\setmainfont[BoldFont={AtkinsonHyperlegibleNext-Bold.otf},
  ItalicFont={AtkinsonHyperlegibleNext-RegularItalic.otf},BoldItalicFont={AtkinsonHyperlegibleNext-Bold」
  ↪ Italic.otf}]{AtkinsonHyperlegibleNext-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Awami Nastaliq 来源：awami；样本字形：Regular

```
\setmainfont[BoldFont={AwamiNastaliq-Bold.ttf},
  ItalicFont={},BoldItalicFont={}]{AwamiNastaliq-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

B

Baekmuk Batang 来源：baekmuk；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{batang.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Baekmuk Dotum 来源：baekmuk；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{dotum.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Baekmuk Gulim 来源：baekmuk；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{gulim.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Baekmuk Headline 来源：baekmuk；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{hline.ttf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Baloo 2 来源：ektype-tanka；样本字形：Regular

```
\setmainfont[BoldFont={Baloo2-Bold.ttf},
  ItalicFont={},BoldItalicFont={}]{Baloo2-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

Baskervaldx 来源：baskervaldx；样本字形：Reg

```
\setmainfont[BoldFont={Baskervaldx-Bol.otf},
  ItalicFont={Baskervaldx-Ita.otf},BoldItalicFont={Baskervaldx-BolIta.otf}]{Baskervaldx-Reg.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

BaskervilleF 来源：baskervillef；样本字形：Regular

```
\setmainfont[BoldFont={BaskervilleF-Bold.otf},
  ItalicFont={BaskervilleF-Italic.otf},BoldItalicFont={BaskervilleF-BoldItalic.otf}]{BaskervilleF-Regul」
  ↪ ar.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Berenis ADF Pro 来源：berenisadf；样本字形：Regular

```
\setmainfont[BoldFont={BerenisADFPro-Bold.otf},
  ItalicFont={BerenisADFPro-Italic.otf},BoldItalicFont={BerenisADFPro-BoldItalic.otf},SmallCapsFont={Be」
  ↪ renisADFProSC-Regular.otf}]{BerenisADFPro-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Berenis ADF Pro SC 来源：berenisadf；样本字形：Regular

```
\setmainfont[BoldFont={BerenisADFProSC-Bold.otf},
  ItalicFont={BerenisADFProSC-Italic.otf},BoldItalicFont={BerenisADFProSC-BoldItalic.otf}]{BerenisADFPr」
  ↪ oSC-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.（字族默认字形）

Bitter 来源：bitter；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{bitter}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={Bitter-Bold.ttf},
  ItalicFont={Bitter-Italic.ttf},BoldItalicFont={}]{Bitter-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

C

Cabin 来源：cabin；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{cabin}`（导言区）；`{\sffamily ...}`（正文）。

```
\setmainfont[BoldFont={Cabin-Bold.otf},
  ItalicFont={Cabin-Italic.otf},BoldItalicFont={Cabin-BoldItalic.otf}]{Cabin-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Cabin Condensed（字宽 3） 来源：cabin；样本字形：Regular Condensed

```
\setmainfont[BoldFont={CabinCondensed-BoldCondensed.otf},
  ItalicFont={CabinCondensed-ItalicCondensed.otf},BoldItalicFont={CabinCondensed-BoldItalicCondensed.ot」
  ↪ f}]{CabinCondensed-RegularCondensed.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Caladea 来源：caladea；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{caladea}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={Caladea-Bold.ttf},
  ItalicFont={Caladea-Italic.ttf},BoldItalicFont={Caladea-BoldItalic.ttf}]{Caladea-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Cantarell 来源：cantarell；样本字形：Regular

```
\setmainfont[BoldFont={Cantarell-Bold.otf},
  ItalicFont={},BoldItalicFont={}]{Cantarell-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

Carlito 来源：carlito；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{carlito}`（导言区）；`{\sffamily ...}`（正文）。

```
\setmainfont[BoldFont={Carlito-Bold.ttf},
  ItalicFont={Carlito-Italic.ttf},BoldItalicFont={Carlito-BoldItalic.ttf}]{Carlito-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Cascadia Code 来源：cascadia-code；样本字形：Regular

```
\setmainfont[BoldFont={CascadiaCode-Bold.otf},
  ItalicFont={CascadiaCode-Italic.otf},BoldItalicFont={CascadiaCode-BoldItalic.otf}]{CascadiaCode-Regul」
  ↪ ar.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

Charis SIL 来源：charissil；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{CharisSIL}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={CharisSIL-Bold.ttf},
  ItalicFont={CharisSIL-Italic.ttf},BoldItalicFont={CharisSIL-BoldItalic.ttf}]{CharisSIL-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Chivo 来源：chivo；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{Chivo}`（导言区）；`{\sffamily ...}`（正文）。

```
\setmainfont[BoldFont={Chivo-Bold.otf},
  ItalicFont={Chivo-Italic.otf},BoldItalicFont={Chivo-BoldItalic.otf}]{Chivo-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Cinzel 来源：cinzel；样本字形：Regular

```
\setmainfont[BoldFont={Cinzel-Bold.ttf},
  ItalicFont={},BoldItalicFont={}]{Cinzel-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

Cinzel Decorative 来源：cinzel；样本字形：Regular

```
\setmainfont[BoldFont={CinzelDecorative-Bold.ttf},
  ItalicFont={},BoldItalicFont={}]{CinzelDecorative-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

Clara 来源：clara；样本字形：Book

```
\setmainfont[BoldFont={clarab.otf},
  ItalicFont={clarai.otf},BoldItalicFont={clarabi.otf}]{clarar.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Clear Sans 来源：clearsans；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{ClearSans}`（导言区）；`{\sffamily ...}`（正文）。

```
\setmainfont[BoldFont={ClearSans-Bold.ttf},
  ItalicFont={ClearSans-Italic.ttf},BoldItalicFont={ClearSans-BoldItalic.ttf}]{ClearSans-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Clear Sans Light 来源：clearsans；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{ClearSans-Light.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Clear Sans Medium 来源：clearsans；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={ClearSans-MediumItalic.ttf},BoldItalicFont={}]{ClearSans-Medium.ttf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：无
- 斜体：***Sphinx of black quartz, judge my vow.***
- 等宽：无
- 小型大写：无

Clear Sans Thin 来源：clearsans；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{ClearSans-Thin.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

CMU Bright 来源：cm-unicode；样本字形：Roman

```
\setmainfont[BoldFont={cmunbbx.otf},
  ItalicFont={cmunbmo.otf},BoldItalicFont={cmunbxo.otf}]{cmunbmr.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

CMU Classical Serif 来源：cm-unicode；样本字形：Italic

```
\setmainfont[BoldFont={},
  ItalicFont={cmunci.otf},BoldItalicFont={}]{cmunci.otf}
```

- 常规字形：无
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

CMU Concrete 来源：cm-unicode；样本字形：Roman

```
\setmainfont[BoldFont={cmunobx.otf},
  ItalicFont={cmunoti.otf},BoldItalicFont={cmunobi.otf}]{cmunorm.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

CMU Sans Serif 来源：cm-unicode；样本字形：Medium

```
\setmainfont[BoldFont={cmunsx.otf},
  ItalicFont={cmunsi.otf},BoldItalicFont={cmunso.otf}]{cmunss.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

CMU Sans Serif Demi Condensed（字宽 3） 来源：cm-unicode；样本字形：DemiCondensed

```
\setmainfont[BoldFont={cmunssdc.otf},
  ItalicFont={},BoldItalicFont={}]{cmunssdc.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

CMU Serif 来源：cm-unicode；样本字形：Roman

```
\setmainfont[BoldFont={cmunbx.otf},
  ItalicFont={cmunti.otf},BoldItalicFont={cmunbi.otf}]{cmunrm.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

CMU Serif Extra 来源：cm-unicode；样本字形：BoldNonextended

```
\setmainfont[BoldFont={cmunrb.otf},
  ItalicFont={cmunbl.otf},BoldItalicFont={cmunbl.otf}]{cmunrb.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：***Sphinx of black quartz, judge my vow.***
- 等宽：无
- 小型大写：无

CMU Serif Upright Italic 来源：cm-unicode；样本字形：UprightItalic

```
\setmainfont[BoldFont={},
  ItalicFont={cmunui.otf},BoldItalicFont={}]{cmunui.otf}
```

- 常规字形：无
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

CMU Typewriter Text 来源：cm-unicode；样本字形：Regular

```
\setmainfont[BoldFont={cmuntb.otf},
  ItalicFont={cmunit.otf},BoldItalicFont={cmuntx.otf}]{cmuntt.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：***Sphinx of black quartz, judge my vow.***
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

CMU Typewriter Text Variable Width 来源：cm-unicode；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={cmunvi.otf},BoldItalicFont={}]{cmunvt.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：***Sphinx of black quartz, judge my vow.***
- 等宽：无
- 小型大写：无

Cochineal 来源：cochineal；样本字形：Roman
宏包快捷方式（XeLaTeX）：`\usepackage{cochineal}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={Cochineal-Bold.otf},
  ItalicFont={Cochineal-Italic.otf},BoldItalicFont={Cochineal-BoldItalic.otf}]{Cochineal-Roman.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Coelacanth 来源：coelacanth；样本字形：Regular
宏包快捷方式（XeLaTeX）：`\usepackage{coelacanth}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={CoelacanthBold.otf},
  ItalicFont={CoelacanthItalic.otf},BoldItalicFont={}]{Coelacanth.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Comfortaa 来源：comfortaa；样本字形：Regular

```
\setmainfont[BoldFont={Comfortaa-Bold.ttf},
  ItalicFont={},BoldItalicFont={}]{Comfortaa-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：Sphinx of black quartz, judge my vow.
- 斜体：无
- 等宽：无
- 小型大写：无

Comic Neue 来源：comicneue；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{comicneue}`（导言区）；`{\sffamily ...}`（正文）。

```
\setmainfont[BoldFont={ComicNeue-Bold.otf},
  ItalicFont={ComicNeue-RegularItalic.otf},BoldItalicFont={ComicNeue-BoldItalic.otf}]{ComicNeue-Regular
  ↪ .otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Comic Neue Angular 来源：comicneue；样本字形：Regular

```
\setmainfont[BoldFont={ComicNeueAngular-Bold.otf},
  ItalicFont={ComicNeueAngular-RegularItalic.otf},BoldItalicFont={ComicNeueAngular-BoldItalic.otf}]{Com
  ↪ icNeueAngular-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Cooper Hewitt 来源：cooperhewitt；样本字形：Book

```
\setmainfont[BoldFont={CooperHewitt-Bold.otf},
  ItalicFont={CooperHewitt-LightItalic.otf},BoldItalicFont={CooperHewitt-BoldItalic.otf}]{CooperHewitt-
  ↪ Book.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Cormorant Garamond 来源：cormorantgaramond；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{CormorantGaramond}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={CormorantGaramond-Bold.ttf},
  ItalicFont={CormorantGaramond-Italic.ttf},BoldItalicFont={CormorantGaramond-BoldItalic.ttf}]{Cormoran」
  ↪ tGaramond-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Courier 10 Pitch 来源：courierten；样本字形：Roman

```
\setmainfont[BoldFont={Courier10PitchBT-Bold.otf},
  ItalicFont={Courier10PitchBT-Italic.otf},BoldItalicFont={Courier10PitchBT-BoldItalic.otf}]{Courier10P」
  ↪ itchBT-Roman.otf}
```

- 常规字形：`Sphinx of black quartz, judge my vow.`
- 粗体：**`Sphinx of black quartz, judge my vow.`**
- 斜体：*`Sphinx of black quartz, judge my vow.`*
- 等宽：`Sphinx of black quartz, judge my vow.`
- 小型大写：无

Crimson 来源：crimson；样本字形：Roman

宏包快捷方式（XeLaTeX）：`\usepackage{crimson}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={Crimson-Bold.otf},
  ItalicFont={Crimson-Italic.otf},BoldItalicFont={Crimson-BoldItalic.otf}]{Crimson-Roman.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Crimson Pro 来源：crimsonpro；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{CrimsonPro}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={CrimsonPro-Bold.ttf},
  ItalicFont={CrimsonPro-Italic.ttf},BoldItalicFont={CrimsonPro-BoldItalic.ttf}]{CrimsonPro-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Cuprum 来源：cuprum；样本字形：Regular

```
\setmainfont[BoldFont={Cuprum-Bold.ttf},
  ItalicFont={Cuprum-Italic.ttf},BoldItalicFont={Cuprum-BoldItalic.ttf}]{Cuprum-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Cyklop 来源：cyklop；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={cyklop-italic.otf},BoldItalicFont={}]{cyklop-regular.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：无
- 斜体：***Sphinx of black quartz, judge my vow.***
- 等宽：无
- 小型大写：**Sphinx of black quartz, judge my vow.**

Cyrillic Modern（字宽 4） 来源：cyrillic-modern；样本字形：Bold Italic

```
\setmainfont[BoldFont={},
  ItalicFont={nmbxti10.otf},BoldItalicFont={nmbxti10.otf}]{nmbxti10.otf}
```

- 常规字形：无
- 粗体：无
- 斜体：***Sphinx of black quartz, judge my vow.***
- 等宽：无
- 小型大写：无

Cyrillic Modern 来源：cyrillic-modern；样本字形：Regular

```
\setmainfont[BoldFont={nmb10.otf},
  ItalicFont={nmsl10.otf},BoldItalicFont={}]{nmr10.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Cyrillic Modern（字宽 6） 来源：cyrillic-modern；样本字形：SmallCaps

```
\setmainfont[BoldFont={nmbx10.otf},
  ItalicFont={},BoldItalicFont={nmbxsl10.otf}]{nmcsc10.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

Cyrillic Modern Sans Serif（字宽 4） 来源：cyrillic-modern；样本字形：Demi Condensed

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{nmssdc10.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Cyrillic Modern Sans Serif 来源：cyrillic-modern；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={nmssi10.otf},BoldItalicFont={}]{nmss10.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Cyrillic Modern Sans Serif（字宽 6） 来源：cyrillic-modern；样本字形：Bold Extended

```
\setmainfont[BoldFont={nmssbx10.otf},
  ItalicFont={},BoldItalicFont={}]{nmssbx10.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

D

David CLM 来源：culmus；样本字形：Medium

```
\setmainfont[BoldFont={DavidCLM-Bold.otf},
  ItalicFont={DavidCLM-MediumItalic.otf},BoldItalicFont={DavidCLM-BoldItalic.otf}]{DavidCLM-Medium.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：Sphinx of black quartz, judge my vow.
- 等宽：无
- 小型大写：无

DejaVu Sans（字宽 4） 来源：dejavu；样本字形：Condensed

```
\setmainfont[BoldFont={DejaVuSansCondensed-Bold.ttf},
  ItalicFont={DejaVuSansCondensed-Oblique.ttf},BoldItalicFont={DejaVuSansCondensed-BoldOblique.ttf}]{De
  ↪ jaVuSansCondensed.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

DejaVu Sans 来源：dejavu；样本字形：Book

```
\setmainfont[BoldFont={DejaVuSans-Bold.ttf},
  ItalicFont={DejaVuSans-Oblique.ttf},BoldItalicFont={DejaVuSans-BoldOblique.ttf}]{DejaVuSans.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

DejaVu Sans Mono 来源：dejavu；样本字形：Book

```
\setmainfont[BoldFont={DejaVuSansMono-Bold.ttf},
  ItalicFont={DejaVuSansMono-Oblique.ttf},BoldItalicFont={DejaVuSansMono-BoldOblique.ttf}]{DejaVuSansMo
  ↪ no.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

DejaVu Serif（字宽 4） 来源：dejavu；样本字形：Condensed

```
\setmainfont[BoldFont={DejaVuSerifCondensed-Bold.ttf},
  ItalicFont={DejaVuSerifCondensed-Italic.ttf},BoldItalicFont={DejaVuSerifCondensed-BoldItalic.ttf}]{De」
  ↪ jaVuSerifCondensed.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

DejaVu Serif 来源：dejavu；样本字形：Book

```
\setmainfont[BoldFont={DejaVuSerif-Bold.ttf},
  ItalicFont={DejaVuSerif-Italic.ttf},BoldItalicFont={DejaVuSerif-BoldItalic.ttf}]{DejaVuSerif.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Domitian 来源：domitian；样本字形：Roman

```
\setmainfont[BoldFont={Domitian-Bold.otf},
  ItalicFont={Domitian-Italic.otf},BoldItalicFont={Domitian-BoldItalic.otf}]{Domitian-Roman.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Don's Revised Modern 来源：drm；样本字形：Regular

```
\setmainfont[BoldFont={drmbx10.otf},
  ItalicFont={drmit10.otf},BoldItalicFont={drmitbx10.otf}]{drm10.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Doulos SIL 来源：doulossil；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{Doulos_SIL_Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Droid Sans 来源：droid；样本字形：Regular

```
\setmainfont[BoldFont={DroidSans-Bold.ttf},
  ItalicFont={},BoldItalicFont={}]{DroidSans.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

Droid Sans Mono 来源：droid；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{DroidSansMono.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

Droid Serif 来源：droid；样本字形：Regular

```
\setmainfont[BoldFont={DroidSerif-Bold.ttf},
  ItalicFont={DroidSerif-Italic.ttf},BoldItalicFont={DroidSerif-BoldItalic.ttf}]{DroidSerif-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

E

EB Garamond 来源：ebgaramond；样本字形：Regular

```
\setmainfont[BoldFont={EBGaramond-Bold.otf},
  ItalicFont={EBGaramond-Italic.otf},BoldItalicFont={EBGaramond-BoldItalic.otf}]{EBGaramond-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Eczar 来源：eczar；样本字形：Regular

```
\setmainfont[BoldFont={Eczar-Bold.otf},
  ItalicFont={},BoldItalicFont={}]{Eczar-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

erewhon 来源：erewhon；样本字形：Regular

```
\setmainfont[BoldFont={Erewhon-Bold.otf},
  ItalicFont={Erewhon-Italic.otf},BoldItalicFont={Erewhon-BoldItalic.otf}]{Erewhon-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

ETbb 来源：etbb；样本字形：Regular

```
\setmainfont[BoldFont={ETbb-Bold.otf},
  ItalicFont={ETbb-Italic.otf},BoldItalicFont={ETbb-BoldItalic.otf}]{ETbb-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

F

FandolFang 来源：fandol；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{FandolFang-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

FandolHei 来源：fandol；样本字形：Regular

```
\setmainfont[BoldFont={FandolHei-Bold.otf},
  ItalicFont={},BoldItalicFont={}]{FandolHei-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

FandolKai 来源：fandol；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{FandolKai-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

FandolSong 来源：fandol；样本字形：Regular

```
\setmainfont[BoldFont={FandolSong-Bold.otf},
  ItalicFont={},BoldItalicFont={}]{FandolSong-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

fbb 来源：fbb；样本字形：Regular

```
\setmainfont[BoldFont={fbb-Bold.otf},
  ItalicFont={fbb-Italic.otf},BoldItalicFont={fbb-BoldItalic.otf}]{fbb-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Fedorovsk Unicode 来源：fonts-churchslavonic；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{FedorovskUnicode.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Fetamont（字宽 1） 来源：fetamont；样本字形：LightUltraCondensed

```
\setmainfont[BoldFont={},
  ItalicFont={ffmlqo10.otf},BoldItalicFont={}]{ffmlq10.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Fetamont（字宽 3） 来源：fetamont；样本字形：Condensed

```
\setmainfont[BoldFont={ffmbc40.otf},
  ItalicFont={ffmco10.otf},BoldItalicFont={ffmbco40.otf}]{ffmc10.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Fetamont 来源：fetamont；样本字形：Regular

```
\setmainfont[BoldFont={ffmb10.otf},
  ItalicFont={ffmo10.otf},BoldItalicFont={ffmbo10.otf}]{ffmr10.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Fetamont Script 来源：fetamont；样本字形：Script

```
\setmainfont[BoldFont={ffmbw10.otf},
  ItalicFont={ffmwo10.otf},BoldItalicFont={ffmbwo10.otf}]{ffmw10.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Fira Mono 来源：fira；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{FiraMono}`（导言区）；`{\ttfamily ...}`（正文）。

```
\setmainfont[BoldFont={FiraMono-Bold.otf},
  ItalicFont={FiraMono-Oblique.otf},BoldItalicFont={FiraMono-BoldOblique.otf}]{FiraMono-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

Fira Sans 来源：fira；样本字形：Book

```
\setmainfont[BoldFont={FiraSans-Bold.otf},
  ItalicFont={FiraSans-Italic.otf},BoldItalicFont={FiraSans-BoldItalic.otf}]{FiraSans-Book.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

Fira Slav 来源：fonts-churchslavonic；样本字形：Regular

```
\setmainfont[BoldFont={FiraSlav-Bold.otf},
  ItalicFont={},BoldItalicFont={}]{FiraSlav-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

Forum 来源：forum；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{forum}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{Forum-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Frank Ruehl CLM 来源：culmus；样本字形：Medium

```
\setmainfont[BoldFont={FrankRuehlCLM-Bold.ttf},
  ItalicFont={FrankRuehlCLM-MediumOblique.ttf},BoldItalicFont={FrankRuehlCLM-BoldOblique.ttf}]{FrankRue」
  ↪ hlCLM-Medium.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

FreeMono 来源：gnu-freefont；样本字形：Regular

```
\setmainfont[BoldFont={FreeMonoBold.otf},
  ItalicFont={FreeMonoOblique.otf},BoldItalicFont={FreeMonoBoldOblique.otf}]{FreeMono.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

FreeSans 来源：gnu-freefont；样本字形：Regular

```
\setmainfont[BoldFont={FreeSansBold.otf},
  ItalicFont={FreeSansOblique.otf},BoldItalicFont={FreeSansBoldOblique.otf}]{FreeSans.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

FreeSerif 来源：gnu-freefont；样本字形：Regular

```
\setmainfont[BoldFont={FreeSerifBold.otf},
  ItalicFont={FreeSerifItalic.otf},BoldItalicFont={FreeSerifBoldItalic.otf}]{FreeSerif.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

FreeSerifb 来源：txfontsb；样本字形：Medium

```
\setmainfont[BoldFont={FreeSerifbBold.otf},
  ItalicFont={FreeSerifbItalic.otf},BoldItalicFont={FreeSerifbBoldItalic.otf}]{FreeSerifb.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Frm 来源：forum；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{Frm-Bold.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

G

Garamond Libre 来源：garamond-libre；样本字形：Regular
宏包快捷方式（XeLaTeX）：`\usepackage{garamondlibre}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={GaramondLibre-Bold.otf},
  ItalicFont={GaramondLibre-Italic.otf},BoldItalicFont={GaramondLibre-BoldItalic.otf}]{GaramondLibre-Re」
  ↪ gular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Garuda 来源：fonts-tlwg；样本字形：Regular

```
\setmainfont[BoldFont={Garuda-Bold.otf},
  ItalicFont={Garuda-Oblique.otf},BoldItalicFont={Garuda-BoldOblique.otf}]{Garuda.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Gelasio 来源：gelasio；样本字形：Regular
宏包快捷方式（XeLaTeX）：`\usepackage{gelasio}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={Gelasio-Bold.otf},
  ItalicFont={Gelasio-Italic.otf},BoldItalicFont={Gelasio-BoldItalic.otf}]{Gelasio-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Gentium 来源：gentium-sil；样本字形：Regular

```
\setmainfont[BoldFont={Gentium-Bold.ttf},
  ItalicFont={Gentium-Italic.ttf},BoldItalicFont={Gentium-BoldItalic.ttf}]{Gentium-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Gentium Book 来源：gentium-sil；样本字形：Regular

```
\setmainfont[BoldFont={GentiumBook-Bold.ttf},
  ItalicFont={GentiumBook-Italic.ttf},BoldItalicFont={GentiumBook-BoldItalic.ttf}]{GentiumBook-Regular.
  ↪ ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

GFS Artemisia 来源：gfsartemisia；样本字形：Regular

```
\setmainfont[BoldFont={GFSArtemisiaBold.otf},
  ItalicFont={GFSArtemisiaIt.otf},BoldItalicFont={}]{GFSArtemisia.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

GFS Bodoni 来源：gfsbodoni；样本字形：Regular

```
\setmainfont[BoldFont={GFSBodoniBold.otf},
  ItalicFont={GFSBodoniIt.otf},BoldItalicFont={GFSBodoniBoldIt.otf}]{GFSBodoni.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

GFS Didot 来源：gfsartemisia；样本字形：Bold Italic

```
\setmainfont[BoldFont={},
  ItalicFont={GFSArtemisiaBoldIt.otf},BoldItalicFont={GFSArtemisiaBoldIt.otf}]{GFSArtemisiaBoldIt.otf}
```

- 常规字形：无
- 粗体：无
- 斜体：***Sphinx of black quartz, judge my vow.***
- 等宽：无
- 小型大写：无

GFS Didot 来源：gfsdidot；样本字形：Regular

```
\setmainfont[BoldFont={GFSDidotBold.otf},
  ItalicFont={GFSDidotItalic.otf},BoldItalicFont={GFSDidotBoldItalic.otf}]{GFSDidot.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

GFS Neohellenic 来源：gfsneohellenic；样本字形：Regular

```
\setmainfont[BoldFont={GFSNeohellenicBold.otf},
  ItalicFont={GFSNeohellenicIt.otf},BoldItalicFont={GFSNeohellenicBoldIt.otf}]{GFSNeohellenic.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

GFS Olga 来源：gfsdidot；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{GFSOlgaGrDidotItEn.otf}
```

- 常规字形：*Sphinx of black quartz, judge my vow.*
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Gillius ADF 来源：gillius；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{gillius}`（导言区）；`{\sffamily ...}`（正文）。

```
\setmainfont[BoldFont={GilliusADF-Bold.otf},
  ItalicFont={GilliusADF-Italic.otf},BoldItalicFont={GilliusADF-BoldItalic.otf}]{GilliusADF-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Gillius ADF Cond（字宽 3） 来源：gillius；样本字形：Condensed

```
\setmainfont[BoldFont={GilliusADFCond-Bold.otf},
  ItalicFont={GilliusADFCond-Italic.otf},BoldItalicFont={GilliusADFCond-BoldItalic.otf}]{GilliusADFCond
  ↪ -Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Gillius ADF No2 来源：gillius；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{gillius2}`（导言区）；`{\sffamily ...}`（正文）。

```
\setmainfont[BoldFont={GilliusADFNo2-Bold.otf},
  ItalicFont={GilliusADFNo2-Italic.otf},BoldItalicFont={GilliusADFNo2-BoldItalic.otf}]{GilliusADFNo2-Re
  ↪ gular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Gillius ADF No2 Cond（字宽 3） 来源：gillius；样本字形：Condensed

```
\setmainfont[BoldFont={GilliusADFNo2Cond-Bold.otf},
  ItalicFont={GilliusADFNo2Cond-Italic.otf},BoldItalicFont={GilliusADFNo2Cond-BoldItalic.otf}]{GilliusA」
  ↪ DFNo2Cond-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Go 来源：gofonts；样本字形：Regular

```
\setmainfont[BoldFont={Go-Bold.ttf},
  ItalicFont={Go-Regular-Italic.ttf},BoldItalicFont={Go-Bold-Italic.ttf}]{Go-Medium.ttf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Go Mono 来源：gofonts；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{GoMono}`（导言区）；`{\ttfamily ...}`（正文）。

```
\setmainfont[BoldFont={GoMono-Bold.ttf},
  ItalicFont={GoMono-Regular-Italic.ttf},BoldItalicFont={GoMono-Bold-Italic.ttf}]{GoMono-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

GoSmallcaps 来源：gofonts；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={GoSmallcaps-Italic.ttf},BoldItalicFont={}]{GoSmallcaps.ttf}
```

- 常规字形：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.
- 粗体：无
- 斜体：*SPHINX OF BLACK QUARTZ, JUDGE MY VOW.*
- 等宽：无
- 小型大写：无

Gotu 来源：ektype-tanka；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{Gotu_Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

H

Hadasim CLM 来源：culmus；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={HadasimCLM-RegularOblique.ttf},BoldItalicFont={}]{HadasimCLM-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：Sphinx of black quartz, judge my vow.
- 等宽：无
- 小型大写：无

Hadasim CLM（字宽 7） 来源：culmus；样本字形：Bold

```
\setmainfont[BoldFont={HadasimCLM-Bold.ttf},
  ItalicFont={HadasimCLM-BoldOblique.ttf},BoldItalicFont={HadasimCLM-BoldOblique.ttf}]{HadasimCLM-Bold.」
  ↪ ttf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：***Sphinx of black quartz, judge my vow.***
- 等宽：无
- 小型大写：无

Harano Aji Gothic 来源：haranoaji；样本字形：Regular

```
\setmainfont[BoldFont={HaranoAjiGothic-Bold.otf},
  ItalicFont={},BoldItalicFont={}]{HaranoAjiGothic-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

Harano Aji Gothic 来源：haranoaji-extra；样本字形：Normal

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{HaranoAjiGothic-Normal.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Harano Aji Mincho 来源：haranoaji；样本字形：Regular

```
\setmainfont[BoldFont={HaranoAjiMincho-Bold.otf},
  ItalicFont={},BoldItalicFont={}]{HaranoAjiMincho-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

Harano Aji Mincho 来源：haranoaji-extra；样本字形：Medium

```
\setmainfont[BoldFont={HaranoAjiMincho-SemiBold.otf},
  ItalicFont={},BoldItalicFont={}]{HaranoAjiMincho-Medium.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：Sphinx of black quartz, judge my vow.
- 斜体：无
- 等宽：无
- 小型大写：无

Heuristica 来源：heuristica；样本字形：Regular

```
\setmainfont[BoldFont={Heuristica-Bold.otf},
  ItalicFont={Heuristica-Italic.otf},BoldItalicFont={Heuristica-BoldItalic.otf}]{Heuristica-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Hind Madurai 来源：hindmadurai；样本字形：Regular

```
\setmainfont[BoldFont={HindMadurai-Bold.otf},
  ItalicFont={},BoldItalicFont={}]{HindMadurai-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

I

Ibarra Real Nova

来源：ibarra；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{ibarra}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={IbarraRealNova-Bold.ttf},
  ItalicFont={IbarraRealNova-Italic.ttf},BoldItalicFont={IbarraRealNova-BoldItalic.ttf}]{IbarraRealNova
  ↪ -Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

IBM Plex Mono

来源：plex；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{plex-mono}`（导言区）；`{\ttfamily ...}`（正文）。

```
\setmainfont[BoldFont={IBMPlexMono-Bold.otf},
  ItalicFont={IBMPlexMono-Italic.otf},BoldItalicFont={IBMPlexMono-BoldItalic.otf}]{IBMPlexMono-Regular.
  ↪ otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

IBM Plex Sans

来源：plex；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{plex-sans}`（导言区）；`{\sffamily ...}`（正文）。

```
\setmainfont[BoldFont={IBMPlexSans-Bold.otf},
  ItalicFont={IBMPlexSans-Italic.otf},BoldItalicFont={IBMPlexSans-BoldItalic.otf}]{IBMPlexSans-Regular.
  ↪ otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

IBM Plex Sans Condensed（字宽 3） 来源：plex；样本字形：Regular

```
\setmainfont[BoldFont={IBMPlexSansCondensed-Bold.otf},
  ItalicFont={IBMPlexSansCondensed-Italic.otf},BoldItalicFont={IBMPlexSansCondensed-BoldItalic.otf}]{IB
  ↪ MPlexSansCondensed-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

IBM Plex Serif 来源：plex；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{plex-serif}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={IBMPlexSerif-Bold.otf},
  ItalicFont={IBMPlexSerif-Italic.otf},BoldItalicFont={IBMPlexSerif-BoldItalic.otf}]{IBMPlexSerif-Regul
  ↪ ar.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

IM FELL English 来源：imfellenglish；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{imfellEnglish}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={},
  ItalicFont={IMFeENit28P.otf},BoldItalicFont={},SmallCapsFont={IMFeENsc28P.otf}]{IMFeENrm28P.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

IM FELL English SC 来源：imfellenglish；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{IMFeENsc28P.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.（字族默认字形）

Inconsolata LGC Nerd Font 来源：inconsolata-nerd-font；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{inconsolata-nerd-font}`（导言区）；`{\ttfamily ...}`（正文）。

```
\setmainfont[BoldFont={InconsolataLGCNerdFont-Bold.ttf},
  ItalicFont={InconsolataLGCNerdFont-Italic.ttf},BoldItalicFont={InconsolataLGCNerdFont-BoldItalic.ttf}」
  ↪ ]{InconsolataLGCNerdFont-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

Inconsolata LGC Nerd Font Mono 来源：inconsolata-nerd-font；样本字形：Regular

```
\setmainfont[BoldFont={InconsolataLGCNerdFontMono-Bold.ttf},
  ItalicFont={InconsolataLGCNerdFontMono-Italic.ttf},BoldItalicFont={InconsolataLGCNerdFontMono-BoldIta」
  ↪ lic.ttf}]{InconsolataLGCNerdFontMono-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

Inconsolata LGC Nerd Font Propo 来源：inconsolata-nerd-font；样本字形：Regular

```
\setmainfont[BoldFont={InconsolataLGCNerdFontPropo-Bold.ttf},
  ItalicFont={InconsolataLGCNerdFontPropo-Italic.ttf},BoldItalicFont={InconsolataLGCNerdFontPropo-BoldI」
  ↪ talic.ttf}]{InconsolataLGCNerdFontPropo-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

InconsolataN 来源：inconsolata；样本字形：Regular

```
\setmainfont[BoldFont={InconsolataN-Bold.otf},
  ItalicFont={},BoldItalicFont={}]{InconsolataN-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

Inconsolatazi4 来源：inconsolata；样本字形：Regular

```
\setmainfont[BoldFont={Inconsolatazi4-Bold.otf},
  ItalicFont={},BoldItalicFont={}]{Inconsolatazi4-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

Indiction Unicode 来源：fonts-churchslavonic；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{IndictionUnicode.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Inria Sans 来源：inriafonts；样本字形：Regular

```
\setmainfont[BoldFont={InriaSans-Bold.otf},
  ItalicFont={InriaSans-Italic.otf},BoldItalicFont={InriaSans-BoldItalic.otf}]{InriaSans-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Inria Serif 来源：inriafonts；样本字形：Regular

```
\setmainfont[BoldFont={InriaSerif-Bold.otf},
  ItalicFont={InriaSerif-Italic.otf},BoldItalicFont={InriaSerif-BoldItalic.otf}]{InriaSerif-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Inter 来源：inter；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{inter}`（导言区）；`{\sffamily ...}`（正文）。

```
\setmainfont[BoldFont={Inter-Bold.otf},
  ItalicFont={Inter-Italic.otf},BoldItalicFont={Inter-BoldItalic.otf}]{Inter-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

IPAexGothic 来源：ipaex；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{ipaexg.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

IPAexMincho 来源：ipaex；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{ipaexm.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

IPAGothic 来源：ipaex；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{ipag.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

IPAMincho 来源：ipaex；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{ipam.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

IPAPGothic 来源：ipaex；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{ipagp.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

IPAPMincho 来源：ipaex；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{ipamp.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Iwona 来源：iwona；样本字形：Regular

```
\setmainfont[BoldFont={Iwona-Bold.otf},
  ItalicFont={Iwona-Italic.otf},BoldItalicFont={Iwona-BoldItalic.otf}]{Iwona-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Iwona Cond 来源：iwona；样本字形：Regular

```
\setmainfont[BoldFont={IwonaCond-Bold.otf},
  ItalicFont={IwonaCond-Italic.otf},BoldItalicFont={IwonaCond-BoldItalic.otf}]{IwonaCond-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Iwona Cond Heavy 来源：iwona；样本字形：Regular

```
\setmainfont[BoldFont={IwonaCondHeavy-Regular.otf},
  ItalicFont={IwonaCondHeavy-Italic.otf},BoldItalicFont={IwonaCondHeavy-Italic.otf}]{IwonaCondHeavy-Reg」
  ↪ ular.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：***Sphinx of black quartz, judge my vow.***
- 等宽：无
- 小型大写：**Sphinx of black quartz, judge my vow.**

Iwona Cond Light 来源：iwona；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={IwonaCondLight-Italic.otf},BoldItalicFont={}]{IwonaCondLight-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Iwona Cond Medium 来源：iwona；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={IwonaCondMedium-Italic.otf},BoldItalicFont={}]{IwonaCondMedium-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Iwona Heavy 来源：iwona；样本字形：Regular

```
\setmainfont[BoldFont={IwonaHeavy-Regular.otf},
  ItalicFont={IwonaHeavy-Italic.otf},BoldItalicFont={IwonaHeavy-Italic.otf}]{IwonaHeavy-Regular.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：***Sphinx of black quartz, judge my vow.***
- 等宽：无
- 小型大写：**Sphinx of black quartz, judge my vow.**

Iwona Light 来源：iwona；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={IwonaLight-Italic.otf},BoldItalicFont={}]{IwonaLight-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Iwona Medium 来源：iwona；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={IwonaMedium-Italic.otf},BoldItalicFont={}]{IwonaMedium-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

J

JetBrains Mono 来源：jetbrainsmono-otf；样本字形：Regular

```
\setmainfont[BoldFont={JetBrainsMono-Bold.otf},
  ItalicFont={JetBrainsMono-Italic.otf},BoldItalicFont={JetBrainsMono-BoldItalic.otf}]{JetBrainsMono-Re
  ↪ gular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

Josefin Sans 来源：josefin；样本字形：Regular
宏包快捷方式（XeLaTeX）：`\usepackage{josefin}`（导言区）；`{\sffamily ...}`（正文）。

```
\setmainfont[BoldFont={JosefinSans-Bold.ttf},
  ItalicFont={JosefinSans-Italic.ttf},BoldItalicFont={JosefinSans-BoldItalic.ttf}]{JosefinSans-Regular.」
  ↪ ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

JuliaMono 来源：juliamono；样本字形：Regular
宏包快捷方式（XeLaTeX）：`\usepackage{juliamono}`（导言区）；`{\ttfamily ...}`（正文）。

```
\setmainfont[BoldFont={JuliaMono-Bold.ttf},
  ItalicFont={JuliaMono-RegularItalic.ttf},BoldItalicFont={JuliaMono-BoldItalic.ttf}]{JuliaMono-Regular」
  ↪ .ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

Junicode（字宽 3） 来源：junicode；样本字形：Cond

```
\setmainfont[BoldFont={},
  ItalicFont={Junicode-CondItalic.otf},BoldItalicFont={}]{Junicode-Cond.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

Junicode（字宽 4） 来源：junicode；样本字形：SmCond

```
\setmainfont[BoldFont={},
  ItalicFont={Junicode-SmCondItalic.otf},BoldItalicFont={}]{Junicode-SmCond.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Junicode 来源：junicode；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{junicode}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={Junicode-Bold.otf},
  ItalicFont={Junicode-Italic.otf},BoldItalicFont={Junicode-BoldItalic.otf}]{Junicode-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Junicode（字宽 6） 来源：junicode；样本字形：SmExp

```
\setmainfont[BoldFont={Junicode-SmExpBold.otf},
  ItalicFont={Junicode-SmExpItalic.otf},BoldItalicFont={Junicode-SmExpBoldItalic.otf}]{Junicode-SmExp.o」
  ↪ tf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Junicode（字宽 7） 来源：junicode；样本字形：Exp

```
\setmainfont[BoldFont={Junicode-ExpBold.otf},
  ItalicFont={Junicode-ExpItalic.otf},BoldItalicFont={Junicode-ExpBoldItalic.otf}]{Junicode-Exp.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Junicode VF 来源：junicodevf；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={JunicodeVF-Italic.ttf},BoldItalicFont={}]{JunicodeVF-Roman.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

K

Kalpurush 来源：bangla；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{fontkalpurush.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Kerkis 来源：kerkis；样本字形：SmallCaps

```
\setmainfont[BoldFont={Kerkis-Bold.otf},
  ItalicFont={Kerkis-Italic.otf},BoldItalicFont={Kerkis-BoldItalic.otf}]{Kerkis-SmallCaps.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Kerkis-Calligraphic 来源：kerkis；样本字形：Calligraphic

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{Kerkis-Calligraphic.otf}
```

- 常规字形：*Sphinx of black quartz, judge my vow.*
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Kerkis-SemiBold 来源：kerkis；样本字形：SemiBold

```
\setmainfont[BoldFont={Kerkis-SemiBold.otf},
  ItalicFont={Kerkis-SemiBold-Italic.otf},BoldItalicFont={Kerkis-SemiBold-Italic.otf}]{Kerkis-SemiBold.」
  ↪ otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：***Sphinx of black quartz, judge my vow.***
- 等宽：无
- 小型大写：无

KerkisSans 来源：kerkis；样本字形：Medium

```
\setmainfont[BoldFont={KerkisSans-Bold.otf},
  ItalicFont={KerkisSans-Italic.otf},BoldItalicFont={KerkisSans-BoldItalic.otf}]{KerkisSans.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Keter YG 来源：culmus；样本字形：Medium

```
\setmainfont[BoldFont={KeterYG-Bold.ttf},
  ItalicFont={KeterYG-MediumOblique.ttf},BoldItalicFont={KeterYG-BoldOblique.ttf}]{KeterYG-Medium.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

khatalmaqala 来源：khatalmaqala；样本字形：Regular

```
\setmainfont[BoldFont={khatalmaqala-bold.ttf},
  ItalicFont={khatalmaqala-italic.ttf},BoldItalicFont={khatalmaqala-bolditalic.ttf}]{khatalmaqala-regul」
  ↪ ar.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Kinnari 来源：fonts-tlwg；样本字形：Regular

```
\setmainfont[BoldFont={Kinnari-Bold.otf},
  ItalicFont={Kinnari-Italic.otf},BoldItalicFont={Kinnari-BoldItalic.otf}]{Kinnari.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

KpMono 来源：kpfonts-otf；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{kpfonts-otf}`（导言区）；`{\ttfamily ...}`（正文）。

```
\setmainfont[BoldFont={KpMono-Bold.otf},
  ItalicFont={KpMono-Italic.otf},BoldItalicFont={KpMono-BoldItalic.otf}]{KpMono-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

KpRoman 来源：kpfonts-otf；样本字形：Regular
宏包快捷方式（XeLaTeX）：`\usepackage{kpfonts-otf}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={KpRoman-Bold.otf},
  ItalicFont={KpRoman-Italic.otf},BoldItalicFont={KpRoman-BoldItalic.otf}]{KpRoman-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

KpSans 来源：kpfonts-otf；样本字形：Regular
宏包快捷方式（XeLaTeX）：`\usepackage{kpfonts-otf}`（导言区）；`{\sffamily ...}`（正文）。

```
\setmainfont[BoldFont={KpSans-Bold.otf},
  ItalicFont={KpSans-Italic.otf},BoldItalicFont={KpSans-BoldItalic.otf}]{KpSans-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

Kurier 来源：kurier；样本字形：Regular

```
\setmainfont[BoldFont={Kurier-Bold.otf},
  ItalicFont={Kurier-Italic.otf},BoldItalicFont={Kurier-BoldItalic.otf}]{Kurier-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

Kurier Cond 来源：kurier；样本字形：Regular

```
\setmainfont[BoldFont={KurierCond-Bold.otf},
  ItalicFont={KurierCond-Italic.otf},BoldItalicFont={KurierCond-BoldItalic.otf}]{KurierCond-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Kurier Cond Heavy 来源：kurier；样本字形：Regular

```
\setmainfont[BoldFont={KurierCondHeavy-Regular.otf},
  ItalicFont={KurierCondHeavy-Italic.otf},BoldItalicFont={KurierCondHeavy-Italic.otf}]{KurierCondHeavy-
  ↪ Regular.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：***Sphinx of black quartz, judge my vow.***
- 等宽：无
- 小型大写：**Sphinx of black quartz, judge my vow.**

Kurier Cond Light 来源：kurier；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={KurierCondLight-Italic.otf},BoldItalicFont={}]{KurierCondLight-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Kurier Cond Medium 来源：kurier；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={KurierCondMedium-Italic.otf},BoldItalicFont={}]{KurierCondMedium-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Kurier Heavy 来源：kurier；样本字形：Regular

```
\setmainfont[BoldFont={KurierHeavy-Regular.otf},
  ItalicFont={KurierHeavy-Italic.otf},BoldItalicFont={KurierHeavy-Italic.otf}]{KurierHeavy-Regular.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：***Sphinx of black quartz, judge my vow.***
- 等宽：无
- 小型大写：**Sphinx of black quartz, judge my vow.**

Kurier Light 来源：kurier；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={KurierLight-Italic.otf},BoldItalicFont={}]{KurierLight-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Kurier Medium 来源：kurier；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={KurierMedium-Italic.otf},BoldItalicFont={}]{KurierMedium-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

L

Laksaman 来源：fonts-tlwg；样本字形：Regular

```
\setmainfont[BoldFont={Laksaman-Bold.otf},
  ItalicFont={Laksaman-Italic.otf},BoldItalicFont={Laksaman-BoldItalic.otf}]{Laksaman.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Latin Modern Mono 来源：lm；样本字形：10 Regular

宏包快捷方式（XeLaTeX）：`\usepackage{lmodern}`（导言区）；`{\ttfamily ...}`（正文）。

```
\setmainfont[BoldFont={},
  ItalicFont={lmmono10-italic.otf},BoldItalicFont={},SmallCapsFont={lmmonocaps10-regular.otf}]{lmmono10」
  ↪ -regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：Sphinx of black quartz, judge my vow.

Latin Modern Mono Caps 来源：lm；样本字形：10 Regular

```
\setmainfont[BoldFont={},
  ItalicFont={lmmonocaps10-oblique.otf},BoldItalicFont={}]{lmmonocaps10-regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：Sphinx of black quartz, judge my vow.（字族默认字形）

Latin Modern Mono Light 来源：lm；样本字形：10 Regular

```
\setmainfont[BoldFont={lmmonolt10-bold.otf},
  ItalicFont={lmmonolt10-oblique.otf},BoldItalicFont={lmmonolt10-boldoblique.otf}]{lmmonolt10-regular.o
  ↪ tf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

Latin Modern Mono Light Cond 来源：lm；样本字形：10 Regular

```
\setmainfont[BoldFont={},
  ItalicFont={lmmonoltcond10-oblique.otf},BoldItalicFont={}]{lmmonoltcond10-regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

Latin Modern Mono Prop 来源：lm；样本字形：10 Regular

```
\setmainfont[BoldFont={},
  ItalicFont={lmmonoprop10-oblique.otf},BoldItalicFont={}]{lmmonoprop10-regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Latin Modern Mono Prop Light 来源：lm；样本字形：10 Regular

```
\setmainfont[BoldFont={lmmonoproplt10-bold.otf},
  ItalicFont={lmmonoproplt10-oblique.otf},BoldItalicFont={lmmonoproplt10-boldoblique.otf}]{lmmonoproplt
  ↪ 10-regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Latin Modern Mono Slanted 来源：lm；样本字形：10 Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{lmmonoslant10-regular.otf}
```

- 常规字形：*Sphinx of black quartz, judge my vow.*
- 粗体：无
- 斜体：无
- 等宽：*Sphinx of black quartz, judge my vow.*
- 小型大写：无

Latin Modern Roman 来源：lm；样本字形：10 Regular

宏包快捷方式（XeLaTeX）：`\usepackage{lmodern}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={lmroman10-bold.otf},
  ItalicFont={lmroman10-italic.otf},BoldItalicFont={lmroman10-bolditalic.otf},SmallCapsFont={lmromancap」
  ↪  s10-regular.otf}]{lmroman10-regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Latin Modern Roman Caps 来源：lm；样本字形：10 Regular

```
\setmainfont[BoldFont={},
  ItalicFont={lmromancaps10-oblique.otf},BoldItalicFont={}]{lmromancaps10-regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.（字族默认字形）

Latin Modern Roman Demi 来源：lm；样本字形：10 Regular

```
\setmainfont[BoldFont={lmromandemi10-regular.otf},
  ItalicFont={lmromandemi10-oblique.otf},BoldItalicFont={lmromandemi10-oblique.otf}]{lmromandemi10-regu」
  ↪ lar.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：***Sphinx of black quartz, judge my vow.***
- 等宽：无
- 小型大写：无

Latin Modern Roman Dunhill 来源：lm；样本字形：10 Regular

```
\setmainfont[BoldFont={},
  ItalicFont={lmromandunh10-oblique.otf},BoldItalicFont={}]{lmromandunh10-regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Latin Modern Roman Slanted 来源：lm；样本字形：10 Regular

```
\setmainfont[BoldFont={lmromanslant10-bold.otf},
  ItalicFont={},BoldItalicFont={}]{lmromanslant10-regular.otf}
```

- 常规字形：*Sphinx of black quartz, judge my vow.*
- 粗体：***Sphinx of black quartz, judge my vow.***
- 斜体：无
- 等宽：无
- 小型大写：无

Latin Modern Roman Unslanted 来源：lm；样本字形：10 Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{lmromanunsl10-regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Latin Modern Sans 来源：lm；样本字形：10 Regular

宏包快捷方式（XeLaTeX）：`\usepackage{lmodern}`（导言区）；`{\sffamily ...}`（正文）。

```
\setmainfont[BoldFont={lmsans10-bold.otf},
  ItalicFont={lmsans10-oblique.otf},BoldItalicFont={lmsans10-boldoblique.otf}]{lmsans10-regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Latin Modern Sans Demi Cond 来源：lm；样本字形：10 Regular

```
\setmainfont[BoldFont={lmsansdemicond10-regular.otf},
  ItalicFont={lmsansdemicond10-oblique.otf},BoldItalicFont={lmsansdemicond10-oblique.otf}]{lmsansdemico」
  ↪ nd10-regular.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：***Sphinx of black quartz, judge my vow.***
- 等宽：无
- 小型大写：无

Latin Modern Sans Quotation 来源：lm；样本字形：8 Regular

```
\setmainfont[BoldFont={lmsansquot8-bold.otf},
  ItalicFont={lmsansquot8-oblique.otf},BoldItalicFont={lmsansquot8-boldoblique.otf}]{lmsansquot8-regula」
  ↪ r.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Lato 来源：lato；样本字形：Regular

```
\setmainfont[BoldFont={Lato-Bold.ttf},
  ItalicFont={Lato-Italic.ttf},BoldItalicFont={Lato-BoldItalic.ttf}]{Lato-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Lexend Deca（字宽 2） 来源：lexend；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{lexend}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{LexendDeca-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Lexend Exa（字宽 3） 来源：lexend；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{LexendExa-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Lexend Giga（字宽 4） 来源：lexend；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{lexend}`（导言区）；`{\sffamily ...}`（正文）。

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{LexendGiga-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Lexend Mega 来源：lexend；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{LexendMega-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Lexend Peta（字宽 6） 来源：lexend；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{LexendPeta-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Lexend Tera（字宽 7） 来源：lexend；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{LexendTera-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Lexend Zetta（字宽 8） 来源：lexend；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{LexendZetta-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Libertinus Keyboard 来源：libertinus-fonts；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{LibertinusKeyboard-Regular.otf}
```

- 常规字形：S p h i n x o f b l a c k q u a r t z , j u d g e m y v o w .
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Libertinus Mono 来源：libertinus-fonts；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{LibertinusMono-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

Libertinus Sans 来源：libertinus-fonts；样本字形：Regular

```
\setmainfont[BoldFont={LibertinusSans-Bold.otf},
  ItalicFont={LibertinusSans-Italic.otf},BoldItalicFont={}]{LibertinusSans-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Libertinus Serif 来源：libertinus-fonts；样本字形：Regular

```
\setmainfont[BoldFont={LibertinusSerif-Bold.otf},
  ItalicFont={LibertinusSerif-Italic.otf},BoldItalicFont={LibertinusSerif-BoldItalic.otf}]{LibertinusSe」
  ↪ rif-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Libertinus Serif Display 来源：libertinus-fonts；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{LibertinusSerifDisplay-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Libre Baskerville 来源：librebaskerville；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{librebaskerville}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={LibreBaskerville-Bold.ttf},
  ItalicFont={LibreBaskerville-Italic.ttf},BoldItalicFont={}]{LibreBaskerville-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Libre Bodoni 来源：librebodoni；样本字形：Regular
宏包快捷方式（XeLaTeX）：`\usepackage{LibreBodoni}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={LibreBodoni-Bold.otf},
  ItalicFont={LibreBodoni-Italic.otf},BoldItalicFont={LibreBodoni-BoldItalic.otf}]{LibreBodoni-Regular.
  ↪ otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Libre Bskvl 来源：librebaskerville；样本字形：BoldItalic

```
\setmainfont[BoldFont={},
  ItalicFont={LibreBskvl-BoldItalic.ttf},BoldItalicFont={LibreBskvl-BoldItalic.ttf}]{LibreBskvl-BoldIta
  ↪ lic.ttf}
```

- 常规字形：无
- 粗体：无
- 斜体：***Sphinx of black quartz, judge my vow.***
- 等宽：无
- 小型大写：无

Libre Caslon Text 来源：librecaslon；样本字形：Regular
宏包快捷方式（XeLaTeX）：`\usepackage{librecaslon}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={LibreCaslonText-Bold.otf},
  ItalicFont={LibreCaslonText-Italic.otf},BoldItalicFont={}]{LibreCaslonText-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Libre Csln 来源：librecaslon；样本字形：BoldItalic

```
\setmainfont[BoldFont={},
  ItalicFont={LibreCsln-BoldItalic.otf},BoldItalicFont={LibreCsln-BoldItalic.otf}]{LibreCsln-BoldItalic
  ↪ .otf}
```

- 常规字形：无
- 粗体：无
- 斜体：***Sphinx of black quartz, judge my vow.***
- 等宽：无
- 小型大写：无

Libre Franklin 来源：librefranklin；样本字形：Regular
宏包快捷方式（XeLaTeX）：`\usepackage{librefranklin}`（导言区）；`{\sffamily ...}`（正文）。

```
\setmainfont[BoldFont={LibreFranklin-Bold.otf},
  ItalicFont={LibreFranklin-Italic.otf},BoldItalicFont={LibreFranklin-BoldItalic.otf}]{LibreFranklin-Re
  ↪ gular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Linguistics Pro 来源：linguisticspro；样本字形：Regular
宏包快捷方式（XeLaTeX）：`\usepackage{linguisticspro}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={LinguisticsPro-Bold.otf},
  ItalicFont={LinguisticsPro-Italic.otf},BoldItalicFont={LinguisticsPro-BoldItalic.otf}]{LinguisticsPro
  ↪ -Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Linux Biolinum Keyboard O 来源：libertine；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{LinBiolinum_K.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Linux Biolinum O 来源：libertine；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{biolinum}`（导言区）；`{\sffamily ...}`（正文）。

```
\setmainfont[BoldFont={LinBiolinum_RB.otf},
  ItalicFont={LinBiolinum_RI.otf},BoldItalicFont={LinBiolinum_RBO.otf}]{LinBiolinum_R.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Linux Libertine Display O 来源：libertine；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{LinLibertine_DR.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Linux Libertine Mono O 来源：libertine；样本字形：Mono

宏包快捷方式（XeLaTeX）：\usepackage{libertine}（导言区）；{\ttfamily ...}（正文）。

```
\setmainfont[BoldFont={},
  ItalicFont={LinLibertine_MO.otf},BoldItalicFont={}]{LinLibertine_M.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

Linux Libertine O 来源：libertine；样本字形：Semibold

```
\setmainfont[BoldFont={LinLibertine_RB.otf},
  ItalicFont={LinLibertine_RZI.otf},BoldItalicFont={LinLibertine_RBI.otf}]{LinLibertine_RZ.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：***Sphinx of black quartz, judge my vow.***
- 等宽：无
- 小型大写：**Sphinx of black quartz, judge my vow.**

LobsterTwo 来源：lobster2；样本字形：Regular

宏包快捷方式（XeLaTeX）：\usepackage{LobsterTwo}（导言区）；{\rmfamily ...}（正文）。

```
\setmainfont[BoldFont={LobsterTwo-Bold.otf},
  ItalicFont={LobsterTwo-Italic.otf},BoldItalicFont={LobsterTwo-BoldItalic.otf}]{LobsterTwo-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Loma 来源：fonts-tlwg；样本字形：Regular

```
\setmainfont[BoldFont={Loma-Bold.otf},
  ItalicFont={Loma-Oblique.otf},BoldItalicFont={Loma-BoldOblique.otf}]{Loma.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Luciole 来源：luciole；样本字形：Regular

```
\setmainfont[BoldFont={Luciole-Bold.ttf},
  ItalicFont={Luciole-Regular-Italic.ttf},BoldItalicFont={Luciole-Bold-Italic.ttf}]{Luciole-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

LXGW Neo XiHei 来源：lxgw-fonts；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{LXGWNeoXiHei.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

LXGW Neo XiHei Screen 来源：lxgw-fonts；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{LXGWNeoXiHeiScreen.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

LXGW Neo ZhiSong 来源：lxgw-fonts；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{LXGWNeoZhiSong.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

LXGW Neo ZhiSong Screen 来源：lxgw-fonts；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{LXGWNeoZhiSongScreen.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

LXGW WenKai GB Lite 来源：lxgw-fonts；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{LXGWWenKaiGBLite-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

LXGW ZhenKai GB 来源：lxgw-fonts；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{LXGWZhenKaiGB-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

M

Marcellus 来源：marcellus；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{marcellus}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={},SmallCapsFont={MarcellusSC-Regular.ttf}]{Marcellus-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Marcellus SC 来源：marcellus；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{MarcellusSC-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.（字族默认字形）

Menaion Unicode 来源：fonts-churchslavonic；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{MenaionUnicode.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Merriweather 来源：merriweather；样本字形：Regular
宏包快捷方式（XeLaTeX）：`\usepackage{merriweather}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={Merriweather-Bold.otf},
  ItalicFont={Merriweather-Italic.otf},BoldItalicFont={Merriweather-BoldItalic.otf}]{Merriweather-Regul」
  ↪ ar.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

Merriweather Sans 来源：merriweather；样本字形：Regular
宏包快捷方式（XeLaTeX）：`\usepackage{merriweather}`（导言区）；`{\sffamily ...}`（正文）。

```
\setmainfont[BoldFont={MerriweatherSans-Bold.otf},
  ItalicFont={MerriweatherSans-Italic.otf},BoldItalicFont={MerriweatherSans-BoldItalic.otf}]{Merriweath」
  ↪ erSans-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

Mezenets Unicode 来源：fonts-churchslavonic；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{MezenetsUnicode.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

MFB Oldstyle 来源：mfb-oldstyle；样本字形：Regular

```
\setmainfont[BoldFont={MFBOldstyle-Bold.otf},
  ItalicFont={MFBOldstyle-Italic.otf},BoldItalicFont={}]{MFBOldstyle-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Miama Nueva 来源：miama；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={miama.otf},BoldItalicFont={}]{miama.otf}
```

- 常规字形：无
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Mint Spirit 来源：mintspirit；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{mintspirit}`（导言区）；`{\sffamily ...}`（正文）。

```
\setmainfont[BoldFont={MintSpirit-Bold.otf},
  ItalicFont={MintSpirit-Italic.otf},BoldItalicFont={MintSpirit-BoldItalic.otf}]{MintSpirit-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Mint Spirit No2 来源：mintspirit；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{mintspirit2}`（导言区）；`{\sffamily ...}`（正文）。

```
\setmainfont[BoldFont={MintSpiritNo2-Bold.otf},
  ItalicFont={MintSpiritNo2-Italic.otf},BoldItalicFont={MintSpiritNo2-BoldItalic.otf}]{MintSpiritNo2-Re」
  ↪ gular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Miriam Mono CLM 来源：culmus；样本字形：Book

```
\setmainfont[BoldFont={MiriamMonoCLM-Bold.ttf},
  ItalicFont={},BoldItalicFont={MiriamMonoCLM-BoldOblique.ttf}]{MiriamMonoCLM-Book.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

Missaali 来源：missaali；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{Missaali-Regular.otf}
```

- 常规字形：𝔖phinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：𝔖phinx of black qua𝔎tz, judge my vow

Modak 来源：ektype-tanka；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{Modak.ttf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Monaspace Argon 来源：monaspace-otf；样本字形：Regular

```
\setmainfont[BoldFont={MonaspaceArgon-Bold.otf},
  ItalicFont={MonaspaceArgon-Italic.otf},BoldItalicFont={MonaspaceArgon-BoldItalic.otf}]{MonaspaceArgon」
  ↪ -Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Monaspace Krypton 来源：monaspace-otf；样本字形：Regular

```
\setmainfont[BoldFont={MonaspaceKrypton-Bold.otf},
  ItalicFont={MonaspaceKrypton-Italic.otf},BoldItalicFont={MonaspaceKrypton-BoldItalic.otf}]{MonaspaceK」
  ↪ rypton-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Monaspace Neon 来源：monaspace-otf；样本字形：Regular

```
\setmainfont[BoldFont={MonaspaceNeon-Bold.otf},
  ItalicFont={MonaspaceNeon-Italic.otf},BoldItalicFont={MonaspaceNeon-BoldItalic.otf}]{MonaspaceNeon-Re
  ↪ gular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

Monaspace Radon 来源：monaspace-otf；样本字形：Regular

```
\setmainfont[BoldFont={MonaspaceRadon-Bold.otf},
  ItalicFont={MonaspaceRadon-Italic.otf},BoldItalicFont={MonaspaceRadon-BoldItalic.otf}]{MonaspaceRadon
  ↪ -Regular.otf}
```

- 常规字形：*Sphinx of black quartz, judge my vow.*
- 粗体：***Sphinx of black quartz, judge my vow.***
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：*Sphinx of black quartz, judge my vow.*
- 小型大写：无

Monaspace Xenon 来源：monaspace-otf；样本字形：Regular

```
\setmainfont[BoldFont={MonaspaceXenon-Bold.otf},
  ItalicFont={MonaspaceXenon-Italic.otf},BoldItalicFont={MonaspaceXenon-BoldItalic.otf}]{MonaspaceXenon
  ↪ -Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Monomakh Unicode 来源：fonts-churchslavonic；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{MonomakhUnicode.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Montserrat 来源：montserrat；样本字形：Regular

```
\setmainfont[BoldFont={Montserrat-Bold.otf},
  ItalicFont={Montserrat-Italic.otf},BoldItalicFont={Montserrat-BoldItalic.otf}]{Montserrat-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Montserrat Alternates 来源：montserrat；样本字形：Regular

```
\setmainfont[BoldFont={MontserratAlternates-Bold.otf},
  ItalicFont={MontserratAlternates-Italic.otf},BoldItalicFont={MontserratAlternates-BoldItalic.otf}]{Mo」
  ↪ ntserratAlternates-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Mukta 来源：ektype-tanka；样本字形：Regular

```
\setmainfont[BoldFont={Mukta-Bold.ttf},
  ItalicFont={},BoldItalicFont={}]{Mukta-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

MuseJazz Text 来源：musixtex-fonts；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{MuseJazzText.otf}
```

- 常规字形：***Sphinx of black quartz, judge my vow.***
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

N

Nachlieli CLM 来源：culmus；样本字形：Light

```
\setmainfont[BoldFont={NachlieliCLM-Bold.otf},
  ItalicFont={NachlieliCLM-LightOblique.otf},BoldItalicFont={NachlieliCLM-BoldOblique.otf}]{NachlieliCL」
  ↪ M-Light.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

NewCM08Devanagari 来源：newcomputermodern；样本字形：Book

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{NewCM08Devanagari-Book.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

NewCMUncial08 来源：newcomputermodern；样本字形：Book

```
\setmainfont[BoldFont={NewCMUncial08-Bold.otf},
  ItalicFont={},BoldItalicFont={}]{NewCMUncial08-Book.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

NewCMUncial10 来源：newcomputermodern；样本字形：Book

```
\setmainfont[BoldFont={NewCMUncial10-Bold.otf},
  ItalicFont={},BoldItalicFont={}]{NewCMUncial10-Book.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

NewComputerModern 10 Devanagari 来源：newcomputermodern；样本字形：Book

```
\setmainfont[BoldFont={NewCM10Devanagari-Bold.otf},
  ItalicFont={},BoldItalicFont={}]{NewCM10Devanagari-Book.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

NewComputerModern08 来源：newcomputermodern；样本字形：Book

```
\setmainfont[BoldFont={},
  ItalicFont={NewCM08-BookItalic.otf},BoldItalicFont={}]{NewCM08-Book.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

NewComputerModernMono10 来源：newcomputermodern；样本字形：Book

宏包快捷方式（XeLaTeX）：`\usepackage{newcomputermodern}`（导言区）；`{\ttfamily ...}`（正文）。

```
\setmainfont[BoldFont={NewCMMono10-Bold.otf},
  ItalicFont={NewCMMono10-BookItalic.otf},BoldItalicFont={NewCMMono10-BoldOblique.otf}]{NewCMMono10-Boo」
  ↪ k.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：***Sphinx of black quartz, judge my vow.***
- 等宽：**Sphinx of black quartz, judge my vow.**
- 小型大写：**Sphinx of black quartz, judge my vow.**

NewComputerModernSans08 来源：newcomputermodern；样本字形：Book

```
\setmainfont[BoldFont={},
  ItalicFont={NewCMSans08-BookOblique.otf},BoldItalicFont={}]{NewCMSans08-Book.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

NewComputerModernUncial10 来源：newcomputermodern；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{NewCMUncial10-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Nimbus Mono 来源：nimbus15；样本字形：Regular

```
\setmainfont[BoldFont={zco-Bold.otf},
  ItalicFont={zco-LightOblique.otf},BoldItalicFont={zco-BoldOblique.otf}]{zco-Light.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

Nimbus Sans L 来源：nimbus15；样本字形：Regular

```
\setmainfont[BoldFont={zhv-Bol.otf},
  ItalicFont={zhv-RegIta.otf},BoldItalicFont={zhv-BolIta.otf}]{zhv-Reg.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

NKD04 Playing Card's Index 来源：hmtrump；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{nkd04_playing_cards_index.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

Norasi 来源：fonts-tlwg；样本字形：Regular

```
\setmainfont[BoldFont={Norasi-Bold.otf},
  ItalicFont={Norasi-Italic.otf},BoldItalicFont={Norasi-BoldItalic.otf}]{Norasi.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Noto Sans 来源：noto；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{noto}`（导言区）；`{\sffamily ...}`（正文）。

```
\setmainfont[BoldFont={NotoSans-Bold.ttf},
  ItalicFont={NotoSans-Italic.ttf},BoldItalicFont={NotoSans-BoldItalic.ttf}]{NotoSans-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

Noto Sans Anatolian Hieroglyphs 来源：luwiantype；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{LuwianFont.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Noto Sans Lydian 来源：lydtype；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{NotoSansLydian-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Noto Sans Mono 来源：noto；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{noto}`（导言区）；`{\ttfamily ...}`（正文）。

```
\setmainfont[BoldFont={NotoSansMono-Bold.ttf},
  ItalicFont={},BoldItalicFont={}]{NotoSansMono-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

Noto Serif 来源：noto；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{noto}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={NotoSerif-Bold.ttf},
  ItalicFont={NotoSerif-Italic.ttf},BoldItalicFont={NotoSerif-BoldItalic.ttf}]{NotoSerif-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

NovelDeco 来源：novel；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{NovelDeco.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

Nunito 来源：nunito；样本字形：Regular

```
\setmainfont[BoldFont={Nunito-Bold.otf},
  ItalicFont={Nunito-Italic.otf},BoldItalicFont={Nunito-BoldItalic.otf}]{Nunito-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

O

ocrb10 来源：ocr-b-outline；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{ocrb10.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

Old Standard 来源：oldstandard；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{OldStandard}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={OldStandard-Bold.otf},
  ItalicFont={OldStandard-Italic.otf},BoldItalicFont={OldStandard-BoldItalic.otf}]{OldStandard-Regular.
  ↪ otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Open Sans 来源：opensans；样本字形：Regular

```
\setmainfont[BoldFont={OpenSans-Bold.ttf},
  ItalicFont={OpenSans-Italic.ttf},BoldItalicFont={OpenSans-BoldItalic.ttf}]{OpenSans-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Open Sans Condensed（字宽 3） 来源：opensans；样本字形：Bold

```
\setmainfont[BoldFont={OpenSansCondensed-Bold.ttf},
  ItalicFont={},BoldItalicFont={}]{OpenSansCondensed-Bold.ttf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

Open Sans Condensed Light（字宽 3） 来源：opensans；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={OpenSansCondensed-LightItalic.ttf},BoldItalicFont={}]{OpenSansCondensed-Light.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Open Sans ExtraBold 来源：opensans；样本字形：Regular

```
\setmainfont[BoldFont={OpenSans-ExtraBold.ttf},
  ItalicFont={OpenSans-ExtraBoldItalic.ttf},BoldItalicFont={OpenSans-ExtraBoldItalic.ttf}]{OpenSans-Ext」
  ↪ raBold.ttf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：***Sphinx of black quartz, judge my vow.***
- 等宽：无
- 小型大写：无

Open Sans Light 来源：opensans；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={OpenSans-LightItalic.ttf},BoldItalicFont={}]{OpenSans-Light.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Open Sans SemiBold 来源：opensans；样本字形：Regular

```
\setmainfont[BoldFont={OpenSans-SemiBold.ttf},
  ItalicFont={OpenSans-SemiBoldItalic.ttf},BoldItalicFont={OpenSans-SemiBoldItalic.ttf}]{OpenSans-SemiB」
  ↪ old.ttf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：***Sphinx of black quartz, judge my vow.***
- 等宽：无
- 小型大写：无

Overlock 来源：overlock；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{overlock}`（导言区）；`{\sffamily ...}`（正文）。

```
\setmainfont[BoldFont={Overlock-Bold-OTF.otf},
  ItalicFont={Overlock-Italic-OTF.otf},BoldItalicFont={Overlock-BoldItalic-OTF.otf}]{Overlock-Regular-O」
  ↪ TF.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

P

Parsi Matn 来源：parsimatn；样本字形：Regular

```
\setmainfont[BoldFont={ParsiMatn-Bold.ttf},
  ItalicFont={ParsiMatn-Italic.ttf},BoldItalicFont={ParsiMatn-BoldItalic.ttf}]{ParsiMatn-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Parsi Nevis 来源：parsinevis；样本字形：Regular

```
\setmainfont[BoldFont={ParsiNevis-Bold.ttf},
  ItalicFont={ParsiNevis-Italic.ttf},BoldItalicFont={ParsiNevis-BoldItalic.ttf}]{ParsiNevis-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Pennstander 来源：pennstander-otf；样本字形：Regular

```
\setmainfont[BoldFont={Pennstander-Bold.otf},
  ItalicFont={Pennstander-ItalicRegular.otf},BoldItalicFont={Pennstander-ItalicBold.otf}]{Pennstander-R」
  ↪ egular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Playfair Display 来源：playfair；样本字形：Regular
宏包快捷方式（XeLaTeX）：`\usepackage{PlayfairDisplay}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={PlayfairDisplay-Bold.otf},
  ItalicFont={PlayfairDisplay-Italic.otf},BoldItalicFont={PlayfairDisplay-BoldItalic.otf}]{PlayfairDisp」
  ↪ lay-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

Pochaevsk Unicode 来源：fonts-churchslavonic；样本字形：Normal

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{PochaevskUnicode.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Poiret One 来源：poiretone；样本字形：Regular
宏包快捷方式（XeLaTeX）：`\usepackage{PoiretOne}`（导言区）；`{\sffamily ...}`（正文）。

```
\setmainfont[BoldFont={PoiretOne-Bold.ttf},
  ItalicFont={},BoldItalicFont={}]{PoiretOne-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：Sphinx of black quartz, judge my vow.
- 斜体：无
- 等宽：无
- 小型大写：无

Pomorsky Unicode 来源：fonts-churchslavonic；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{PomorskyUnicode.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Ponomar Unicode 来源：fonts-churchslavonic；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{PonomarUnicode.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

PT Mono 来源：paratype；样本字形：Regular

```
\setmainfont[BoldFont={PTM75F.ttf},
  ItalicFont={},BoldItalicFont={}]{PTM55F.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

PT Sans 来源：paratype；样本字形：Regular

```
\setmainfont[BoldFont={PTS75F.ttf},
  ItalicFont={PTS56F.ttf},BoldItalicFont={PTS76F.ttf}]{PTS55F.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

PT Sans Caption 来源：paratype；样本字形：Regular

```
\setmainfont[BoldFont={PTC75F.ttf},
  ItalicFont={},BoldItalicFont={}]{PTC55F.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

PT Sans Narrow（字宽 3） 来源：paratype；样本字形：Regular

```
\setmainfont[BoldFont={PTN77F.ttf},
  ItalicFont={},BoldItalicFont={}]{PTN57F.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

PT Serif 来源：paratype；样本字形：Regular

```
\setmainfont[BoldFont={PTF75F.ttf},
  ItalicFont={PTF56F.ttf},BoldItalicFont={PTF76F.ttf}]{PTF55F.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

PT Serif Caption 来源：paratype；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={PTZ56F.ttf},BoldItalicFont={}]{PTZ55F.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Punk Nova 来源：punknova；样本字形：Regular

```
\setmainfont[BoldFont={punknova-bold.otf},
  ItalicFont={punknova-slanted.otf},BoldItalicFont={punknova-boldslanted.otf}]{punknova-regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Purisa 来源：fonts-tlwg；样本字形：Regular

```
\setmainfont[BoldFont={Purisa-Bold.otf},
  ItalicFont={Purisa-Oblique.otf},BoldItalicFont={Purisa-BoldOblique.otf}]{Purisa.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Q

QTAbbie 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTAbbie.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTAgateType 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={QTAgateType-Bold.otf},
  ItalicFont={QTAgateType-Italic.otf},BoldItalicFont={}]{QTAgateType.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

QTAncientOlive 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={QTAncientOlive-Bold.otf},
  ItalicFont={},BoldItalicFont={}]{QTAncientOlive.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

QTAntiquePost 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTAntiquePost.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTArabian 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTArabian.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTArnieB 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTArnieB.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTArtiston 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTArtiston.otf}
```

- 常规字形：*Sphinx of black quartz, judge my vow.*
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTAtchen 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTAtchen.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTAvanti 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={QTAvanti-Italic.otf},BoldItalicFont={}]{QTAvanti.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

QTBasker 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={QTBasker-Bold.otf},
  ItalicFont={QTBasker-Italic.otf},BoldItalicFont={}]{QTBasker.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

QTBeckman 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTBeckman.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTBengal 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={QTBengal-Bold.otf},
  ItalicFont={},BoldItalicFont={}]{QTBengal.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

QTBlackForest 来源：qualitype；样本字形：BlackForest

```
\setmainfont[BoldFont={QTBlackForest.otf},
  ItalicFont={},BoldItalicFont={}]{QTBlackForest.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：Sphinx of black quartz, judge my vow.
- 斜体：无
- 等宽：无
- 小型大写：无

QTBlimpo 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTBlimpo.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTBodini 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={QTBodini-Bold.otf},
  ItalicFont={QTBodini-Italic.otf},BoldItalicFont={}]{QTBodini.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

QTBodiniPoster 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={QTBodiniPoster-Italic.otf},BoldItalicFont={}]{QTBodiniPoster.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：无
- 斜体：***Sphinx of black quartz, judge my vow.***
- 等宽：无
- 小型大写：无

QTBookmann 来源：qualitype；样本字形：Bookmann

```
\setmainfont[BoldFont={QTBookmann-Bold.otf},
  ItalicFont={QTBookmann-Italic.otf},BoldItalicFont={QTBookmann-BoldItalic.otf}]{QTBookmann.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

QTBoulevard 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTBoulevard.otf}
```

- 常规字形：*Sphinx of black quartz, judge my vow.*
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTBrushStroke 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTBrushStroke.otf}
```

- 常规字形：***Sphinx of black quartz, judge my vow.***
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTCaligulatype 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTCaligulatype.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTCanaithtype 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTCanaithtype.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTCascadetype 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTCascadetype.otf}
```

- 常规字形：*Sphinx of black quartz, judge my vow.*
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTCaslan 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={QTCaslan-Bold.otf},
  ItalicFont={QTCaslan-Italic.otf},BoldItalicFont={QTCaslan-BoldItalic.otf}]{QTCaslan.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

QTCaslanOpen 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTCaslanOpen.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTCasual 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTCasual.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTChanceryType 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={QTChanceryType-Bold.otf},
  ItalicFont={QTChanceryType-Italic.otf},BoldItalicFont={}]{QTChanceryType.otf}
```

- 常规字形：*Sphinx of black quartz, judge my vow.*
- 粗体：***Sphinx of black quartz, judge my vow.***
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

QTChicagoland 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTChicagoland.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTClaytablet 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTClaytablet.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTCloisteredMonk 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTCloisteredMonk.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTCoronation 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTCoronation.otf}
```

- 常规字形：*Sphinx of black quartz, judge my vow.*
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTDeuce 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTDeuce.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTDoghaus 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTDoghaus.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTDoghausHeavy 来源：qualitype；样本字形：Heavy

```
\setmainfont[BoldFont={QTDoghausHeavy.otf},
  ItalicFont={},BoldItalicFont={}]{QTDoghausHeavy.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

QTDoghausLight 来源：qualitype；样本字形：Light

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTDoghausLight.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTDublinIrish 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTDublinIrish.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTEraType 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={QTEraType-Bold.otf},
  ItalicFont={},BoldItalicFont={}]{QTEraType.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：Sphinx of black quartz, judge my vow.
- 斜体：无
- 等宽：无
- 小型大写：无

QTEurotype 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={QTEurotype-Bold.otf},
  ItalicFont={},BoldItalicFont={}]{QTEurotype.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

QTFloraline 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={QTFloraline-Bold.otf},
  ItalicFont={},BoldItalicFont={}]{QTFloraline.otf}
```

- 常规字形：*Sphinx of black quartz, judge my vow.*
- 粗体：***Sphinx of black quartz, judge my vow.***
- 斜体：无
- 等宽：无
- 小型大写：无

QTFlorencia 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTFlorencia.otf}
```

- 常规字形：*Sphinx of black quartz, judge my vow.*
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTFraktur 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTFraktur.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTFrank 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTFrank.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTFrankHeavy 来源：qualitype；样本字形：Heavy

```
\setmainfont[BoldFont={QTFrankHeavy.otf},
  ItalicFont={},BoldItalicFont={}]{QTFrankHeavy.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

QTFrizQuad 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={QTFrizQuad-Bold.otf},
  ItalicFont={},BoldItalicFont={}]{QTFrizQuad.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

QTFuture 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={QTFuture-Italic.otf},BoldItalicFont={}]{QTFuture.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

QTFuturePoster 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTFuturePoster.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTGaromand 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={QTGaromand-Bold.otf},
  ItalicFont={QTGaromand-Italic.otf},BoldItalicFont={QTGaromand-BoldItalic.otf}]{QTGaromand.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

QTGhoulFace 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTGhoulFace.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTGraphLite 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTGraphLite.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTGraveure 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={QTGraveure-Bold.otf},
  ItalicFont={},BoldItalicFont={}]{QTGraveure.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

QTGreece 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTGreece.otf}
```

- 常规字形：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTHandwriting 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTHandwriting.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTHeidelbergType 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTHeidelbergType.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTHelvet-Black 来源：qualitype；样本字形：Black

```
\setmainfont[BoldFont={QTHelvet-Black.otf},
  ItalicFont={},BoldItalicFont={}]{QTHelvet-Black.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

QTHelvet-BoldOutline 来源：qualitype；样本字形：BoldOutline

```
\setmainfont[BoldFont={QTHelvet-BoldOutline.otf},
  ItalicFont={},BoldItalicFont={}]{QTHelvet-BoldOutline.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：Sphinx of black quartz, judge my vow.
- 斜体：无
- 等宽：无
- 小型大写：无

QTHelvetCnd 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTHelvetCnd.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTHelvetCnd-Black 来源：qualitype；样本字形：Black

```
\setmainfont[BoldFont={QTHelvetCnd-Black.otf},
  ItalicFont={},BoldItalicFont={}]{QTHelvetCnd-Black.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

QTHelvetCnd-Light 来源：qualitype；样本字形：Light

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTHelvetCnd-Light.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTHoboken 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTHoboken.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTHowardType 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTHowardType.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTHowardTypeFat 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTHowardTypeFat.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTImpromptu 来源：qualitype；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTImpromptu.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTJupiter 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTJupiter.otf}
```

- 常规字形：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTKooper 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={QTKooper-Italic.otf},BoldItalicFont={}]{QTKooper.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：无
- 斜体：***Sphinx of black quartz, judge my vow.***
- 等宽：无
- 小型大写：无

QTKorrin 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={QTKorrin-Italic.otf},BoldItalicFont={}]{QTKorrin.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

QTKung-Fu 来源：qualitype；样本字形：Fu

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTKung-Fu.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTLautrecType 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTLautrecType.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTLetterGoth 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={QTLetterGoth-Bold.otf},
  ItalicFont={QTLetterGoth-Italic.otf},BoldItalicFont={QTLetterGoth-BoldItalic.otf}]{QTLetterGoth.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

QTLinoscroll 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTLinoscroll.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTLinostroke 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTLinostroke.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTLondonScroll 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTLondonScroll.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTMagicMarker 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTMagicMarker.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTMerryScript 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTMerryScript.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTMilitary 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTMilitary.otf}
```

- 常规字形：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTOKCorral 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTOKCorral.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTOKCorral-Cnd 来源：qualitype；样本字形：Cnd

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTOKCorral-Cnd.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTOKCorral-Ext 来源：qualitype；样本字形：Ext

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTOKCorral-Ext.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTOldGoudy 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={QTOldGoudy-Bold.otf},
  ItalicFont={QTOldGoudy-Italic.otf},BoldItalicFont={}]{QTOldGoudy.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

QTOptimum 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={QTOptimum-Bold.otf},
  ItalicFont={QTOptimum-Italic.otf},BoldItalicFont={QTOptimum-BoldItalic.otf}]{QTOptimum.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

QTPalatine 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={QTPalatine-Bold.otf},
  ItalicFont={QTPalatine-Italic.otf},BoldItalicFont={}]{QTPalatine.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

QTPandora 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTPandora.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTParisFrance 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTParisFrance.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTPeignoir 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTPeignoir.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTPeignoir-Lite 来源：qualitype；样本字形：Lite

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTPeignoir-Lite.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTPiltdown 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTPiltdown.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTPristine 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={QTPristine-Bold.otf},
  ItalicFont={QTPristine-Italic.otf},BoldItalicFont={QTPristine-BoldItalic.otf}]{QTPristine.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

QTRobotic2000 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTRobotic2000.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTSanDiego 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTSanDiego.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTSchoolCentury 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={QTSchoolCentury-Bold.otf},
  ItalicFont={QTSchoolCentury-Italic.otf},BoldItalicFont={QTSchoolCentury-BoldItalic.otf}]{QTSchoolCent」
  ↪ ury.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

QTSlogantype 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTSlogantype.otf}
```

- 常规字形：*Sphinx of black quartz, judge my vow.*
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTSnowCaps 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTSnowCaps.otf}
```

- 常规字形：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTStoryTimeCaps 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTStoryTimeCaps.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTTechtone 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={QTTechtone-Bold.otf},
  ItalicFont={QTTechtone-Italic.otf},BoldItalicFont={QTTechtone-BoldItalic.otf}]{QTTechtone.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：Sphinx of black quartz, judge my vow.
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

QTTheatre 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTTheatre.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTTimeOutline 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTTimeOutline.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTTumbleweed 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTTumbleweed.otf}
```

- 常规字形：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTUSA-Uncial 来源：qualitype；样本字形：Uncial

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTUSA-Uncial.otf}
```

- 常规字形：sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

QTVagaRound 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={QTVagaRound-Bold.otf},
  ItalicFont={},BoldItalicFont={}]{QTVagaRound.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

QTWeise 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={QTWeise-Bold.otf},
  ItalicFont={QTWeise-Italic.otf},BoldItalicFont={}]{QTWeise.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

QTWestEnd 来源：qualitype；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{QTWestEnd.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Quattro 来源：quattrocento；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={Quattro-BoldItalic.ttf}]{Quattro-Italic.ttf}
```

- 常规字形：*Sphinx of black quartz, judge my vow.*
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Quattrocento 来源：quattrocento；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{quattrocento}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={Quattrocento-Bold.ttf},
  ItalicFont={},BoldItalicFont={}]{Quattrocento-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

Quattrocento Sans 来源：quattrocento；样本字形：Regular
宏包快捷方式（XeLaTeX）：`\usepackage{quattrocento}`（导言区）；`{\sffamily ...}`（正文）。

```
\setmainfont[BoldFont={QuattrocentoSans-Bold.ttf},
  ItalicFont={QuattrocentoSans-Italic.ttf},BoldItalicFont={QuattrocentoSans-BoldItalic.ttf}]{Quattrocen」
  ↪ toSans-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

R

Raleway 来源：raleway；样本字形：Regular
宏包快捷方式（XeLaTeX）：`\usepackage{raleway}`（导言区）；`{\sffamily ...}`（正文）。

```
\setmainfont[BoldFont={Raleway-Bold.otf},
  ItalicFont={Raleway-RegularItalic.otf},BoldItalicFont={Raleway-BoldItalic.otf}]{Raleway-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Redacted 来源：luacensor；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{Redacted-Regular.ttf}
```

- 常规字形：[redacted]
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

RIT Ala 来源：rit-fonts；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{RIT-Ala.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

RIT Ezhuthu 来源：rit-fonts；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{RIT-Ezhuthu-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

RIT Indira 来源：rit-fonts；样本字形：Bold

```
\setmainfont[BoldFont={RIT-Indira-Bold.ttf},
  ItalicFont={},BoldItalicFont={}]{RIT-Indira-Bold.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：Sphinx of black quartz, judge my vow.
- 斜体：无
- 等宽：无
- 小型大写：无

RIT Karuna 来源：rit-fonts；样本字形：Bold

```
\setmainfont[BoldFont={RIT-Karuna-Bold.ttf},
  ItalicFont={},BoldItalicFont={}]{RIT-Karuna-Bold.ttf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

RIT Keraleeyam 来源：rit-fonts；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={RIT-Keraleeyam-Italic.ttf},BoldItalicFont={}]{RIT-Keraleeyam-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

RIT Keram 来源：rit-fonts；样本字形：Bold

```
\setmainfont[BoldFont={RIT-Keram-Bold.ttf},
  ItalicFont={},BoldItalicFont={}]{RIT-Keram-Bold.ttf}
```

- 常规字形：**sphinx of black quartz, judge my vow.**
- 粗体：**sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

RIT Kutty 来源：rit-fonts；样本字形：Bold

```
\setmainfont[BoldFont={RIT-Kutty-Bold.ttf},
  ItalicFont={},BoldItalicFont={}]{RIT-Kutty-Bold.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：Sphinx of black quartz, judge my vow.
- 斜体：无
- 等宽：无
- 小型大写：无

RIT Lasya 来源：rit-fonts；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{RIT-Lasya.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

RIT Lekha 来源：rit-fonts；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{RIT-Lekha.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

RIT Meera New 来源：rit-fonts；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{RIT-MeeraNew.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

RIT Panmana 来源：rit-fonts；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{RIT-Panmana-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

RIT Rachana 来源：rit-fonts；样本字形：Regular

```
\setmainfont[BoldFont={RIT-Rachana-Bold.ttf},
  ItalicFont={RIT-Rachana-Italic.ttf},BoldItalicFont={RIT-Rachana-BoldItalic.ttf}]{RIT-Rachana-Regular.」
  ↪ ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

RIT Sundar 来源：rit-fonts；样本字形：Bold

```
\setmainfont[BoldFont={RIT-Sundar.ttf},
  ItalicFont={},BoldItalicFont={}]{RIT-Sundar.ttf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

RIT TN Joy 来源：rit-fonts；样本字形：Regular

```
\setmainfont[BoldFont={RIT-tnjoy-bold.ttf},
  ItalicFont={},BoldItalicFont={}]{RIT-tnjoy-regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：Sphinx of black quartz, judge my vow.
- 斜体：无
- 等宽：无
- 小型大写：无

RIT Uroob 来源：rit-fonts；样本字形：

```
\setmainfont[BoldFont={RIT-Uroob.ttf},
  ItalicFont={},BoldItalicFont={}]{RIT-Uroob.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：Sphinx of black quartz, judge my vow.
- 斜体：无
- 等宽：无
- 小型大写：无

Roboto 来源：roboto；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{roboto}`（导言区）；`{\sffamily ...}`（正文）。

```
\setmainfont[BoldFont={Roboto-Bold.otf},
  ItalicFont={Roboto-Italic.otf},BoldItalicFont={Roboto-BoldItalic.otf}]{Roboto-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

Roboto Condensed 来源：roboto；样本字形：Regular

```
\setmainfont[BoldFont={RobotoCondensed-Bold.otf},
  ItalicFont={RobotoCondensed-Italic.otf},BoldItalicFont={RobotoCondensed-BoldItalic.otf}]{RobotoConden
  ↪ sed-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

Roboto Mono 来源：roboto；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{roboto-mono}`（导言区）；`{\ttfamily ...}`（正文）。

```
\setmainfont[BoldFont={RobotoMono-Bold.otf},
  ItalicFont={RobotoMono-Italic.otf},BoldItalicFont={RobotoMono-BoldItalic.otf}]{RobotoMono-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

Roboto Serif 来源：roboto；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{roboto-serif}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={RobotoSerif-Bold.otf},
  ItalicFont={RobotoSerif-Italic.otf},BoldItalicFont={RobotoSerif-BoldItalic.otf}]{RobotoSerif-Regular.
  ↪ otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Roboto Serif Condensed（字宽 3） 来源：roboto；样本字形：Regular

```
\setmainfont[BoldFont={RobotoSerif_Condensed-Bold.otf},
  ItalicFont={RobotoSerif_Condensed-Italic.otf},BoldItalicFont={RobotoSerif_Condensed-BoldItalic.otf}]{」
  ↪ RobotoSerif_Condensed-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Roboto Slab 来源：roboto；样本字形：Regular

```
\setmainfont[BoldFont={RobotoSlab-Bold.otf},
  ItalicFont={},BoldItalicFont={}]{RobotoSlab-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

Rosario 来源：rosario；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{Rosario}`（导言区）；`{\sffamily ...}`（正文）。

```
\setmainfont[BoldFont={Rosario-Bold.otf},
  ItalicFont={Rosario-Italic.otf},BoldItalicFont={Rosario-BoldItalic.otf}]{Rosario-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

S

Sawasdee 来源：fonts-tlwg；样本字形：Regular

```
\setmainfont[BoldFont={Sawasdee-Bold.otf},
  ItalicFont={Sawasdee-Oblique.otf},BoldItalicFont={Sawasdee-BoldOblique.otf}]{Sawasdee.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：Sphinx of black quartz, judge my vow.
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Shafarik 来源：fonts-churchslavonic；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{Shafarik-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Shobhika 来源：shobhika；样本字形：Regular

```
\setmainfont[BoldFont={Shobhika-Bold.otf},
  ItalicFont={},BoldItalicFont={}]{Shobhika-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

Shofar 来源：culmus；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={ShofarRegularOblique.ttf},BoldItalicFont={}]{ShofarRegular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：Sphinx of black quartz, judge my vow.
- 等宽：无
- 小型大写：无

Shofar（字宽 6） 来源：culmus；样本字形：Bold

```
\setmainfont[BoldFont={ShofarDemi-Bold.ttf},
  ItalicFont={ShofarDemi-BoldOblique.ttf},BoldItalicFont={ShofarDemi-BoldOblique.ttf}]{ShofarDemi-Bold.」
  ↪ ttf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：**Sphinx of black quartz, judge my vow.**
- 等宽：无
- 小型大写：无

Simple CLM 来源：culmus；样本字形：Medium

```
\setmainfont[BoldFont={},
  ItalicFont={SimpleCLM-MediumOblique.ttf},BoldItalicFont={}]{SimpleCLM-Medium.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：Sphinx of black quartz, judge my vow.
- 等宽：无
- 小型大写：无

Simple CLM（字宽 7） 来源：culmus；样本字形：Bold

```
\setmainfont[BoldFont={SimpleCLM-Bold.ttf},
  ItalicFont={SimpleCLM-BoldOblique.ttf},BoldItalicFont={SimpleCLM-BoldOblique.ttf}]{SimpleCLM-Bold.ttf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：**Sphinx of black quartz, judge my vow.**
- 等宽：无
- 小型大写：无

Source Code Pro 来源：sourcecodepro；样本字形：Regular
宏包快捷方式（XeLaTeX）：`\usepackage{sourcecodepro}`（导言区）；`{\ttfamily ...}`（正文）。

```
\setmainfont[BoldFont={SourceCodePro-Bold.otf},
  ItalicFont={SourceCodePro-RegularIt.otf},BoldItalicFont={SourceCodePro-BoldIt.otf}]{SourceCodePro-Reg」
  ↪ ular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

Source Sans 3 来源：sourcesans；样本字形：Regular
宏包快捷方式（XeLaTeX）：`\usepackage{sourcesans}`（导言区）；`{\sffamily ...}`（正文）。

```
\setmainfont[BoldFont={SourceSans3-Bold.otf},
  ItalicFont={SourceSans3-RegularIt.otf},BoldItalicFont={SourceSans3-BoldIt.otf}]{SourceSans3-Regular.o」
  ↪ tf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Source Serif 4 来源：sourceserif；样本字形：Regular
宏包快捷方式（XeLaTeX）：`\usepackage{sourceserif}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={SourceSerif4-Bold.otf},
  ItalicFont={SourceSerif4-RegularIt.otf},BoldItalicFont={SourceSerif4-BoldIt.otf}]{SourceSerif4-Regula」
  ↪ r.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Sparks 来源：spark-otf；样本字形：Bar Extra-narrow

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{Sparks-Bar-Extranarrow.otf}
```

- 常规字形：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Spectral 来源：spectral；样本字形：Regular
宏包快捷方式（XeLaTeX）：`\usepackage{spectral}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={Spectral-Bold.ttf},
  ItalicFont={Spectral-Italic.ttf},BoldItalicFont={Spectral-BoldItalic.ttf}]{Spectral-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Splentinex 来源：splentinex；样本字形：Regular

```
\setmainfont[BoldFont={Splentinex-Bold.otf},
  ItalicFont={Splentinex-Italic.otf},BoldItalicFont={Splentinex-BoldItalic.otf}]{Splentinex-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

STEP 来源：step；样本字形：Regular

```
\setmainfont[BoldFont={STEP-Bold.otf},
  ItalicFont={STEP-Italic.otf},BoldItalicFont={STEP-BoldItalic.otf}]{STEP-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

STIX 来源：stix；样本字形：Regular

```
\setmainfont[BoldFont={STIX-Bold.otf},
  ItalicFont={STIX-Italic.otf},BoldItalicFont={STIX-BoldItalic.otf}]{STIX-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

STIX Two Text 来源：stix2-otf；样本字形：Regular

```
\setmainfont[BoldFont={STIXTwoText-Bold.otf},
  ItalicFont={STIXTwoText-Italic.otf},BoldItalicFont={STIXTwoText-BoldItalic.otf}]{STIXTwoText-Regular.」
  ↪ otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

T

Talos 来源：talos；样本字形：Regular

```
\setmainfont[BoldFont={Talos-Bold.otf},
  ItalicFont={Talos-Italic.otf},BoldItalicFont={Talos-BoldItalic.otf}]{Talos-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Tempora 来源：tempora；样本字形：Regular

```
\setmainfont[BoldFont={Tempora-Bold.otf},
  ItalicFont={Tempora-Italic.otf},BoldItalicFont={Tempora-BoldItalic.otf}]{Tempora-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

TeX Gyre Adventor 来源：tex-gyre；样本字形：Regular

```
\setmainfont[BoldFont={texgyreadventor-bold.otf},
  ItalicFont={texgyreadventor-italic.otf},BoldItalicFont={texgyreadventor-bolditalic.otf}]{texgyreadven」
  ↪ tor-regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

TeX Gyre Bonum 来源：tex-gyre；样本字形：Regular

```
\setmainfont[BoldFont={texgyrebonum-bold.otf},
  ItalicFont={texgyrebonum-italic.otf},BoldItalicFont={texgyrebonum-bolditalic.otf}]{texgyrebonum-regul」
  ↪ ar.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

TeX Gyre Chorus 来源：tex-gyre；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{texgyrechorus-mediumitalic.otf}
```

- 常规字形：*Sphinx of black quartz, judge my vow.*
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

TeX Gyre Cursor 来源：tex-gyre；样本字形：Regular

```
\setmainfont[BoldFont={texgyrecursor-bold.otf},
  ItalicFont={texgyrecursor-italic.otf},BoldItalicFont={texgyrecursor-bolditalic.otf}]{texgyrecursor-re」
  ↪ gular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：Sphinx of black quartz, judge my vow.

TeX Gyre Heros 来源：tex-gyre；样本字形：Regular

```
\setmainfont[BoldFont={texgyreheros-bold.otf},
  ItalicFont={texgyreheros-italic.otf},BoldItalicFont={texgyreheros-bolditalic.otf}]{texgyreheros-regul
  ↪ ar.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

TeX Gyre Heros Cn（字宽 3） 来源：tex-gyre；样本字形：Regular

```
\setmainfont[BoldFont={texgyreheroscn-bold.otf},
  ItalicFont={texgyreheroscn-italic.otf},BoldItalicFont={texgyreheroscn-bolditalic.otf}]{texgyreheroscn
  ↪ -regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

TeX Gyre Pagella 来源：tex-gyre；样本字形：Regular

```
\setmainfont[BoldFont={texgyrepagella-bold.otf},
  ItalicFont={texgyrepagella-italic.otf},BoldItalicFont={texgyrepagella-bolditalic.otf}]{texgyrepagella
  ↪ -regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

TeX Gyre PagellaX 来源：newpx；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{newpx}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={TeXGyrePagellaX-Bold.otf},
  ItalicFont={TeXGyrePagellaX-Italic.otf},BoldItalicFont={TeXGyrePagellaX-BoldItalic.otf}]{TeXGyrePagel」
  ↪ laX-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

TeX Gyre Schola 来源：tex-gyre；样本字形：Regular

```
\setmainfont[BoldFont={texgyreschola-bold.otf},
  ItalicFont={texgyreschola-italic.otf},BoldItalicFont={texgyreschola-bolditalic.otf}]{texgyreschola-re」
  ↪ gular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

TeX Gyre ScholaX 来源：scholax；样本字形：Regular

```
\setmainfont[BoldFont={TeXGyreScholaX-Bold.otf},
  ItalicFont={TeXGyreScholaX-Italic.otf},BoldItalicFont={TeXGyreScholaX-BoldItalic.otf}]{TeXGyreScholaX」
  ↪ -Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

TeX Gyre Termes 来源：tex-gyre；样本字形：Regular

```
\setmainfont[BoldFont={texgyretermes-bold.otf},
  ItalicFont={texgyretermes-italic.otf},BoldItalicFont={texgyretermes-bolditalic.otf}]{texgyretermes-re
  ↪ gular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

TeX Gyre TermesX 来源：newtx；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{newtx}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={TeXGyreTermesX-Bold.otf},
  ItalicFont={TeXGyreTermesX-Italic.otf},BoldItalicFont={TeXGyreTermesX-BoldItalic.otf}]{TeXGyreTermesX
  ↪ -Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Theano Didot 来源：theanodidot；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{TheanoDidot-Bold.ttf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Theano Modern 来源：theanomodern；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{TheanoModern-Bold.ttf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Theano Old Style 来源：theanooldstyle；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{TheanoOldStyle-Bold.ttf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Tinos 来源：tinos；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{tinos}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={Tinos-Bold.ttf},
  ItalicFont={Tinos-Italic.ttf},BoldItalicFont={Tinos-BoldItalic.ttf}]{Tinos-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Tlwg Mono 来源：fonts-tlwg；样本字形：Regular

```
\setmainfont[BoldFont={TlwgMono-Bold.otf},
  ItalicFont={TlwgMono-Oblique.otf},BoldItalicFont={TlwgMono-BoldOblique.otf}]{TlwgMono.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

Tlwg Typewriter 来源：fonts-tlwg；样本字形：Regular

```
\setmainfont[BoldFont={TlwgTypewriter-Bold.otf},
  ItalicFont={TlwgTypewriter-Oblique.otf},BoldItalicFont={TlwgTypewriter-BoldOblique.otf}]{TlwgTypewrit」
  ↪ er.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

Tlwg Typist 来源：fonts-tlwg；样本字形：Regular

```
\setmainfont[BoldFont={TlwgTypist-Bold.otf},
  ItalicFont={TlwgTypist-Oblique.otf},BoldItalicFont={TlwgTypist-BoldOblique.otf}]{TlwgTypist.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

Tlwg Typo 来源：fonts-tlwg；样本字形：Regular

```
\setmainfont[BoldFont={TlwgTypo-Bold.otf},
  ItalicFont={TlwgTypo-Oblique.otf},BoldItalicFont={TlwgTypo-BoldOblique.otf}]{TlwgTypo.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

Triodion Unicode 来源：fonts-churchslavonic；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{TriodionUnicode.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

U

UM Typewriter 来源：umtypewriter；样本字形：Regular

```
\setmainfont[BoldFont={UMTypewriter-Bold.otf},
  ItalicFont={UMTypewriter-Italic.otf},BoldItalicFont={UMTypewriter-BoldItalic.otf}]{UMTypewriter-Regul」
  ↪ ar.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

Umpush 来源：fonts-tlwg；样本字形：Regular

```
\setmainfont[BoldFont={Umpush-Bold.otf},
  ItalicFont={Umpush-Oblique.otf},BoldItalicFont={Umpush-BoldOblique.otf}]{Umpush.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

UnBatang 来源：unfonts-core；样本字形：Regular

```
\setmainfont[BoldFont={UnBatangBold.ttf},
  ItalicFont={},BoldItalicFont={}]{UnBatang.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

UnDinaru 来源：unfonts-core；样本字形：Regular

```
\setmainfont[BoldFont={UnDinaruBold.ttf},
  ItalicFont={},BoldItalicFont={}]{UnDinaru.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

UnDotum 来源：unfonts-core；样本字形：Regular

```
\setmainfont[BoldFont={UnDotumBold.ttf},
  ItalicFont={},BoldItalicFont={}]{UnDotum.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

UnGraphic 来源：unfonts-core；样本字形：Regular

```
\setmainfont[BoldFont={UnGraphicBold.ttf},
  ItalicFont={},BoldItalicFont={}]{UnGraphic.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

UnGungseo 来源：unfonts-core；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{UnGungseo.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Universalis ADF Std（字宽 3） 来源：universalis；样本字形：Cond

```
\setmainfont[BoldFont={UniversalisADFStd-BoldCond.otf},
  ItalicFont={UniversalisADFStd-CondItalic.otf},BoldItalicFont={UniversalisADFStd-BoldCondIt.otf}]{Univ」
  ↪ ersalisADFStd-Cond.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Universalis ADF Std 来源：universalis；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{universalis}`（导言区）；`{\sffamily ...}`（正文）。

```
\setmainfont[BoldFont={UniversalisADFStd-Bold.otf},
  ItalicFont={UniversalisADFStd-Italic.otf},BoldItalicFont={UniversalisADFStd-BoldItalic.otf}]{Universa」
  ↪ lisADFStd-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

UnJamoBatang 来源：unfonts-extra；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{UnJamoBatang.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

UnJamoDotum 来源：unfonts-extra；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{UnJamoDotum.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

UnJamoNovel 来源：unfonts-extra；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{UnJamoNovel.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

UnJamoSora 来源：unfonts-extra；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{UnJamoSora.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

UnPen 来源：unfonts-extra；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{UnPen.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

UnPenheulim 来源：unfonts-extra；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{UnPenheulim.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

UnPilgi 来源：unfonts-core；样本字形：Regular

```
\setmainfont[BoldFont={UnPilgiBold.ttf},
  ItalicFont={},BoldItalicFont={}]{UnPilgi.ttf}
```

- 常规字形：*Sphinx of black quartz, judge my vow.*
- 粗体：***Sphinx of black quartz, judge my vow.***
- 斜体：无
- 等宽：无
- 小型大写：无

UnPilgia 来源：unfonts-extra；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{UnPilgia.ttf}
```

- 常规字形：*Sphinx of black quartz, judge my vow.*
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

UnShinmun 来源：unfonts-extra；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{UnShinmun.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

UnTaza 来源：unfonts-extra；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{UnTaza.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

UnVada 来源：unfonts-extra；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{UnVada.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

UnYetgul 来源：unfonts-extra；样本字形：Bold

```
\setmainfont[BoldFont={UnYetgul.ttf},
  ItalicFont={},BoldItalicFont={}]{UnYetgul.ttf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

V

Venturis ADF 来源：venturisadf；样本字形：Regular

```
\setmainfont[BoldFont={VenturisADF-Bold.otf},
  ItalicFont={VenturisADF-Italic.otf},BoldItalicFont={VenturisADF-BoldItalic.otf}]{VenturisADF-Regular.
  ↪ otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Venturis ADF Cd（字宽 3） 来源：venturisadf；样本字形：Regular

```
\setmainfont[BoldFont={VenturisADFCd-Bold.otf},
  ItalicFont={VenturisADFCd-Italic.otf},BoldItalicFont={VenturisADFCd-BoldItalic.otf}]{VenturisADFCd-Re
  ↪ gular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Venturis ADF Cd Style（字宽 3） 来源：venturisadf；样本字形：Regular

```
\setmainfont[BoldFont={VenturisADFCdStyle-Bold.otf},
  ItalicFont={VenturisADFCdStyle-Italic.otf},BoldItalicFont={VenturisADFCdStyle-BoldItalic.otf}]{Ventur
  ↪ isADFCdStyle-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Venturis ADF Goth Titling（字宽 4） 来源：venturisadf；样本字形：Demi Bold

```
\setmainfont[BoldFont={VenturisADFGothTitling.otf},
  ItalicFont={},BoldItalicFont={}]{VenturisADFGothTitling.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：Sphinx of black quartz, judge my vow.
- 斜体：无
- 等宽：无
- 小型大写：无

Venturis ADF Heavy 来源：venturisadf；样本字形：Normal

```
\setmainfont[BoldFont={VenturisADFHeavy.otf},
  ItalicFont={VenturisADFHeavy-Italic.otf},BoldItalicFont={VenturisADFHeavy-Italic.otf}]{VenturisADFHea」
  ↪ vy.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：***Sphinx of black quartz, judge my vow.***
- 等宽：无
- 小型大写：无

Venturis ADF No2 来源：venturisadf；样本字形：Regular

```
\setmainfont[BoldFont={VenturisADFNo2-Bold.otf},
  ItalicFont={VenturisADFNo2-Italic.otf},BoldItalicFont={VenturisADFNo2-BoldItalic.otf}]{VenturisADFNo2」
  ↪ -Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Venturis ADF No2 Cd（字宽 3） 来源：venturisadf；样本字形：Regular

```
\setmainfont[BoldFont={VenturisADFNo2Cd-Bold.otf},
  ItalicFont={VenturisADFNo2Cd-Italic.otf},BoldItalicFont={VenturisADFNo2Cd-BoldItalic.otf}]{VenturisAD
  ↪ FNo2Cd-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Venturis ADF No2 Med 来源：venturisadf；样本字形：Regular

```
\setmainfont[BoldFont={VenturisADFNo2Med-Bold.otf},
  ItalicFont={VenturisADFNo2Med-Italic.otf},BoldItalicFont={VenturisADFNo2Med-BoldItalic.otf}]{Venturis
  ↪ ADFNo2Med-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Venturis ADF Style 来源：venturisadf；样本字形：Regular

```
\setmainfont[BoldFont={VenturisADFStyle-Bold.otf},
  ItalicFont={VenturisADFStyle-Italic.otf},BoldItalicFont={VenturisADFStyle-BoldItalic.otf}]{VenturisAD
  ↪ FStyle-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Venturis ADF Titling No1（字宽 2） 来源：venturisadf；样本字形：Demi Bold

```
\setmainfont[BoldFont={VenturisADFTitlingNo1.otf},
  ItalicFont={},BoldItalicFont={}]{VenturisADFTitlingNo1.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：Sphinx of black quartz, judge my vow.
- 斜体：无
- 等宽：无
- 小型大写：无

Venturis ADF Titling No2（字宽 3） 来源：venturisadf；样本字形：Bold

```
\setmainfont[BoldFont={VenturisADFTitlingNo2.otf},
  ItalicFont={},BoldItalicFont={}]{VenturisADFTitlingNo2.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：Sphinx of black quartz, judge my vow.
- 斜体：无
- 等宽：无
- 小型大写：无

Venturis ADF Titling No3 来源：venturisadf；样本字形：Bold

```
\setmainfont[BoldFont={VenturisADFTitlingNo3.otf},
  ItalicFont={},BoldItalicFont={}]{VenturisADFTitlingNo3.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：Sphinx of black quartz, judge my vow.
- 斜体：无
- 等宽：无
- 小型大写：无

Venturis ADF Titling No4 来源：venturisadf；样本字形：Bold

```
\setmainfont[BoldFont={VenturisADFTitlingNo4.otf},
  ItalicFont={},BoldItalicFont={}]{VenturisADFTitlingNo4.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：Sphinx of black quartz, judge my vow.
- 斜体：无
- 等宽：无
- 小型大写：无

Venturis Old ADF 来源：venturisadf；样本字形：Regular

```
\setmainfont[BoldFont={VenturisOldADF-Bold.otf},
  ItalicFont={VenturisOldADF-Italic.otf},BoldItalicFont={VenturisOldADF-BoldItalic.otf}]{VenturisOldADF
  ↪ -Regular.otf}
```

- 常规字形：8phinx of black quartz, judge my vow.
- 粗体：**8phinx of black quartz, judge my vow.**
- 斜体：*8phinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

VenturisSans ADF 来源：venturisadf；样本字形：Regular

```
\setmainfont[BoldFont={VenturisSansADF-Bold.otf},
  ItalicFont={VenturisSansADF-Italic.otf},BoldItalicFont={VenturisSansADF-BoldItalic.otf}]{VenturisSans
  ↪ ADF-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

VenturisSans ADF Cd（字宽 3） 来源：venturisadf；样本字形：Regular

```
\setmainfont[BoldFont={VenturisSansADFCd-Bold.otf},
  ItalicFont={VenturisSansADFCd-Italic.otf},BoldItalicFont={VenturisSansADFCd-BoldItalic.otf}]{Venturis
  ↪ SansADFCd-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

VenturisSans ADF Ex（字宽 7） 来源：venturisadf；样本字形：Regular

```
\setmainfont[BoldFont={VenturisSansADFEx-Bold.otf},
  ItalicFont={VenturisSansADFEx-Italic.otf},BoldItalicFont={VenturisSansADFEx-BoldItalic.otf}]{Venturis
  ↪ SansADFEx-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

VenturisSans ADF Heavy 来源：venturisadf；样本字形：Regular

```
\setmainfont[BoldFont={VenturisSansADFHeavy.otf},
  ItalicFont={VenturisSansADFHeavy-Oblique.otf},BoldItalicFont={VenturisSansADFHeavy-Oblique.otf}]{Vent
  ↪ urisSansADFHeavy.otf}
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：***Sphinx of black quartz, judge my vow.***
- 等宽：无
- 小型大写：无

VenturisSans ADF Light 来源：venturisadf；样本字形：Regular

```
\setmainfont[BoldFont={VenturisSansADFLt-Bold.otf},
  ItalicFont={VenturisSansADFLt-Italic.otf},BoldItalicFont={VenturisSansADFLt-BoldItalic.otf}]{Venturis
  ↪ SansADFLt-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

VenturisSans ADF No2 来源：venturisadf；样本字形：Regular

```
\setmainfont[BoldFont={VenturisSansADFNo2-Bold.otf},
  ItalicFont={VenturisSansADFNo2-Italic.otf},BoldItalicFont={VenturisSansADFNo2-BoldItalic.otf}]{Ventur」
  ↪ isSansADFNo2-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

VenturisSans ADF No2 Cd（字宽 3） 来源：venturisadf；样本字形：Regular

```
\setmainfont[BoldFont={VenturisSansADFNo2Cd-Bold.otf},
  ItalicFont={VenturisSansADFNo2Cd-Italic.otf},BoldItalicFont={VenturisSansADFNo2Cd-BoldItal.otf}]{Vent」
  ↪ urisSansADFNo2Cd-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

VenturisSans ADF No2 Ex（字宽 7） 来源：venturisadf；样本字形：Regular

```
\setmainfont[BoldFont={VenturisSansADFNo2Ex-Bold.otf},
  ItalicFont={VenturisSansADFNo2Ex-Italic.otf},BoldItalicFont={VenturisSansADFNo2Ex-BoldItal.otf}]{Vent」
  ↪ urisSansADFNo2Ex-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

Vilnius 来源：fonts-churchslavonic；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{Vilnius-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Voskresensky 来源：fonts-churchslavonic；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{Voskresensky-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

W

Waree 来源：fonts-tlwg；样本字形：Regular

```
\setmainfont[BoldFont={Waree-Bold.otf},
  ItalicFont={Waree-Oblique.otf},BoldItalicFont={Waree-BoldOblique.otf}]{Waree.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

X

XCharter 来源：xcharter；样本字形：Regular

宏包快捷方式（XeLaTeX）：`\usepackage{XCharter}`（导言区）；`{\rmfamily ...}`（正文）。

```
\setmainfont[BoldFont={XCharter-Bold.otf},
  ItalicFont={XCharter-Italic.otf},BoldItalicFont={XCharter-BoldItalic.otf}]{XCharter-Roman.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

XITS 来源：xits；样本字形：Regular

```
\setmainfont[BoldFont={XITS-Bold.otf},
  ItalicFont={XITS-Italic.otf},BoldItalicFont={XITS-BoldItalic.otf}]{XITS-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

Y

yfrak 来源：yfonts-otf；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{yfrak.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

ygoth 来源：yfonts-otf；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{ygoth.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Ysabeau 来源：ysabeau；样本字形：Regular

```
\setmainfont[BoldFont={Ysabeau-Bold.otf},
  ItalicFont={Ysabeau-Italic.otf},BoldItalicFont={Ysabeau-BoldItalic.otf}]{Ysabeau-Regular.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

yswab 来源：yfonts-otf；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{yswab.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

Z

Zhuque Fangsong (technical preview) 来源：lxgw-fonts；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{LXGWZhuqueFangsong-Regular.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

ztm 来源：nimbus15；样本字形：Reg

```
\setmainfont[BoldFont={ztm-Med.otf},
  ItalicFont={ztm-RegIta.otf},BoldItalicFont={ztm-MedObl.otf}]{ztm-Reg.otf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

其他

RIT-Thaara 来源：rit-fonts；样本字形：Regular

```
\setmainfont[BoldFont={},
  ItalicFont={},BoldItalicFont={}]{RIT-Thaara.ttf}
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

2 传统 LaTeX 字体（fontenc / NFSS）

以下字体以传统编码调用; 字体名称采用 LaTeX 的字族标识。导言区加入 `\usepackage[T1]{fontenc}`。宏包快捷方式对应的编码请以条目标注为准。若局部使用，代码请放在花括号内。

粗体一般可用 `\fontseries{b}\selectfont`（特殊情况会另行标明）。

斜体和小型大写分别可用 `\itshape`、`\scshape`。

accanthis

AccanthisADFStdNoThree-LF 来源：accanthis；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{accanthis}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{AccanthisADFStdNoThree-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

ae

aer 来源：ae；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{ae}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{aer}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

aess 来源：ae；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{ae}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{aess}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

aett 来源：ae；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{ae}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{aett}\selectfont
```

- 常规字形：`Sphinx of black quartz, judge my vow.`
- 粗体：无
- 斜体：*`Sphinx of black quartz, judge my vow.`*
- 等宽：`Sphinx of black quartz, judge my vow.`
- 小型大写：`Sphinx of black quartz, judge my vow.`

laess 来源：ae；样本字形：T1

```
\fontencoding{T1}\fontfamily{laess}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

laett 来源：ae；样本字形：T1

```
\fontencoding{T1}\fontfamily{laett}\selectfont
```

- 常规字形：`Sphinx of black quartz, judge my vow.`
- 粗体：无
- 斜体：*`Sphinx of black quartz, judge my vow.`*
- 等宽：`Sphinx of black quartz, judge my vow.`
- 小型大写：无

alegreya

Alegreya-LF 来源：alegreya；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{Alegreya}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{Alegreya-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

AlegreyaSans-LF 来源：alegreya；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{AlegreyaSans}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{AlegreyaSans-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

alfaslabone

AlphaSlabOne-TLF 来源：alfaslabone；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{alfaslabone}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{AlphaSlabOne-TLF}\selectfont
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

algolrevived

AlgolRevived-OsF-TT 来源：algolrevived；样本字形：T1

```
\fontencoding{T1}\fontfamily{AlgolRevived-OsF-TT}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

AlgolRevived-TLF 来源：algolrevived；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{algolrevived}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{AlgolRevived-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

AlgolRevived-TLF-TT 来源：algolrevived；样本字形：T1

```
\fontencoding{T1}\fontfamily{AlgolRevived-TLF-TT}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

almendra

Almndr-OsF 来源：almendra；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{almendra}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{Almndr-OsF}\selectfont
```

- 常规字形：*Sphinx of black quartz, judge my vow.*
- 粗体：***Sphinx of black quartz, judge my vow.***
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：*Sphinx of black quartz, judge my vow.*

andika

andk-TLF 来源：andika；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{andika}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{andk-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

anonymouspro

AnonymousPro 来源：anonymouspro；样本字形：T1

```
\fontencoding{T1}\fontfamily{AnonymousPro}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

antiqua

uaq 来源：antiqua；样本字形：T1

```
\fontencoding{T1}\fontfamily{uaq}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

antt

antt 来源：antt；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{anttor}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{antt}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

anttc 来源：antt；样本字形：T1

```
\fontencoding{T1}\fontfamily{anttc}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

anttcm 来源：antt；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{anttcm}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

anttl 来源：antt；样本字形：T1

```
\fontencoding{T1}\fontfamily{anttl}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

anttlc 来源：antt；样本字形：T1

```
\fontencoding{T1}\fontfamily{anttlc}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

anttlcm 来源：antt；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{anttlcm}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

anttlm 来源：antt；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{anttlm}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

anttm 来源：antt；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{anttm}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

archivo

ArchivZero-LF 来源：archivo；样本字形：T1

```
\fontencoding{T1}\fontfamily{ArchivZero-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

arev

fav 来源：arev；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{arev}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{fav}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

zavm 来源：arev；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{zavm}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

arimo

Arimo-TLF 来源：arimo；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{arimo}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{Arimo-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

arvo

Arvo-TLF 来源：arvo；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{Arvo}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{Arvo-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

atkinson

atkinsn-LF 来源：atkinson；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{atkinson}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{atkinsn-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

atkinsnmono-TLF 来源：atkinson；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{atkinson}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{atkinsnmono-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

augie

augie 来源：augie；样本字形：T1

```
\fontencoding{T1}\fontfamily{augie}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

baskervaldadf

ybv 来源：baskervaldadf；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{baskervald}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{ybv}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

ybvw 来源：baskervaldadf；样本字形：T1

```
\fontencoding{T1}\fontfamily{ybvw}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

baskervaldx

Baskervaldx-LF 来源：baskervaldx；样本字形：T1

```
\fontencoding{T1}\fontfamily{Baskervaldx-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

baskervillef

BaskervilleF-LF 来源：baskervillef；样本字形：T1

```
\fontencoding{T1}\fontfamily{BaskervilleF-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

bera

fve 来源：bera；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{bera}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{fve}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

fvm 来源：bera；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{bera}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{fvm}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

fvs 来源：bera；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{bera}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{fvs}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

berenisadf

ybd 来源：berenisadf；样本字形：T1

```
\fontencoding{T1}\fontfamily{ybd}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

ybd2 来源：berenisadf；样本字形：T1

```
\fontencoding{T1}\fontfamily{ybd2}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

ybd2j 来源：berenisadf；样本字形：T1

```
\fontencoding{T1}\fontfamily{ybd2j}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

ybdj 来源：berenisadf；样本字形：T1

```
\fontencoding{T1}\fontfamily{ybdj}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

bitter

Bttr-TLF 来源：bitter；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{bitter}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{Bttr-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

blacklettert1

yfrak 来源：blacklettert1；样本字形：T1

```
\fontencoding{T1}\fontfamily{yfrak}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

boisik

bsk 来源：boisik；样本字形：OT1
宏包快捷方式（pdfLaTeX；OT1）：`\usepackage{boisik}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{OT1}\fontfamily{bsk}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

bskf 来源：boisik；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{bskf}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

cabin

Cabin-TLF 来源：cabin；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{cabin}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{Cabin-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

caladea

Caladea-TLF 来源：caladea；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{caladea}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{Caladea-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

cantarell

cantarell-LF 来源：cantarell；样本字形：T1

```
\fontencoding{T1}\fontfamily{cantarell-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

carlito

Crlt-LF 来源：carlito；样本字形：T1

```
\fontencoding{T1}\fontfamily{Crlt-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

cascadia-code

CascadiaCode-TLF 来源：cascadia-code；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{cascadia-code}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{CascadiaCode-TLF}\selectfont
```

- 常规字形：`Sphinx of black quartz, judge my vow.`
- 粗体：**`Sphinx of black quartz, judge my vow.`**
- 斜体：*`Sphinx of black quartz, judge my vow.`*
- 等宽：`Sphinx of black quartz, judge my vow.`
- 小型大写：无

ccfonts

ccr 来源：ccfonts；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{ccfonts}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{ccr}\selectfont
```

本项粗体：`\fontseries{bx}\selectfont`。

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

cfr-lm

clm 来源：cfr-lm；样本字形：T1

```
\fontencoding{T1}\fontfamily{clm}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

clm2 来源：cfr-lm；样本字形：T1

```
\fontencoding{T1}\fontfamily{clm2}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

clm2d 来源：cfr-lm；样本字形：T1

```
\fontencoding{T1}\fontfamily{clm2d}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

clm2dj 来源：cfr-lm；样本字形：T1

```
\fontencoding{T1}\fontfamily{clm2dj}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

clm2j 来源：cfr-lm；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{cfr-lm}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{clm2j}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

clm2jqs 来源：cfr-lm；样本字形：T1

```
\fontencoding{T1}\fontfamily{clm2jqs}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

clm2js 来源：cfr-lm；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{cfr-lm}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{clm2js}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

clm2jt 来源：cfr-lm；样本字形：T1

```
\fontencoding{T1}\fontfamily{clm2jt}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：Sphinx of black quartz, judge my vow.

clm2jv 来源：cfr-lm；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{cfr-lm}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{clm2jv}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

clm2qs 来源：cfr-lm；样本字形：T1

```
\fontencoding{T1}\fontfamily{clm2qs}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

clm2s 来源：cfr-lm；样本字形：T1

```
\fontencoding{T1}\fontfamily{clm2s}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

clm2t 来源：cfr-lm；样本字形：T1

```
\fontencoding{T1}\fontfamily{clm2t}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：Sphinx of black quartz, judge my vow.

clm2v 来源：cfr-lm；样本字形：T1

```
\fontencoding{T1}\fontfamily{clm2v}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

clmd 来源：cfr-lm；样本字形：T1

```
\fontencoding{T1}\fontfamily{clmd}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

clmdj 来源：cfr-lm；样本字形：T1

```
\fontencoding{T1}\fontfamily{clmdj}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

clmj 来源：cfr-lm；样本字形：T1

```
\fontencoding{T1}\fontfamily{clmj}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

clmjqs 来源：cfr-lm；样本字形：T1

```
\fontencoding{T1}\fontfamily{clmjqs}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

clmjs 来源：cfr-lm；样本字形：T1

```
\fontencoding{T1}\fontfamily{clmjs}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

clmjt 来源：cfr-lm；样本字形：T1

```
\fontencoding{T1}\fontfamily{clmjt}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：Sphinx of black quartz, judge my vow.

clmjv 来源：cfr-lm；样本字形：T1

```
\fontencoding{T1}\fontfamily{clmjv}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

clmqs 来源：cfr-lm；样本字形：T1

```
\fontencoding{T1}\fontfamily{clmqs}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

clms 来源：cfr-lm；样本字形：T1

```
\fontencoding{T1}\fontfamily{clms}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

clmt 来源：cfr-lm；样本字形：T1

```
\fontencoding{T1}\fontfamily{clmt}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：Sphinx of black quartz, judge my vow.

clmv 来源：cfr-lm；样本字形：T1

```
\fontencoding{T1}\fontfamily{clmv}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

charissil

charssil-TLF 来源：charissil；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{CharisSIL}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{charssil-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

chextras

lmros 来源：chextras；样本字形：T1

```
\fontencoding{T1}\fontfamily{lmros}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

lmssos 来源：chextras；样本字形：T1

```
\fontencoding{T1}\fontfamily{lmssos}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

lmttos 来源：chextras；样本字形：T1

```
\fontencoding{T1}\fontfamily{lmttos}\selectfont
```

- 常规字形：`Sphinx of black quartz, judge my vow.`
- 粗体：**`Sphinx of black quartz, judge my vow.`**
- 斜体：*`Sphinx of black quartz, judge my vow.`*
- 等宽：`Sphinx of black quartz, judge my vow.`
- 小型大写：`Sphinx of black quartz, judge my vow.`

lmvttos 来源：chextras；样本字形：T1

```
\fontencoding{T1}\fontfamily{lmvttos}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

chivo

Chivo-LF 来源：chivo；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{Chivo}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{Chivo-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

cinzel

Cinzel-LF 来源：cinzel；样本字形：T1

```
\fontencoding{T1}\fontfamily{Cinzel-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

CinzelDecorative-LF 来源：cinzel；样本字形：T1

```
\fontencoding{T1}\fontfamily{CinzelDecorative-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

clara

Clara-TLF 来源：clara；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{clara}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{Clara-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

clearsans

ClearSans-TLF 来源：clearsans；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{ClearSans}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{ClearSans-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

cm-lgc

fcm 来源：cm-lgc；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{cmlgc}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{fcm}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

fcs 来源：cm-lgc；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{cmlgc}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{fcs}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

fct 来源：cm-lgc；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{cmlgc}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{fct}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：Sphinx of black quartz, judge my vow.
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

cmbright

cmbr 来源：cmbright；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{cmbright}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{cmbr}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

cmtl 来源：cmbright；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{cmbright}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{cmtl}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

cmsrb

cmsrbr 来源：cmsrb；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{cmsrb}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{cmsrbr}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

cmsrbs 来源：cmsrb；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{cmsrb}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{cmsrbs}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

cmsrbt 来源：cmsrb；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{cmsrb}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{cmsrbt}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：Sphinx of black quartz, judge my vow.

cochineal

Cochineal-LF 来源：cochineal；样本字形：T1

```
\fontencoding{T1}\fontfamily{Cochineal-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

coelacanth

Coelacanth-LF 来源：coelacanth；样本字形：T1

```
\fontencoding{T1}\fontfamily{Coelacanth-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

comfortaa

comfortaa 来源：comfortaa；样本字形：T1

```
\fontencoding{T1}\fontfamily{comfortaa}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

comicneue

ComicNeue-TLF 来源：comicneue；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{comicneue}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{ComicNeue-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

ComicNeueAngular-TLF 来源：comicneue；样本字形：T1

```
\fontencoding{T1}\fontfamily{ComicNeueAngular-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

concmath

ccr 来源：concmath；样本字形：OT1
宏包快捷方式（pdfLaTeX；OT1）：`\usepackage{concmath}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{OT1}\fontfamily{ccr}\selectfont
```

本项粗体：`\fontseries{bx}\selectfont`。

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

cooperhewitt

CpHwt-TLF 来源：cooperhewitt；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{CooperHewitt}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{CpHwt-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

cormorantgaramond

CormorantGaramond-LF 来源：cormorantgaramond；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{CormorantGaramond}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{CormorantGaramond-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

courier

ucr 来源：courier；样本字形：T1

```
\fontencoding{T1}\fontfamily{ucr}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

courier-scaled

pcrs 来源：courier-scaled；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{couriers}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{pcrs}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

courierten

CourierOneZeroPitch-TLF 来源：courierten；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{courierten}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{CourierOneZeroPitch-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

crimson

Crimson-LF 来源：crimson；样本字形：T1

```
\fontencoding{T1}\fontfamily{Crimson-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

crimsonpro

CrimsonPro-LF 来源：crimsonpro；样本字形：T1

```
\fontencoding{T1}\fontfamily{CrimsonPro-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

cuprum

cpr 来源：cuprum；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{cuprum}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{cpr}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

cyklop

cyklop 来源：cyklop；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{cyklop}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{cyklop}\selectfont
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：无
- 斜体：***Sphinx of black quartz, judge my vow.***
- 等宽：无
- 小型大写：**Sphinx of black quartz, judge my vow.**

cyrillic-modern

nmr 来源：cyrillic-modern；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{nmr}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

nmss 来源：cyrillic-modern；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{nmss}\selectfont
```

本项粗体：`\fontseries{bx}\selectfont`。

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

dejavu

DejaVuSans-TLF 来源：dejavu；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{dejavu}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{DejaVuSans-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

DejaVuSansCondensed-TLF 来源：dejavu；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{DejaVuSansCondensed}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{DejaVuSansCondensed-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

DejaVuSansMono-TLF 来源：dejavu；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{dejavu}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{DejaVuSansMono-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

DejaVuSerif-TLF 来源：dejavu；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{dejavu}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{DejaVuSerif-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

DejaVuSerifCondensed-TLF 来源：dejavu；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{DejaVuSerifCondensed}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{DejaVuSerifCondensed-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

domitian

Domitian-TLF 来源：domitian；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{domitian}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{Domitian-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

droid

droidsans 来源：droid；样本字形：T1

```
\fontencoding{T1}\fontfamily{droidsans}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

droidsansmono 来源：droid；样本字形：T1

```
\fontencoding{T1}\fontfamily{droidsansmono}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

droidserif 来源：droid；样本字形：T1

```
\fontencoding{T1}\fontfamily{droidserif}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

ebgaramond

EBGaramond-LF 来源：ebgaramond；样本字形：T1

```
\fontencoding{T1}\fontfamily{EBGaramond-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

eco

cmodh 来源：eco；样本字形：T1

```
\fontencoding{T1}\fontfamily{cmodh}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

cmor 来源：eco；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{eco}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{cmor}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

cmoss 来源：eco；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{eco}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{cmoss}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

cmott 来源：eco；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{eco}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{cmott}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

cmovt 来源：eco；样本字形：T1

```
\fontencoding{T1}\fontfamily{cmovt}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

eiad

eiad 来源：eiad；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{eiad}\selectfont
```

- 常规字形：Sṗıṅṫ oꝼ bıaccȧ ḟuaɲtṙ, ȯuoɡe m�non ḃoṁ.
- 粗体：**Sṗıṅṫ oꝼ bıaccȧ ḟuaɲtṙ, ȯuoɡe mꝑ ḃoṁ.**
- 斜体：*Sṗıṅṫ oꝼ bıaccȧ ḟuaɲtṙ, ȯuoɡe mꝑ ḃoṁ.*
- 等宽：无
- 小型大写：Sṗıṅṫ oꝼ bıaccȧ ḟuaʀtṡ, ȯuoɡe mꝑ ḃoṁ.

eiadcc 来源：eiad；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{eiadcc}\selectfont
```

- 常规字形：Sṗıṅṫ oꝼ bıaccȧ ḟuaɲtṙ, ȯuoɡe mꝑ ḃoṁ.
- 粗体：无
- 斜体：*Sṗıṅṫ oꝼ bıaccȧ ḟuaɲtṙ, ȯuoɡe mꝑ ḃoṁ.*
- 等宽：无
- 小型大写：Sṗıṅṫ oꝼ bıaccȧ ḟuaʀtṡ, ȯuoɡe mꝑ ḃoṁ.

eiadss 来源：eiad；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{eiadss}\selectfont
```

本项粗体：`\fontseries{bx}\selectfont`。

- 常规字形：Sṗıṅṫ oꝼ bıaccȧ ḟuaɲtṙ, ȯuoɡe mꝑ ḃoṁ.
- 粗体：**Sṗıṅṫ oꝼ bıaccȧ ḟuaɲtṙ, ȯuoɡe mꝑ ḃoṁ.**
- 斜体：无
- 等宽：无
- 小型大写：无

eiadtt 来源：eiad；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{eiadtt}\selectfont
```

- 常规字形：Sıṅṫ oꝼ bıaccȧ ḟuaɲtṙ, ȯuoɡe mꝑ ḃoṁ.
- 粗体：无
- 斜体：*Sıṅṫ oꝼ bıaccȧ ḟuaɲtṙ, ȯuoɡe mꝑ ḃoṁ.*
- 等宽：Sıṅṫ oꝼ bıaccȧ ḟuaɲtṙ, ȯuoɡe mꝑ ḃoṁ.
- 小型大写：Sṗıṅṫ oꝼ bıaccȧ ḟuaʀtṡ, ȯuoɡe mꝑ ḃoṁ.

electrumadf

yes 来源：electrumadf；样本字形：T1

```
\fontencoding{T1}\fontfamily{yes}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

yesj 来源：electrumadf；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{electrum}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{yesj}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

yesjw 来源：electrumadf；样本字形：T1

```
\fontencoding{T1}\fontfamily{yesjw}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

yesw 来源：electrumadf；样本字形：T1

```
\fontencoding{T1}\fontfamily{yesw}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

erewhon

erewhon-LF 来源：erewhon；样本字形：T1

```
\fontencoding{T1}\fontfamily{erewhon-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

etbb

ETbb-LF 来源：etbb；样本字形：T1

```
\fontencoding{T1}\fontfamily{ETbb-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow**.
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

fbb

fbb-LF 来源：fbb；样本字形：T1

```
\fontencoding{T1}\fontfamily{fbb-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

fetamont

ffm 来源：fetamont；样本字形：T1

```
\fontencoding{T1}\fontfamily{ffm}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

ffmw 来源：fetamont；样本字形：T1

```
\fontencoding{T1}\fontfamily{ffmw}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

fira

FiraMono-TLF 来源：fira；样本字形：T1

```
\fontencoding{T1}\fontfamily{FiraMono-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

FiraSans-LF 来源：fira；样本字形：T1

```
\fontencoding{T1}\fontfamily{FiraSans-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

forum

Frm-LF 来源：forum；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{forum}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{Frm-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：Sphinx of black quartz, judge my vow.
- 斜体：无
- 等宽：无
- 小型大写：无

fourier

futs 来源：fourier；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{fourier}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{futs}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

fouriernc

fnc 来源：fouriernc；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{fouriernc}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{fnc}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

garamond-libre

GaramondLibre-LF 来源：garamond-libre；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{garamondlibre}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{GaramondLibre-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

gelasio

Gelasio-LF 来源：gelasio；样本字形：T1

```
\fontencoding{T1}\fontfamily{Gelasio-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

gfsartemisia

artemisia 来源：gfsartemisia；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{gfsartemisia}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{artemisia}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

artemisiaeuler 来源：gfsartemisia；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{gfsartemisia}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{artemisiaeuler}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

gfsbodoni

bodoni 来源：gfsbodoni；样本字形：T1

```
\fontencoding{T1}\fontfamily{bodoni}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

gfsdidot

udidot 来源：gfsdidot；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{gfsdidot}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{udidot}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

gfsneohellenic

neohellenic 来源：gfsneohellenic；样本字形：T1

```
\fontencoding{T1}\fontfamily{neohellenic}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

gillius

GilliusADF-LF 来源：gillius；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{gillius}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{GilliusADF-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

GilliusADFCond-LF 来源：gillius；样本字形：T1

```
\fontencoding{T1}\fontfamily{GilliusADFCond-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

GilliusADFNoTwo-LF 来源：gillius；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{gillius2}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{GilliusADFNoTwo-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

GilliusADFNoTwoCond-LF 来源：gillius；样本字形：T1

```
\fontencoding{T1}\fontfamily{GilliusADFNoTwoCond-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

gofonts

Go-TLF 来源：gofonts；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{GoSans}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{Go-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

GoMono-TLF 来源：gofonts；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{GoMono}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{GoMono-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

grotesq

ugq 来源：grotesq；样本字形：T1

```
\fontencoding{T1}\fontfamily{ugq}\selectfont
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：无
- 斜体：***Sphinx of black quartz, judge my vow.***
- 等宽：无
- 小型大写：无

gudea

Gudea-TLF 来源：gudea；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{Gudea}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{Gudea-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

hacm

halb 来源：hacm；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{halb}\selectfont
```

- 常规字形：ɮdhcnl ɔɑ blɪɾl ɜəɪɻʃz, səɯɸe ɒɥ ɯɔo.
- 粗体：**ɮdhcnl ɔɑ blɪɾl ɜəɪɻʃz, səɯɸe ɒɥ ɯɔo.**
- 斜体：*ɮdhcnl ɔɑ blɪɾl ɜəɪɻʃz, səɯɸe ɒɥ ɯɔo.*
- 等宽：无
- 小型大写：无

hdef 来源：hacm；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{hdef}\selectfont
```

- 常规字形：ɮdhcnl ɔɑ blɪɾh ɜəɪɻrz, səɯɸe ɒɥ ɯɔo.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

hfen 来源：hacm；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{hfen}\selectfont
```

- 常规字形：*ɮdhcnl ɔɑ blɪɾh ɜəɪɻrz, səɯɸe ɒɥ ɯɔo.*
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

hfia 来源：hacm；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{hfia}\selectfont
```

- 常规字形：ɮdhcnl ɔɑ blɪɾl ɜəɪɻʃz, səɯɸe ɒɥ ɯɔo.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

hinj 来源：hacm；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{hinj}\selectfont
```

- 常规字形：ʤdhcnɻ ɔɑ blɪʃl əəɪɹʃz, səɷɸe ɒɥ ɯɔo.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

hkar 来源：hacm；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{hkar}\selectfont
```

- 常规字形：ʧdhcnɻ ɔɑ blɪʃl əəɪɹʃz, səɷɸe ɒɥ ɯɔo.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

hlan 来源：hacm；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{hlan}\selectfont
```

- 常规字形：ʧdhcnɻ ɔɑ blɪʃl əəɪɹʃz, səɷɸe ɒɥ ɯɔo.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

helvetic

uhv 来源：helvetic；样本字形：T1

```
\fontencoding{T1}\fontfamily{uhv}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

heuristica

Heuristica-TLF 来源：heuristica；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{heuristica}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{Heuristica-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

hindmadurai

HindMadurai-TLF 来源：hindmadurai；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{HindMadurai}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{HindMadurai-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

ibarra

IbarraRealNova-LF 来源：ibarra；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{ibarra}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{IbarraRealNova-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

imfellenglish

IMFELLEnglish-TLF 来源：imfellenglish；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{imfellEnglish}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{IMFELLEnglish-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

inconsolata

zi4 来源：inconsolata；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{zi4}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{zi4}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

inriafonts

InriaSans-LF 来源：inriafonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{InriaSans-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

InriaSerif-LF 来源：inriafonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{InriaSerif-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

inter

Inter-LF 来源：inter；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{inter}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{Inter-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

ipaex-type1

ipxg 来源：ipaex-type1；样本字形：T1

```
\fontencoding{T1}\fontfamily{ipxg}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

ipxm 来源：ipaex-type1；样本字形：T1

```
\fontencoding{T1}\fontfamily{ipxm}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

iwona

iwona 来源：iwona；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{iwona}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{iwona}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

iwonac 来源：iwona；样本字形：T1

```
\fontencoding{T1}\fontfamily{iwonac}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

iwonacm 来源：iwona；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{iwonacm}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

iwonal 来源：iwona；样本字形：T1

```
\fontencoding{T1}\fontfamily{iwonal}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

iwonalc 来源：iwona；样本字形：T1

```
\fontencoding{T1}\fontfamily{iwonalc}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

iwonalcm 来源：iwona；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{iwonalcm}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

iwonalm 来源：iwona；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{iwonalm}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

iwonam 来源：iwona；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{iwonam}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

josefin

JosefinSans-LF 来源：josefin；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{josefin}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{JosefinSans-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

junicode

Junicode-LF 来源：junicode；样本字形：T1

```
\fontencoding{T1}\fontfamily{Junicode-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

kpfonts

jkp 来源：kpfonts；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{kpfonts}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{jkp}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

jkpf 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpf}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

jkpfosn 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpfosn}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

jkpk 来源：kpfonts；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{kpfonts}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{jkpk}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

jkpkf 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpkf}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

jkpkfosn 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpkfosn}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

jkpkos 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpkos}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

jkpkosn 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpkosn}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

jkpkvos 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpkvos}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

jkpl 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpl}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

jkplf 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkplf}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

jkplfosn 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkplfosn}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

jkplk 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkplk}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

jkplkf 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkplkf}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

jkplkfosn 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkplkfosn}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

jkplkos 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkplkos}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

jkplkosn 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkplkosn}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

jkplkvos 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkplkvos}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

jkplos 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkplos}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

jkplosn 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkplosn}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

jkplvos 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkplvos}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

jkpos 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpos}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

jkposn 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkposn}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

jkpss 来源：kpfonts；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{kpfonts}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{jkpss}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

jkpssf 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpssf}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

jkpssfosn 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpssfosn}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

jkpssk 来源：kpfonts；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{kpfonts}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{jkpssk}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

jkpsskf 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpsskf}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

jkpsskfosn 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpsskfosn}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

jkpsskos 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpsskos}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

jkpsskosn 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpsskosn}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

jkpsskvos 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpsskvos}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

jkpssos 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpssos}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

jkpssosn 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpssosn}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

jkpssvos 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpssvos}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

jkptt 来源：kpfonts；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{kpfonts}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{jkptt}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

jkpttos 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpttos}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

jkpttosn 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpttosn}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

jkpttvos 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpttvos}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

jkpvos 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpvos}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

jkpx 来源：kpfonts；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{kpfonts}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{jkpx}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

jkpxf 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpxf}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

jkpxfosn 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpxfosn}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

jkpxk 来源：kpfonts；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{kpfonts}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{jkpxk}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

jkpxkf 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpxkf}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

jkpxkfosn 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpxkfosn}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

jkpxkos 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpxkos}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

jkpxkosn 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpxkosn}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

jkpxkvos 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpxkvos}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

jkpxos 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpxos}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

jkpxosn 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpxosn}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

jkpxvos 来源：kpfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{jkpxvos}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

kurier

kurier 来源：kurier；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{kurier}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{kurier}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

kurierc 来源：kurier；样本字形：T1

```
\fontencoding{T1}\fontfamily{kurierc}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

kuriercm 来源：kurier；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{kuriercm}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

kurierl 来源：kurier；样本字形：T1

```
\fontencoding{T1}\fontfamily{kurierl}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

kurierlc 来源：kurier；样本字形：T1

```
\fontencoding{T1}\fontfamily{kurierlc}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

kurierlcm 来源：kurier；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{kurierlcm}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

kurierlm 来源：kurier；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{kurierlm}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

kurierm 来源：kurier；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{kurierm}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

latex

cmdh 来源：latex；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{cmdh}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

cmfr 来源：latex；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{cmfr}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

cmr 来源：latex；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{cmr}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

cmss 来源：latex；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{cmss}\selectfont
```

本项粗体：`\fontseries{bx}\selectfont`。

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

cmtt 来源：latex；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{cmtt}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：Sphinx of black quartz, judge my vow.

cmvtt 来源：latex；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{cmvtt}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

lcmss 来源：latex；样本字形：T1

```
\fontencoding{T1}\fontfamily{lcmss}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

lato

lato-LF 来源：lato；样本字形：T1

```
\fontencoding{T1}\fontfamily{lato-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

libertine

LinuxBiolinumT-LF 来源：libertine；样本字形：T1

```
\fontencoding{T1}\fontfamily{LinuxBiolinumT-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

LinuxLibertineDisplayT-LF 来源：libertine；样本字形：T1

```
\fontencoding{T1}\fontfamily{LinuxLibertineDisplayT-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

LinuxLibertineMonoT-LF 来源：libertine；样本字形：T1

```
\fontencoding{T1}\fontfamily{LinuxLibertineMonoT-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

LinuxLibertineT-LF 来源：libertine；样本字形：T1

```
\fontencoding{T1}\fontfamily{LinuxLibertineT-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

libertinus-type1

LibertinusMono-TLF 来源：libertinus-type1；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{libertinus-type1}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{LibertinusMono-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：Sphinx of black quartz, judge my vow.
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

LibertinusSans-LF 来源：libertinus-type1；样本字形：T1

```
\fontencoding{T1}\fontfamily{LibertinusSans-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

LibertinusSerif-LF 来源：libertinus-type1；样本字形：T1

```
\fontencoding{T1}\fontfamily{LibertinusSerif-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

LibertinusSerifDisplay-LF 来源：libertinus-type1；样本字形：T1

```
\fontencoding{T1}\fontfamily{LibertinusSerifDisplay-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

librebaskerville

LibreBskvl-LF 来源：librebaskerville；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{librebaskerville}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{LibreBskvl-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

librebodoni

LibreBodoni-TLF 来源：librebodoni；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{LibreBodoni}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{LibreBodoni-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

librecaslon

LibreCsln-LF 来源：librecaslon；样本字形：T1

```
\fontencoding{T1}\fontfamily{LibreCsln-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

librefranklin

LibreFranklin-TLF 来源：librefranklin；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{librefranklin}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{LibreFranklin-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

libris

yly 来源：libris；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{libris}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{yly}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

ylyw 来源：libris；样本字形：T1

```
\fontencoding{T1}\fontfamily{ylyw}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

linguisticspro

LinguisticsPro-LF 来源：linguisticspro；样本字形：T1

```
\fontencoding{T1}\fontfamily{LinguisticsPro-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

lm

lmdh 来源：lm；样本字形：T1

```
\fontencoding{T1}\fontfamily{lmdh}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

lmr 来源：lm；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{lmodern}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{lmr}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

lmss 来源：lm；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{lmodern}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{lmss}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

lmssq 来源：lm；样本字形：T1

```
\fontencoding{T1}\fontfamily{lmssq}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

lmtt 来源：lm；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{lmodern}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{lmtt}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：Sphinx of black quartz, judge my vow.

lmvtt 来源：lm；样本字形：T1

```
\fontencoding{T1}\fontfamily{lmvtt}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

lobster2

Lbstr-LF 来源：lobster2；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{LobsterTwo}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{Lbstr-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

lxfonts

llcmss 来源：lxfonts；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{lxfonts}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{llcmss}\selectfont
```

本项粗体：`\fontseries{bx}\selectfont`。

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

llcmtt 来源：lxfonts；样本字形：T1

```
\fontencoding{T1}\fontfamily{llcmtt}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

magra

Magra-TLF 来源：magra；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{Magra}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{Magra-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

marcellus

Mrcls-LF 来源：marcellus；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{marcellus}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{Mrcls-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

mathdesign

mdbch 来源：mathdesign；样本字形：T1

```
\fontencoding{T1}\fontfamily{mdbch}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

mdput 来源：mathdesign；样本字形：T1

```
\fontencoding{T1}\fontfamily{mdput}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

merriweather

Merriwthr-LF 来源：merriweather；样本字形：T1

```
\fontencoding{T1}\fontfamily{Merriwthr-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

MerriwthrSans-LF 来源：merriweather；样本字形：T1

```
\fontencoding{T1}\fontfamily{MerriwthrSans-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

mfb-oldstyle

MFBOldstyle-LF 来源：mfb-oldstyle；样本字形：T1

```
\fontencoding{T1}\fontfamily{MFBOldstyle-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

miama

fmm 来源：miama；样本字形：T1

```
\fontencoding{T1}\fontfamily{fmm}\selectfont
```

- 常规字形：*Sphinx of black quartz, judge my vow.*
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

mlmodern

mlmdh 来源：mlmodern；样本字形：T1

```
\fontencoding{T1}\fontfamily{mlmdh}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

mlmr 来源：mlmodern；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{mlmodern}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{mlmr}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

mlmss 来源：mlmodern；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{mlmodern}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{mlmss}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

mlmssq 来源：mlmodern；样本字形：T1

```
\fontencoding{T1}\fontfamily{mlmssq}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

mlmtt 来源：mlmodern；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{mlmodern}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{mlmtt}\selectfont
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：***Sphinx of black quartz, judge my vow.***
- 等宽：**Sphinx of black quartz, judge my vow.**
- 小型大写：**Sphinx of black quartz, judge my vow.**

mlmvtt 来源：mlmodern；样本字形：T1

```
\fontencoding{T1}\fontfamily{mlmvtt}\selectfont
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

montserrat

Montserrat-LF 来源：montserrat；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{montserrat}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{Montserrat-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

MontserratAlternates-LF 来源：montserrat；样本字形：T1

```
\fontencoding{T1}\fontfamily{MontserratAlternates-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

nanumtype1

nanumgt 来源：nanumtype1；样本字形：T1

```
\fontencoding{T1}\fontfamily{nanumgt}\selectfont
```

本项粗体：`\fontseries{bx}\selectfont`。

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

nanummj 来源：nanumtype1；样本字形：T1

```
\fontencoding{T1}\fontfamily{nanummj}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

ncntrsbk

unc 来源：ncntrsbk；样本字形：T1

```
\fontencoding{T1}\fontfamily{unc}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

newpx

npxtt 来源：newpx；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{newpx}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{npxtt}\selectfont
```

- 常规字形：`Sphinx of black quartz, judge my vow.`
- 粗体：**`Sphinx of black quartz, judge my vow.`**
- 斜体：*`Sphinx of black quartz, judge my vow.`*
- 等宽：`Sphinx of black quartz, judge my vow.`
- 小型大写：`Sphinx of black quartz, judge my vow.`

zpldnom 来源：newpx；样本字形：T1

```
\fontencoding{T1}\fontfamily{zpldnom}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

zpllf 来源：newpx；样本字形：T1

```
\fontencoding{T1}\fontfamily{zpllf}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

zplnumr 来源：newpx；样本字形：T1

```
\fontencoding{T1}\fontfamily{zplnumr}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

zplosf 来源：newpx；样本字形：T1

```
\fontencoding{T1}\fontfamily{zplosf}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

zplsubs 来源：newpx；样本字形：T1

```
\fontencoding{T1}\fontfamily{zplsubs}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

zplsups 来源：newpx；样本字形：T1

```
\fontencoding{T1}\fontfamily{zplsups}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

zplth-lf 来源：newpx；样本字形：T1

```
\fontencoding{T1}\fontfamily{zplth-lf}\selectfont
```

- 常规字形：*Sphinx of black quartz, judge my vow.*
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

zpltlf 来源：newpx；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{newpx}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{zpltlf}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

zpltosf 来源：newpx；样本字形：T1

```
\fontencoding{T1}\fontfamily{zpltosf}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

newtx

ntxlf 来源：newtx；样本字形：T1

```
\fontencoding{T1}\fontfamily{ntxlf}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

ntxosf 来源：newtx；样本字形：T1

```
\fontencoding{T1}\fontfamily{ntxosf}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

ntxsups 来源：newtx；样本字形：T1

```
\fontencoding{T1}\fontfamily{ntxsups}\selectfont
```

- 常规字形：**Sphinx of black quartz, judge my vow.**
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：***Sphinx of black quartz, judge my vow.***
- 等宽：无
- 小型大写：无

ntxsupsalt 来源：newtx；样本字形：T1

```
\fontencoding{T1}\fontfamily{ntxsupsalt}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

ntxtlf 来源：newtx；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{newtx}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{ntxtlf}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

ntxtosf 来源：newtx；样本字形：T1

```
\fontencoding{T1}\fontfamily{ntxtosf}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

ntxtt 来源：newtx；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{newtx}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{ntxtt}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：Sphinx of black quartz, judge my vow.

newtxtt

newtxtt 来源：newtxtt；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{newtxtt}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{newtxtt}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

newtxttz 来源：newtxtt；样本字形：T1

```
\fontencoding{T1}\fontfamily{newtxttz}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

nimbus15

NimbusMono 来源：nimbus15；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{nimbusmono}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{NimbusMono}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

NimbusMonoN 来源：nimbus15；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{nimbusmononarrow}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{NimbusMonoN}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

NimbusSans 来源：nimbus15；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{nimbussans}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{NimbusSans}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

NimbusSerif 来源：nimbus15；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{nimbusserif}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{NimbusSerif}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

noto

NotoSans-LF 来源：noto；样本字形：T1

```
\fontencoding{T1}\fontfamily{NotoSans-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

NotoSansMono-TLF 来源：noto；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{noto}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{NotoSansMono-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

NotoSerif-LF 来源：noto；样本字形：T1

```
\fontencoding{T1}\fontfamily{NotoSerif-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

nunito

Nunito-TLF 来源：nunito；样本字形：T1

```
\fontencoding{T1}\fontfamily{Nunito-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

ocr-latex

ocrb 来源：ocr-latex；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{ocrb}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

ocrbn 来源：ocr-latex；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{ocrbn}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

ocrbns 来源：ocr-latex；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{ocrbns}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

ocrbo 来源：ocr-latex；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{ocrbo}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

ocrbs 来源：ocr-latex；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{ocrbs}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

oldstandard

OldStandard-LF 来源：oldstandard；样本字形：T1

```
\fontencoding{T1}\fontfamily{OldStandard-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

opensans

opensans-LF 来源：opensans；样本字形：T1

```
\fontencoding{T1}\fontfamily{opensans-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

oswald

Zeroswald-TLF 来源：oswald；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{Oswald}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{Zeroswald-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

overlock

Ovrlck-LF 来源：overlock；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{overlock}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{Ovrlck-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

palatino

upl 来源：palatino；样本字形：T1

```
\fontencoding{T1}\fontfamily{upl}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

paratype

PTMono-TLF 来源：paratype；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{PTMono}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{PTMono-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

PTSans-TLF 来源：paratype；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{PTSans}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{PTSans-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

PTSansCaption-TLF 来源：paratype；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{PTSansCaption}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{PTSansCaption-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

PTSansNarrow-TLF 来源：paratype；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{PTSansNarrow}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{PTSansNarrow-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

PTSerif-TLF 来源：paratype；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{PTSerif}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{PTSerif-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

PTSerifCaption-TLF 来源：paratype；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{PTSerifCaption}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{PTSerifCaption-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

playfair

PlyfrDisplay-LF 来源：playfair；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{PlayfairDisplay}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{PlyfrDisplay-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

plex

plxMono-TLF 来源：plex；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{plex-mono}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{plxMono-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

plxSans-TLF 来源：plex；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{plex-sans}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{plxSans-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

plxSerif-TLF 来源：plex；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{plex-serif}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{plxSerif-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

poiretone

PoiretOne-LF 来源：poiretone；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{PoiretOne}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{PoiretOne-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：Sphinx of black quartz, judge my vow.
- 斜体：无
- 等宽：无
- 小型大写：无

poltawski

antp 来源：poltawski；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{antpolt}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{antp}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

antpl 来源：poltawski；样本字形：T1

```
\fontencoding{T1}\fontfamily{antpl}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

psnfss

bch 来源：psnfss；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{charter}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{bch}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

pag 来源：psnfss；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{avant}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{pag}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

pbk 来源：psnfss；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{bookman}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{pbk}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

pcr 来源：psnfss；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{times}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{pcr}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

phv 来源：psnfss；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{times}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{phv}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

pnc 来源：psnfss；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{newcent}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{pnc}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

ppl 来源：psnfss；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{mathpazo}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{ppl}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

pplj 来源：psnfss；样本字形：T1

```
\fontencoding{T1}\fontfamily{pplj}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

pplx 来源：psnfss；样本字形：T1

```
\fontencoding{T1}\fontfamily{pplx}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

ptm 来源：psnfss；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{times}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{ptm}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

ptmcm 来源：psnfss；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{ptmcm}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

put 来源：psnfss；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{utopia}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{put}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

pzc 来源：psnfss；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{chancery}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{pzc}\selectfont
```

- 常规字形：*Sphinx of black quartz, judge my vow.*
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

zplm 来源：psnfss；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{zplm}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

zpple 来源：psnfss；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{zpple}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

ztmcm 来源：psnfss；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{ztmcm}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

punk-latex

pnk 来源：punk-latex；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{pnk}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

pxfonts

pxr 来源：pxfonts；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{pxfonts}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{pxr}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

pxss 来源：pxfonts；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{pxfonts}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{pxss}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

pxtt 来源：pxfonts；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{pxfonts}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{pxtt}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

quattrocento

Quattro-LF 来源：quattrocento；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{quattrocento}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{Quattro-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

QuattroSans-LF 来源：quattrocento；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{quattrocento}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{QuattroSans-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

raleway

Raleway-LF 来源：raleway；样本字形：T1

```
\fontencoding{T1}\fontfamily{Raleway-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

roboto

Roboto-LF 来源：roboto；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{roboto}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{Roboto-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

RobotoMono-TLF 来源：roboto；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{roboto-mono}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{RobotoMono-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

RobotoSerif-LF 来源：roboto；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{roboto-serif}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{RobotoSerif-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

RobotoSlab-TLF 来源：roboto；样本字形：T1

```
\fontencoding{T1}\fontfamily{RobotoSlab-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

romandeadf

yrd 来源：romandeadf；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{romande}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{yrd}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

yrda 来源：romandeadf；样本字形：T1

```
\fontencoding{T1}\fontfamily{yrda}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

yrdaw 来源：romandeadf；样本字形：T1

```
\fontencoding{T1}\fontfamily{yrdaw}\selectfont
```

- 常规字形：*Sphinx of black quartz, judge my vow.*
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

yrdw 来源：romandeadf；样本字形：T1

```
\fontencoding{T1}\fontfamily{yrdw}\selectfont
```

- 常规字形：*Sphinx of black quartz, judge my vow.*
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

rosario

Rosario-LF 来源：rosario；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{Rosario}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{Rosario-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

sansmathfonts

cmsmf 来源：sansmathfonts；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{cmsmf}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

xcmss 来源：sansmathfonts；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{xcmss}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

scholax

TeXGyreScholaX-LF 来源：scholax；样本字形：T1

```
\fontencoding{T1}\fontfamily{TeXGyreScholaX-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

zcsth-LF 来源：scholax；样本字形：T1

```
\fontencoding{T1}\fontfamily{zcsth-LF}\selectfont
```

- 常规字形：*Sphinx of black quartz, judge my vow.*
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

schulschriften

wedn 来源：schulschriften；样本字形：T1

```
\fontencoding{T1}\fontfamily{wedn}\selectfont
```

本项粗体：`\fontseries{bx}\selectfont`。

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：Sphinx of black quartz, judge my vow.
- 斜体：无
- 等宽：无
- 小型大写：无

wela 来源：schulschriften；样本字形：T1

```
\fontencoding{T1}\fontfamily{wela}\selectfont
```

本项粗体：`\fontseries{bx}\selectfont`。

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：Sphinx of black quartz, judge my vow.
- 斜体：无
- 等宽：无
- 小型大写：无

wesa 来源：schulschriften；样本字形：T1

```
\fontencoding{T1}\fontfamily{wesa}\selectfont
```

本项粗体：`\fontseries{bx}\selectfont`。

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：Sphinx of black quartz, judge my vow.
- 斜体：无
- 等宽：无
- 小型大写：无

wesu 来源：schulschriften；样本字形：T1

```
\fontencoding{T1}\fontfamily{wesu}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：Sphinx of black quartz, judge my vow.
- 斜体：无
- 等宽：无
- 小型大写：无

weva 来源：schulschriften；样本字形：T1

```
\fontencoding{T1}\fontfamily{weva}\selectfont
```

本项粗体：`\fontseries{bx}\selectfont`。

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：Sphinx of black quartz, judge my vow.
- 斜体：无
- 等宽：无
- 小型大写：无

sourcecodepro

SourceCodePro-TLF 来源：sourcecodepro；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{sourcecodepro}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{SourceCodePro-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：无

sourcesans

SourceSansThree-LF 来源：sourcesans；样本字形：T1

```
\fontencoding{T1}\fontfamily{SourceSansThree-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

sourceserif

SourceSerifFour-LF 来源：sourceserif；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{sourceserif}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{SourceSerifFour-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

spectral

Spectral-LF 来源：spectral；样本字形：T1

```
\fontencoding{T1}\fontfamily{Spectral-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

splentinex

Splentinex-LF 来源：splentinex；样本字形：T1

```
\fontencoding{T1}\fontfamily{Splentinex-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

srbtiks

srbtiks 来源：srbtiks；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{srbtiks}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{srbtiks}\selectfont
```

- 常规字形：Спхинъ оф блацк яуартз, јудге мь вою.
- 粗体：**Спхинъ оф блацк яуартз, јудге мь вою.**
- 斜体：*Сп̄хинъ оф блацк яуарт̄з, јудг̄е мь вою.*
- 等宽：无
- 小型大写：Спхинъ оф блацк яуартз, јудге мь вою.

step

STEP-TLF 来源：step；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{step}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{STEP-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

stickstoo

SticksTooText-LF 来源：stickstoo；样本字形：T1

```
\fontencoding{T1}\fontfamily{SticksTooText-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

stix

stix 来源：stix；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{stix}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{stix}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

stix2-type1

stix2 来源：stix2-type1；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{stix2}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{stix2}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

tempora

Tempora-TLF 来源：tempora；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{tempora}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{Tempora-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

tex-gyre

qag 来源：tex-gyre；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{tgadventor}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{qag}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

qbk 来源：tex-gyre；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{tgbonum}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{qbk}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

qcr 来源：tex-gyre；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{qcourier}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{qcr}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：Sphinx of black quartz, judge my vow.

qcs 来源：tex-gyre；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{tgschola}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{qcs}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

qhv 来源：tex-gyre；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{qswiss}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{qhv}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

qhvc 来源：tex-gyre；样本字形：T1

```
\fontencoding{T1}\fontfamily{qhvc}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

qpl 来源：tex-gyre；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{qpalatin}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{qpl}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

qtm 来源：tex-gyre；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{qtimes}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{qtm}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

theanodidot

TheanoDidot-TLF 来源：theanodidot；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{TheanoDidot}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{TheanoDidot-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

theanomodern

TheanoModern-TLF 来源：theanomodern；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{TheanoModern}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{TheanoModern-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

theanooldstyle

TheanoOldStyle-TLF 来源：theanooldstyle；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{TheanoOldStyle}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{TheanoOldStyle-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

times

utm 来源：times；样本字形：T1

```
\fontencoding{T1}\fontfamily{utm}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：SPHINX OF BLACK QUARTZ, JUDGE MY VOW.

tinos

Tinos-TLF 来源：tinos；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{tinos}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{Tinos-TLF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

txfonts

txr 来源：txfonts；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{txfonts}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{txr}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

txss 来源：txfonts；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{txfonts}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{txss}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

txtt 来源：txfonts；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{txfonts}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{txtt}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：Sphinx of black quartz, judge my vow.

universa

uni 来源：universa；样本字形：OT1

```
\fontencoding{OT1}\fontfamily{uni}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

universalis

UniversalisADFStd-LF 来源：universalis；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{universalis}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{UniversalisADFStd-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

uppunctlm

uplmr 来源：uppunctlm；样本字形：T1

```
\fontencoding{T1}\fontfamily{uplmr}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

variablelm

vlmr 来源：variablelm；样本字形：T1

```
\fontencoding{T1}\fontfamily{vlmr}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

vlmss 来源：variablelm；样本字形：T1

```
\fontencoding{T1}\fontfamily{vlmss}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

vlmssq 来源：variablelm；样本字形：T1

```
\fontencoding{T1}\fontfamily{vlmssq}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

vlmtt 来源：variablelm；样本字形：T1

```
\fontencoding{T1}\fontfamily{vlmtt}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：***Sphinx of black quartz, judge my vow.***
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：Sphinx of black quartz, judge my vow.

vlmvtt 来源：variablelm；样本字形：T1

```
\fontencoding{T1}\fontfamily{vlmvtt}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow**.
- 斜体：无
- 等宽：无
- 小型大写：无

venturisadf

yv1 来源：venturisadf；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{venturis}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{yv1}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

yv1d 来源：venturisadf；样本字形：T1

```
\fontencoding{T1}\fontfamily{yv1d}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：无
- 等宽：无
- 小型大写：无

yv2 来源：venturisadf；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{venturis2}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{yv2}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

yv3 来源：venturisadf；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{venturis2}`（导言区）；`{\sffamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{yv3}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

yvo 来源：venturisadf；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{venturisold}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{yvo}\selectfont
```

- 常规字形：8phinx of black quartz, judge my vow.
- 粗体：**8phinx of black quartz, judge my vow.**
- 斜体：*8phinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

yvoa 来源：venturisadf；样本字形：T1

```
\fontencoding{T1}\fontfamily{yvoa}\selectfont
```

- 常规字形：8phinx of black quartz, judge my vow.
- 粗体：**8phinx of black quartz, judge my vow.**
- 斜体：*8phinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无

yvoad 来源：venturisadf；样本字形：T1

```
\fontencoding{T1}\fontfamily{yvoad}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

yvod 来源：venturisadf；样本字形：T1

```
\fontencoding{T1}\fontfamily{yvod}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

yvt 来源：venturisadf；样本字形：T1

```
\fontencoding{T1}\fontfamily{yvt}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

yvtajw 来源：venturisadf；样本字形：T1

```
\fontencoding{T1}\fontfamily{yvtajw}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

yvtaw 来源：venturisadf；样本字形：T1

```
\fontencoding{T1}\fontfamily{yvtaw}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

yvtd 来源：venturisadf；样本字形：T1

```
\fontencoding{T1}\fontfamily{yvtd}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：无
- 斜体：无
- 等宽：无
- 小型大写：无

yvtj 来源：venturisadf；样本字形：T1
宏包快捷方式（pdfLaTeX；T1）：`\usepackage{venturis}`（导言区）；`{\rmfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{yvtj}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

yvtjw 来源：venturisadf；样本字形：T1

```
\fontencoding{T1}\fontfamily{yvtjw}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

yvtw 来源：venturisadf；样本字形：T1

```
\fontencoding{T1}\fontfamily{yvtw}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

xcharter

XCharter-LF 来源：xcharter；样本字形：T1

```
\fontencoding{T1}\fontfamily{XCharter-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

ysabeau

Ysabeau-LF 来源：ysabeau；样本字形：T1

```
\fontencoding{T1}\fontfamily{Ysabeau-LF}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：Sphinx of black quartz, judge my vow.

zlmtt

zlmtt 来源：zlmtt；样本字形：T1

宏包快捷方式（pdfLaTeX；T1）：`\usepackage{zlmtt}`（导言区）；`{\ttfamily ...}`（正文）。

```
\fontencoding{T1}\fontfamily{zlmtt}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：Sphinx of black quartz, judge my vow.
- 小型大写：Sphinx of black quartz, judge my vow.

zlmvtt 来源：zlmtt；样本字形：T1

```
\fontencoding{T1}\fontfamily{zlmvtt}\selectfont
```

- 常规字形：Sphinx of black quartz, judge my vow.
- 粗体：**Sphinx of black quartz, judge my vow.**
- 斜体：*Sphinx of black quartz, judge my vow.*
- 等宽：无
- 小型大写：无