

Fungal isolate composition by its_taxon

Share of all isolates. Grey = Incertae sedis (unknown or unresolved at this rank)


Lauraceae leaves
Incertae sedis: 0.0%



Ficus leaves
Incertae sedis: 0.0%



Ficus wood
Incertae sedis: 0.0%



its_taxon

- Pseudocercospora aff. quetri
- Nigrospora cf. gorlenkoana
- Ophiocordycipitaceae sp. 1
- Nigrospora hainanensis
- Colletotrichum cf. godetiae
- Diaporthe sp. 30
- Xylaria sp. 3
- Diaporthe crousii
- Penicillium goetzii, P. rubens
- Aspergillus cvjetkovicii or A. jensenii (3 spp.)
- Pestalotiopsis cf. telopae, P. kenyana, P. australasiae (4 spp.)
- Colletotrichum cf. mexicanum
- Diaporthe sp. 37
- Colletotrichum cf. brassicicola gen 1
- Diaporthe sp. 20
- Colletotrichum cf. brassicicola gen 2
- Neopestalotiopsis sichuanensis; N. phyllostachydis, N. fidjiensis (15 spp.)
- Diaporthe sp. 27
- Diaporthe sp. 23
- Neofabraea aff. brasiliensis
- Diaporthe sp. 34
- Colletotrichum arboricola
- Diaporthe sp. 16
- Annulohypoxylon sp. 2
- Neopestalotiopsis cf. sichuanensis; N. cf. phyllostachydis, N. cf. fidjiensis (15 spp.) gen 2
- Annulohypoxylon cf sp. 1.
- Nigrospora cf. sacchari−officinarum
- Pestalotiopsis telopae, P. kenyana, P. australasiae (4 spp.)
- Diaporthe sp. 29
- Nigrospora gorlenkoana
- Aspergillus austroafricanus
- Phaeoacremonium sp.
- Aspergillus versicolor or A. amoenus or A. protuberus
- Pestalotiopsis cf. diversiseta
- Pseudocercospora sp. 1
- Aspergillus aff. sydowii
- Diaporthe sp. 14
- Didymella aff. prosopidis
- Nigrospora cf. musae 1
- Podila humilis
- Xylariaceae sp. 10
- Cladosporium parahalotolerans
- Colletotrichum cf. scovillei or C. cf. melonis or C. cf. speciosum
- Cytospora aff. eucalypti
- Diaporthe sp. 25
- Nigrospora aff. sacchari−officinarum
- Paraphaeosphaeria cf. neglecta
- Sordariomycetes sp. 10
- Xylariales sp. 15
- Amycosphaerella africana
- Aspergillus creber (current name for jensenii in Mycobank?? Type sequences are different (types have been deposited for the two species, only 99.4% similarity with A. jensenii NR_135444 creber, 2 extra C compared to 622)
- Cladosporium cf. subuliforme or C. cf. xylophilum etc (26 spp.) gen 2
- Colletotrichum aff. colombiense
- Cytospora aff. viridistroma
- Diaporthaceae sp. 2
- Diaporthales sp. 2
- Diaporthe aff. passiflorae 5
- Diaporthe cf. passiflorae
- Aspergillus brunneus or A. niveoglaucus etc (4 spp.)
- Diaporthe sp. 15
- Epicoccum italicum
- Nigrospora cf. vesicularifera
- Tolypocladium sp.
- Xylariaceae sp. 9
- Cladosporium pini−ponderosae, or C. colombiae etc (21 spp.)
- Colletotrichum cigarro or C. kahawae
- Diaporthaceae sp. 1
- Diaporthe sp. 35
- Nigrospora cf. aurantiaca gen 2
- Penicillium bialowiezense
- Sordariomycetes sp. 3
- Xylariales sp. 18
- Annulohypoxylon sp. 3
- Aspergillus sydowii
- Cladosporium herbarum, C. iridis (23 spp.)
- Colletotrichum aff. godetiae
- Debaryomyces fabryi, D. prosopidis, D. subglobosus (4 spp.)
- Diaporthaceae sp. 3
- Diaporthe aff. araucanorum
- Diaporthe aff. passiflorae 6
- Diaporthe cf. passiflorae 1
- Aspergillus creber (current name for jensenii in Mycobank?? Type sequences are different) only 99.4% similarity with creber, 2 extra C compared to 622)
- Diaporthe sp. 17
- Nemania aff. abortiva
- Nigrospora macarangae
- Xylaria aff. adscendens 2
- Amphisphaeriaceae sp.
- Cladosporium subuliforme or C. xylophilum etc (26 spp.) gen 1
- Colletotrichum cymbidiicola
- Diaporthe sp. 13
- Diaporthe sp. 4
- Nigrospora guangdongensis
- Penicillium vancouverens
- Sordariomycetes sp. 4
- Xylariales sp. 4
- Annulohypoxylon sp. 4
- Beauveria pseudobassiana
- Cladosporium marinisedimentum or C. cooksoniae or C. sphaerospermum
- Colletotrichum sp.
- Diaportales cf. sp. 1
- Diaporthaceae sp. 4
- Diaporthe aff. passiflorae 1
- Diaporthe aff. passiflorae 7
- Diaporthe cf. passiflorae 2
- Cladosporium maltirimosum or C. devicae
- Diaporthe sp. 2
- Neofusicoccum sp.
- Nigrospora sp. 2
- Xylaria sp. 1
- Annulohypoxylon sp. 1
- Clonostachys cf. farinosa
- Coniochaetaceae sp. 1
- Diaporthe sp. 18
- Hypocreales sp.
- Nigrospora rubi
- Pestalotiopsis aff. diversiseta
- Sordariomycetes sp. 5
- Xylariales sp. 6
- Apiosporaceae sp.
- Cercophora sp.
- Clonostachys cf. solani f. nigrovirens
- Coniochaetaceae sp. 2
- Diaporthales sp. 1
- Diaporthaceae sp. 5
- Diaporthe aff. passiflorae 2
- Diaporthe kochmanii
- Diaporthe aff. passiflorae 4
- Diaporthe sp. 8
- Nigrospora cf. aurantiaca gen 1
- Penicillium cf. spathulatum
- Xylaria sp. 4
- Aspergillus aff. versicolor, A. aff. amoenus, A. aff. protuberus
- Colletotrichum aff. johnstonii or C. aff. pyricola or C. aff. subsalicis
- Cystofilobasidiales sp.
- Diaporthe sp. 22
- Hypocreomycetidae sp.
- Nodulisporium aff. verrucosum gen 1
- Pseudocercospora basitruncata
- Xylariales aff. sp 17
- Acremonium cf. mycoparasiticum
- Aspergillus cf. hongkongensis
- Chaetothyriales sp.
- Coccomyces sp.
- Coniochaetaceae sp. 2
- Diaportales sp. 3
- Diaporthaceae sp. 6
- Diaporthe aff. passiflorae 3
- Diaporthe aff. terebenthifolii
- Diaporthe sp. 1
- Diaporthe sp. 10
- Diaporthe sp. 24
- Diaporthe sp. 32
- Diaporthe sp. 40
- Diaporthe sp. 45
- Diaporthe sp. 5
- Diaporthe sp. 6
- Filobasidium uniguttulatum
- Lasiosphaeriaceae sp.
- Mucor sp.
- Nemania sp. 2
- Nigrospora pyriformis
- Nigrospora sp. 6
- Penicillium chrysogenum, P. tardochrysogenum
- Pestalotiopsis sp.
- Pseudocercospora sp. 2
- Rhytismataceae sp.
- Sordariomycetes sp. 6
- Stereaceae sp. 2
- Trichoderma cf. cremeum
- Xylariaceae cf. sp 9
- Xylariaceae sp. 13
- Xylariaceae sp. 6
- Xylariales sp. 1
- Xylariales sp. 14
- Xylariales sp. 20
- Xylariales sp. 9
- Diaporthe sp. 11
- Diaporthe sp. 26
- Diaporthe sp. 33
- Diaporthe sp. 41
- Diaporthe sp. 46
- Diaporthe sp. 50
- Diaporthe sp. 7
- Fusarium sp.
- Linnemannia sp.
- Mycosphaerellaceae sp. 1
- Neofusicoccum cf. ningerense
- Nigrospora sp. 1
- Nodulisporium aff. verrucosum gen 2
- Penicillium kongii
- Phaeosphaeria cf. tabebuiae
- Pseudocercospora sp. 3
- Saccharomycotina sp.
- Sordariomycetes sp. 7
- Thelonectria stemmata
- Trichoderma paraviride or T. viride
- Xylariaceae sp 8
- Xylariaceae sp. 2
- Xylariaceae sp. 7
- Xylariales sp. 10
- Xylariales sp. 16
- Xylariales sp. 3
- Diaporthe sp. 12
- Diaporthe sp. 28
- Diaporthe sp. 36
- Diaporthe sp. 42
- Diaporthe sp. 47
- Diaporthe sp. 51
- Diaporthe sp. 9
- Glomerellaceae sp.
- Marthamycetales sp. 1
- Mycosphaerellaceae sp. 2
- Neopestalotiopsis cf. sichuanensis; N. cf. phyllostachydis, N. cf. fidjiensis (15 spp.) gen 1
- Nigrospora sp. 3
- Ophiocordycipitaceae sp. 2
- Penicillium marywardiae
- Pleosporales sp. 1
- Pseudogymnoascus hyalinus
- Saitozyma podzolica
- Sordariomycetes sp. 8
- Tremellales sp.
- Xylaria aff. adscendens 1
- Xylariaceae sp. 1
- Xylariaceae sp. 3
- Xylariales aff. sp. 11
- Xylariales sp. 11
- Xylariales sp. 17
- Xylariales sp. 5
- Diaporthe sp. 19
- Diaporthe sp. 3
- Diaporthe sp. 38
- Diaporthe sp. 43
- Diaporthe sp. 48
- Diaporthe sp. 52
- Didymosphaeriaceae sp. 1
- Helotiales sp.
- Metapochonia cf. suchlasporia
- Myxospora sp.
- Nigrospora aff. tomentosae
- Nigrospora sp. 4
- Paraphaeosphaeria aff. neglecta
- Penicillium roseopurpureum
- Pleosporales sp. 2
- Pyrenopolyporus cf. hunteri
- Sordariomycetes sp. 1
- Sordariomycetes sp. 9
- Tremellomycetes sp.
- Xylaria sp. 2
- Xylariaceae sp. 11
- Xylariaceae sp. 4
- Xylariales cf. sp 8
- Xylariales sp. 12
- Xylariales sp. 7
- Diaporthe sp. 21
- Diaporthe sp. 31
- Diaporthe sp. 39
- Diaporthe sp. 44
- Diaporthe sp. 49
- Diaporthe sp. 53
- Didymosphaeriaceae sp. 2
- Hypomontagnella aff. spongiphila
- Mortierellales sp.
- Nemania sp. 1
- Nigrospora cf. musae 2
- Nigrospora sp. 5
- Penicillium aff. rubens or P. aff. goetzii
- Penicillium verhagenii
- Pleosporales sp. 3
- Rhynchogastrema cf. complexa
- Sordariomycetes sp. 2
- Stereaceae sp. 1
- Trichoderma anisohamatum or T. insigne
- Xylaria sp. 5
- Xylariaceae sp. 12
- Xylariaceae sp. 5
- Xylariales cf. sp. 6
- Xylariales sp. 13
- Xylariales sp. 2
- Xylariales sp. 8