Fungal isolate composition by genus

Share of all isolates. Grey = Incertae sedis (unknown or unresolved at this rank)

Lauraceae leaves
Incertae sedis: 11.4%



Ficus leaves
Incertae sedis: 20.8%



Ficus wood
Incertae sedis: 19.8%



genus

- Diaporthe
- Nigrospora
- Colletotrichum
- Aspergillus
- Pseudocercospora
- Penicillium
- Pestalotiopsis
- Annulohypoxylon
- Neopestalotiopsis
- Xylaria
- Cladosporium
- Phaeoacremonium
- Nemania
- Neofabraea
- Neofusicoccum
- Clonostachys
- Cytospora
- Didymella
- Epicoccum
- Nodulisporium
- Paraphaeosphaeria
- Podila
- Tolypocladium
- Trichoderma
- Acremonium
- Amycosphaerella
- Arthrinium
- Beauveria
- Cercophora
- Coccomyces
- Debaryomyces
- Filobasidium
- Fusarium
- Hypomontagnella
- Linnemannia
- Metapochonia
- Mucor
- Myxospora
- Phaeosphaeria
- Pseudogymnoascus
- Pyrenopolyporus
- Rhynchogastrema
- Saitozyma
- Thelonectria
- Incertae sedis