




Fungal isolate composition by order
Unknown/missing taxa pooled as Incertae sedis
Ficus leaves

Lauraceae leaves



Ficus wood



order

- Diaporthales
- leotiomyceta; sordariomyceta | Sordariomycetes | Xylariomycetidae | Amphisphaeriales
- Xylariales
- Eurotiales
- Glomerellales
- leotiomyceta; dothideomyceta | Dothideomycetes | Dothideomycetidae | Mycosphaerellales
- leotiomyceta; sordariomyceta | Sordariomycetes | Hypocreomycetidae | Hypocreales
- Incertae sedis
- Pleosporales
- Cladosporiales
- Togniniales
- Helotiales
- Botryosphaeriales
- Coniochaetales
- Mortierellomycota | Incertae sedis | Mortierellomycetes | Incertae sedis | Mortierellales
- Tremellales
- leotiomyceta | Sordariomycetes | Hypocreomycetidae | Hypocreales
- Cystofilobasidiales
- Mortierellomycotina | Incertae sedis | Mortierellomycetes | Incertae sedis | Mortierellales
- Russulales
- Sordariales
- dothideomyceta | Dothideomycetes | Dothideomycetidae | Mycosphaerellales
- Chaetothyriales
- Filobasidiales
- Marthamycetales
- Mucorales
- Seriales
- Thelebolales
- leotiomyceta | Sordariomycetes | Xylariomycetidae | Amphisphaeriales
- leotiomyceta; sordariomycet | Leotiomycetes | Incertae sedis | Rhytismatales
- leotiomyceta; sordariomyceta | Leotiomycetes | Incertae sedis | Rhytismatales