Cucumber Report

| Start : sept 16, 1:54:12.952 p. m.	End : sept 16, 1:54:23.073 p. m.	Duration : 10.121 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 3 FAILED - 6 SKIPPED - 0	PASSED - 14 FAILED - 6 SKIPPED - 0

1

9

20

Pass % 0 %

Pass % 33 %

Pass % 70 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Booking Endpoint	*10.121 s*	9	3	6	0	20	14	6	0

#	Feature Name	Scenario Name
1	*Booking Endpoint*	*/booking/(invalidCharacter) should return status code 400*
2		*/booking/(invalidCharacter) should return status code 400*
3		*/booking/(invalidCharacter) should return status code 400*
4		*/booking/(invalidCharacter) should return status code 400*
5		*/booking/(invalidCharacter) should return status code 400*
6		*Create a booking and verify the status code 400 if firstname is not completed*

#	Feature Name	T	P	F	S	Duration
1	Booking Endpoint	9	3	6	0	10.121 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Booking Endpoint	/booking/(any id that exists) should return the specific client	3	3	0	0	3.518 s
2		/booking/(invalidCharacter) should return status code 400	2	1	1	0	0.686 s
3		/booking/(invalidCharacter) should return status code 400	2	1	1	0	0.637 s
4		/booking/(invalidCharacter) should return status code 400	2	1	1	0	0.629 s
5		/booking/(invalidCharacter) should return status code 400	2	1	1	0	0.617 s
6		/booking/(invalidCharacter) should return status code 400	2	1	1	0	0.656 s
7		Create a booking and verify the details	2	2	0	0	0.877 s
8		Create a booking and verify the details with a GET call	3	3	0	0	1.491 s
9		Create a booking and verify the status code 400 if firstname is not completed	2	1	1	0	0.967 s

Booking Endpoint

FAILED	DURATION - 10.121 s	Scenarios Total - 9 Pass - 3 Fail - 6 Skip - 0		Steps Total - 20 Pass - 14 Fail - 6 Skip - 0	
/ 1:54:12.952 p. m. // 1:54:23.073 p. m. /					

/booking/(any id that exists) should return the specific client

PASSED	DURATION - 3.518 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:54:12.955 p. m. // 1:54:16.473 p. m. /				
Booking Endpoint				

#	Step / Hook Details	Status	Duration
1	Given I perform a GET call to the booking endpoint with id "68"	PASSED	2.874 s
2	Then I verify that the status code is 200	PASSED	0.025 s
3	And I verify that the body does not have size 0	PASSED	0.603 s

/booking/(invalidCharacter) should return status code 400

FAILED	DURATION - 0.686 s		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
/ 1:54:16.494 p. m. // 1:54:17.180 p. m. /				
Booking Endpoint				

#	Step / Hook Details	Status	Duration
1	Given I perform a GET call to the booking endpoint with this invalid character "1abc"	PASSED	0.670 s
2	Then I verify that the status code is 400	FAILED	0.016 s

	java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <200>.
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	    at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	    at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	    at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
	    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
	    at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)
	    at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)
	    at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:580)
	    at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)
	    at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)
	    at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
	    at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)
	    at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source)
	    at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)
	    at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)
	    at StepDefinitions.BookingSteps.verifyStatusCode(BookingSteps.java:33)
	    at ?.I verify that the status code is 400(file:///C:/NICO%20TODA%20MI%20INFORMACION%202/UPB/CERTIFICACION%20II/ProyectoFinal%20Si%20O%20si/Proyecto_Final_Restfull_Booker/src/test/resources/booking.feature:12)
	* Not displayable characters are replaced by '?'.		

**/booking/(invalidCharacter) should return status code 400**

FAILED	DURATION - 0.637 s

/ 1:54:17.199 p. m. // 1:54:17.836 p. m. /

Booking Endpoint

Steps
Total - 2
Pass - 1
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given I perform a GET call to the booking endpoint with this invalid character "%%"	PASSED	0.637 s
2	Then I verify that the status code is 400	FAILED	0.000 s

java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <404>.
   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
   at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
   at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)
   at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)
   at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)
   at java.base/java.lang.reflect.Method.invoke(Method.java:580)
   at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)
   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)
   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)
   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
   at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)
   at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source)
   at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)
   at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)
   at StepDefinitions.BookingSteps.verifyStatusCode(BookingSteps.java:33)
   at ?.I verify that the status code is 400(file:///C:/NICO%20TODA%20MI%20INFORMACION%202/UPB/CERTIFICACION%20II/ProyectoFinal%20Si%20O%20si/Proyecto_Final_Restfull_Booker/src/test/resources/booking.feature:12)
* Not displayable characters are replaced by '?'.

/booking/(invalidCharacter) should return status code 400

FAILED	DURATION - 0.629 s

/ 1:54:17.836 p. m. // 1:54:18.465 p. m. /
Booking Endpoint

Steps
Total - 2
Pass - 1
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given I perform a GET call to the booking endpoint with this invalid character "1%%"	PASSED	0.621 s
2	Then I verify that the status code is 400	FAILED	0.008 s

	java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <200>.
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	   at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
	   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
	   at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)
	   at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)
	   at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:580)
	   at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)
	   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)
	   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)
	   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
	   at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)
	   at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source)
	   at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)
	   at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)
	   at StepDefinitions.BookingSteps.verifyStatusCode(BookingSteps.java:33)
	   at ?.I verify that the status code is 400(file:///C:/NICO%20TODA%20MI%20INFORMACION%202/UPB/CERTIFICACION%20II/ ProyectoFinal%20Si%20O%20si/Proyecto_Final_Restfull_Booker/src/test/resources/booking.feature:12)
	 * Not displayable characters are replaced by '?'.		

/booking/(invalidCharacter) should return status code 400

FAILED	*DURATION - 0.617 s*
/ 1:54:18.465 p. m. // 1:54:19.082 p. m. /	
Booking Endpoint	

Steps
Total - 2
Pass - 1
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given I perform a GET call to the booking endpoint with this invalid character "abc1"	PASSED	0.617 s
2	Then I verify that the status code is 400	FAILED	0.000 s

	java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <404>.
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	    at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	    at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
	    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
	    at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)
	    at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)
	    at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:580)
	    at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)
	    at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)
	    at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
	    at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)
	    at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source)
	    at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)
	    at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)
	    at StepDefinitions.BookingSteps.verifyStatusCode(BookingSteps.java:33)
	    at ?.I verify that the status code is 400(file:///C:/NICO%20TODA%20MI%20INFORMACION%202/UPB/CERTIFICACION%20II/ProyectoFinal%20Si%20O%20si/Proyecto_Final_Restfull_Booker/src/test/resources/booking.feature:12)
	* Not displayable characters are replaced by '?'.		

/booking/(invalidCharacter) should return status code 400

FAILED	DURATION - 0.656 s
/ 1:54:19.082 p. m. // 1:54:19.738 p. m. /	
Booking Endpoint	

Steps
Total - 2
Pass - 1
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given I perform a GET call to the booking endpoint with this invalid character "abc%%"	PASSED	0.648 s
2	Then I verify that the status code is 400	FAILED	0.008 s

java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <404>.
    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
    at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
    at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
    at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)
    at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)
    at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)
    at java.base/java.lang.reflect.Method.invoke(Method.java:580)
    at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)
    at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)
    at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)
    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
    at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)
    at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source)
    at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)
    at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)
    at StepDefinitions.BookingSteps.verifyStatusCode(BookingSteps.java:33)
    at ?.I verify that the status code is 400(file:///C:/NICO%20TODA%20MI%20INFORMACION%202/UPB/CERTIFICACION%20II/
ProyectoFinal%20Si%20O%20si/Proyecto_Final_Restfull_Booker/src/test/resources/booking.feature:12)
* Not displayable characters are replaced by '?'.

Create a booking and verify the details

PASSED	DURATION - 0.877 s
/ 1:54:19.738 p. m. // 1:54:20.615 p. m. /	
Booking Endpoint	

Steps
Total - 2
Pass - 2
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	When I create a booking with the following details	PASSED	0.785 s
2	Then I verify that the booking was created successfully	PASSED	0.083 s

firstname	lastname	totalprice	depositpaid	checkin	checkout	additionalneeds
Nicolas	Moscoso	1230	true	2019-01-01	2020-02-03	desayuno

Create a booking and verify the details with a GET call

PASSED	DURATION - 1.491 s
/ 1:54:20.615 p. m. // 1:54:22.106 p. m. /	
Booking Endpoint	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	When I create a new booking with the following details	PASSED	0.638 s
2	And I get the created booking by ID	PASSED	0.792 s
3	Then I verify that the booking details are correct	PASSED	0.061 s

firstname	lastname	totalprice	depositpaid	checkin	checkout	additionalneeds
Nicolas	Moscoso	1230	true	2019-01-01	2020-02-03	desayuno

Create a booking and verify the status code 400 if firstname is not completed

FAILED	DURATION - 0.967 s
/ 1:54:22.106 p. m. // 1:54:23.073 p. m. /	
Booking Endpoint	

Steps
Total - 2
Pass - 1
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	When I create a booking with the following details	PASSED	0.967 s

firstname	lastname	totalprice	depositpaid	checkin	checkout	additionalneeds
	Moscoso	1230	true	2019-01-01	2020-02-03	desayuno
Nicolas		1230	true	2019-01-01	2020-02-03	desayuno
Nicolas	Moscoso		true	2019-01-01	2020-02-03	desayuno

#	Step / Hook Details	Status	Duration
2	Then I verify that the status code is 400	FAILED	0.000 s

java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <500>.
    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
    at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
    at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
    at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)
    at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)
    at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)
    at java.base/java.lang.reflect.Method.invoke(Method.java:580)
    at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)
    at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)
    at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)
    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
    at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)
    at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source)
    at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)
    at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)
    at StepDefinitions.BookingSteps.verifyStatusCode(BookingSteps.java:33)

#	Step / Hook Details	Status	Duration
	at ?.I verify that the status code is 400(file:///C:/NICO%20TODA%20MI%20INFORMACION%202/UPB/CERTIFICACION%20II/ ProyectoFinal%20Si%20O%20si/Proyecto_Final_Restfull_Booker/src/test/resources/booking.feature:40) * Not displayable characters are replaced by '?'.		