Cucumber Report

14 sept de 2024 19:41:49

| Start : sept 14, 7:41:40.842 p. m.	End : sept 14, 7:41:48.812 p. m.	Duration : 7.970 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 3 FAILED - 5 SKIPPED - 0	PASSED - 13 FAILED - 5 SKIPPED - 0

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Booking Endpoint	7.970 s	8	3	5	0	18	13	5	0

| #	Feature Name	Scenario Name
1	Booking Endpoint	/booking/(invalidCharacter) should return status code 400
2		/booking/(invalidCharacter) should return status code 400
3		/booking/(invalidCharacter) should return status code 400
4		/booking/(invalidCharacter) should return status code 400
5		/booking/(invalidCharacter) should return status code 400

#	Feature Name	T	P	F	S	Duration
1	Booking Endpoint	8	3	5	0	7.970 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Booking Endpoint	/booking/(any id that exists) should return the specific client	3	3	0	0	2.304 s
2		/booking/(invalidCharacter) should return status code 400	2	1	1	0	0.676 s
3		/booking/(invalidCharacter) should return status code 400	2	1	1	0	0.673 s
4		/booking/(invalidCharacter) should return status code 400	2	1	1	0	0.664 s
5		/booking/(invalidCharacter) should return status code 400	2	1	1	0	0.661 s
6		/booking/(invalidCharacter) should return status code 400	2	1	1	0	0.674 s
7		Create a booking and verify the details	2	2	0	0	0.876 s
8		Create a booking and verify the details with a GET call	3	3	0	0	1.392 s

Booking Endpoint

FAILED	DURATION - 7.970 s	Scenarios		Steps	
/ 7:41:40.842 p. m. // 7:41:48.812 p. m. /		Total - 8		Total - 18	
		Pass - 3		Pass - 13	
		Fail - 5		Fail - 5	
		Skip - 0		Skip - 0	

/booking/(any id that exists) should return the specific client

PASSED	DURATION - 2.304 s	Steps	
/ 7:41:40.845 p. m. // 7:41:43.149 p. m. /		Total - 3	
Booking Endpoint		Pass - 3	
		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given I perform a GET call to the booking endpoint with id "68"	PASSED	1.905 s
2	Then I verify that the status code is 200	PASSED	0.013 s
3	And I verify that the body does not have size 0	PASSED	0.377 s

/booking/(invalidCharacter) should return status code 400

FAILED	DURATION - 0.676 s	Steps	
/ 7:41:43.157 p. m. // 7:41:43.833 p. m. /		Total - 2	
Booking Endpoint		Pass - 1	
		Fail - 1	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given I perform a GET call to the booking endpoint with this invalid character "1abc"	PASSED	0.658 s
2	Then I verify that the status code is 400	FAILED	0.017 s

	java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <200>.
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	    at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	    at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	    at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
	    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
	    at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)
	    at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)
	    at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:580)
	    at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)
	    at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)
	    at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
	    at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)
	    at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source)
	    at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)
	    at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)
	    at StepDefinitions.BookingSteps.verifyStatusCode(BookingSteps.java:33)
	    at ?.I verify that the status code is 400(file:///C:/NICO%20TODA%20MI%20INFORMACION%202/UPB/CERTIFICACION%20II/ProyectoFinal%20Si%20O%20si/Proyecto_Final_Restfull_Booker/src/test/resources/booking.feature:12)
	* Not displayable characters are replaced by '?'.		

/booking/(invalidCharacter) should return status code 400

FAILED	DURATION - 0.673 s

/ 7:41:43.851 p. m. // 7:41:44.524 p. m. /

Booking Endpoint

Steps
Total - 2
Pass - 1
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given I perform a GET call to the booking endpoint with this invalid character "%%"	PASSED	0.672 s
2	Then I verify that the status code is 400	FAILED	0.001 s

java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <404>.
   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
   at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
   at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)
   at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)
   at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)
   at java.base/java.lang.reflect.Method.invoke(Method.java:580)
   at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)
   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)
   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)
   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
   at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)
   at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source)
   at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)
   at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)
   at StepDefinitions.BookingSteps.verifyStatusCode(BookingSteps.java:33)
   at ?.I verify that the status code is 400(file:///C:/NICO%20TODA%20MI%20INFORMACION%202/UPB/CERTIFICACION%20II/ProyectoFinal%20Si%20O%20si/Proyecto_Final_Restfull_Booker/src/test/resources/booking.feature:12)
* Not displayable characters are replaced by '?'.

/booking/(invalidCharacter) should return status code 400

FAILED	DURATION - 0.664 s

/ 7:41:44.530 p. m. // 7:41:45.194 p. m. /

Booking Endpoint

Steps
Total - 2
Pass - 1
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given I perform a GET call to the booking endpoint with this invalid character "1%%"	PASSED	0.662 s
2	Then I verify that the status code is 400	FAILED	0.001 s

	java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <200>.
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	  at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	  at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	  at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
	  at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
	  at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)
	  at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)
	  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:580)
	  at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)
	  at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)
	  at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)
	  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
	  at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)
	  at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source)
	  at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)
	  at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)
	  at StepDefinitions.BookingSteps.verifyStatusCode(BookingSteps.java:33)
	  at ?.I verify that the status code is 400(file:///C:/NICO%20TODA%20MI%20INFORMACION%202/UPB/CERTIFICACION%20II/ProyectoFinal%20Si%20O%20si/Proyecto_Final_Restfull_Booker/src/test/resources/booking.feature:12)
	* Not displayable characters are replaced by '?'.		

/booking/(invalidCharacter) should return status code 400

FAILED	DURATION - 0.661 s
/ 7:41:45.198 p. m. // 7:41:45.859 p. m. /	
Booking Endpoint	

Steps
Total - 2
Pass - 1
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given I perform a GET call to the booking endpoint with this invalid character "abc1"	PASSED	0.660 s
2	Then I verify that the status code is 400	FAILED	0.001 s

java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <404>.
   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
   at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
   at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)
   at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)
   at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)
   at java.base/java.lang.reflect.Method.invoke(Method.java:580)
   at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)
   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)
   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)
   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
   at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)
   at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source)
   at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)
   at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)
   at StepDefinitions.BookingSteps.verifyStatusCode(BookingSteps.java:33)
   at ?.I verify that the status code is 400(file:///C:/NICO%20TODA%20MI%20INFORMACION%202/UPB/CERTIFICACION%20II/ProyectoFinal%20Si%20O%20si/Proyecto_Final_Restfull_Booker/src/test/resources/booking.feature:12)
* Not displayable characters are replaced by '?'.

/booking/(invalidCharacter) should return status code 400

FAILED	DURATION - 0.674 s
/ 7:41:45.861 p. m. // 7:41:46.535 p. m. /	
Booking Endpoint	

Steps
Total - 2
Pass - 1
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given I perform a GET call to the booking endpoint with this invalid character "abc%%"	PASSED	0.672 s
2	Then I verify that the status code is 400	FAILED	0.002 s

	java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <404>.
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	    at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	    at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
	    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
	    at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)
	    at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)
	    at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:580)
	    at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)
	    at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)
	    at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
	    at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)
	    at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source)
	    at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)
	    at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)
	    at StepDefinitions.BookingSteps.verifyStatusCode(BookingSteps.java:33)
	    at ?.I verify that the status code is 400(file:///C:/NICO%20TODA%20MI%20INFORMACION%202/UPB/CERTIFICACION%20II/ProyectoFinal%20Si%20O%20si/Proyecto_Final_Restfull_Booker/src/test/resources/booking.feature:12)
	* Not displayable characters are replaced by '?'.		

Create a booking and verify the details

PASSED	DURATION - 0.876 s
/ 7:41:46.541 p. m. // 7:41:47.417 p. m. /	
Booking Endpoint	

Steps
Total - 2
Pass - 2
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	When I create a booking with the following details	PASSED	0.823 s
	firstname / lastname / totalprice / depositpaid / checkin / checkout / additionalneeds Nicolas / Moscoso / 1230 / true / 2019-01-01 / 2020-02-03 / desayuno		
2	Then I verify that the booking was created successfully	PASSED	0.052 s

Create a booking and verify the details with a GET call

PASSED	DURATION - 1.392 s
/ 7:41:47.420 p. m. // 7:41:48.812 p. m. /	
Booking Endpoint	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	When I create a new booking with the following details	PASSED	0.671 s
	firstname / lastname / totalprice / depositpaid / checkin / checkout / additionalneeds Nicolas / Moscoso / 1230 / true / 2019-01-01 / 2020-02-03 / desayuno		
2	And I get the created booking by ID	PASSED	0.680 s
3	Then I verify that the booking details are correct	PASSED	0.041 s