
PCA of tanaka
50
0
−50
−100
PC2 11.9% Variance
−100
−50
0
50
100
PC1 46.27% Variance
genotype
heterozygous_Vav1−iCre_and_homozygous_Setbp1−floxed_allele
homozygous_Setbp1−floxed_allele
shape
heterozygous_Vav1−iCre_and_homozygous_Setbp1−floxed_allele
homozygous_Setbp1−floxed_allele


PCA of tanaka
100
50
0
−50
−100
PC3 11.48% Variance
−100
−50
0
50
PC2 11.9% Variance
genotype
heterozygous_Vav1−iCre_and_homozygous_Setbp1−floxed_allele
homozygous_Setbp1−floxed_allele
shape
heterozygous_Vav1−iCre_and_homozygous_Setbp1−floxed_allele
homozygous_Setbp1−floxed_allele


PCA of tanaka
40
0
−40
−80
−120
PC4 10.26% Variance
−100
−50
0
50
100
PC3 11.48% Variance
genotype
heterozygous_Vav1−iCre_and_homozygous_Setbp1−floxed_allele
homozygous_Setbp1−floxed_allele
shape
heterozygous_Vav1−iCre_and_homozygous_Setbp1−floxed_allele
homozygous_Setbp1−floxed_allele


PCA of tanaka
80
40
0
−40
PC5 5.44% Variance
genotype
heterozygous_Vav1−iCre_and_homozygous_Setbp1−floxed_allele
homozygous_Setbp1−floxed_allele
shape
heterozygous_Vav1−iCre_and_homozygous_Setbp1−floxed_allele
homozygous_Setbp1−floxed_allele
−120
−80
−40
0
40
PC4 10.26% Variance


PCA of tanaka
50
0
−50
PC6 5.15% Variance
−40
0
40
80
PC5 5.44% Variance
genotype
heterozygous_Vav1−iCre_and_homozygous_Setbp1−floxed_allele
homozygous_Setbp1−floxed_allele
shape
heterozygous_Vav1−iCre_and_homozygous_Setbp1−floxed_allele
homozygous_Setbp1−floxed_allele

PCA of tanaka
40
0
−40
PC7 4.98% Variance
−50
0
50
PC6 5.15% Variance
genotype
heterozygous_Vav1−iCre_and_homozygous_Setbp1−floxed_allele
homozygous_Setbp1−floxed_allele
shape
heterozygous_Vav1−iCre_and_homozygous_Setbp1−floxed_allele
homozygous_Setbp1−floxed_allele


PCA of tanaka
50
0
PC8 4.53% Variance
−40
0
40
PC7 4.98% Variance
genotype
heterozygous_Vav1−iCre_and_homozygous_Setbp1−floxed_allele
homozygous_Setbp1−floxed_allele
shape
heterozygous_Vav1−iCre_and_homozygous_Setbp1−floxed_allele
homozygous_Setbp1−floxed_allele