
PCA of Combined Datasets
60
40
20
0
−20
PC2 20.21% Variance
−120
−80
−40
0
PC1 29.33% Variance
Instrument
Illumina_HiSeq_4000
Illumina_NovaSeq_6000
shape
Cardo
Shaw
Tanaka


PCA of Combined Datasets
PC3 11.34% Variance
PC2 20.21% Variance
60
40
20
0
−20
−20
0
20
40
60
Instrument
Illumina_HiSeq_4000
Illumina_NovaSeq_6000
shape
Cardo
Shaw
Tanaka


PCA of Combined Datasets
PC4 6.3% Variance
PC3 11.34% Variance
20
0
−20
−40
−20
0
20
40
60
Instrument
Illumina_HiSeq_4000
Illumina_NovaSeq_6000
shape
Cardo
Shaw
Tanaka


PCA of Combined Datasets
PC5 5.57% Variance
PC4 6.3% Variance
25
0
−25
−50
−40
−20
0
20
Instrument
Illumina_HiSeq_4000
Illumina_NovaSeq_6000
shape
Cardo
Shaw
Tanaka


PCA of Combined Datasets
40
20
0
−20
PC6 5.27% Variance
−50
−25
0
25
PC5 5.57% Variance
Instrument
Illumina_HiSeq_4000
Illumina_NovaSeq_6000
shape
Cardo
Shaw
Tanaka


PCA of Combined Datasets
20
0
−20
PC7 3.61% Variance
−20
0
20
40
PC6 5.27% Variance
Instrument
Illumina_HiSeq_4000
Illumina_NovaSeq_6000
shape
Cardo
Shaw
Tanaka


PCA of Combined Datasets
40
20
0
−20
PC8 2.74% Variance
−20
0
20
PC7 3.61% Variance
Instrument
Illumina_HiSeq_4000
Illumina_NovaSeq_6000
shape
Cardo
Shaw
Tanaka