
PCA of Combined Datasets
10
0
−10
−20
PC2 22.65% Variance
−50
−25
0
PC1 27.77% Variance
pcameta[, shape]
HSC
IPSC
Neuron
NPC
genotype
heterozygous_Vav1−iCre_and_homozygous_Setbp1−floxed_allele
homozygous_Setbp1−floxed_allele
PATH2
PATH3
SETBP1−KO
VUS2
WT


PCA of Combined Datasets
PC3 13.38% Variance
PC2 22.65% Variance
20
10
0
−10
−20
−10
0
10
pcameta[, shape]
HSC
IPSC
Neuron
NPC
genotype
heterozygous_Vav1−iCre_and_homozygous_Setbp1−floxed_allele
homozygous_Setbp1−floxed_allele
PATH2
PATH3
SETBP1−KO
VUS2
WT


PCA of Combined Datasets
10
0
−10
−20
−10
0
10
20
PC4 6.78% Variance
PC3 13.38% Variance
pcameta[, shape]
HSC
IPSC
Neuron
NPC
genotype
heterozygous_Vav1−iCre_and_homozygous_Setbp1−floxed_allele
homozygous_Setbp1−floxed_allele
PATH2
PATH3
SETBP1−KO
VUS2
WT


PCA of Combined Datasets
20
10
0
−10
PC5 5.63% Variance
−20
−10
0
10
PC4 6.78% Variance
pcameta[, shape]
HSC
IPSC
Neuron
NPC
genotype
heterozygous_Vav1−iCre_and_homozygous_Setbp1−floxed_allele
homozygous_Setbp1−floxed_allele
PATH2
PATH3
SETBP1−KO
VUS2
WT


PCA of Combined Datasets
10
0
−10
PC6 4.21% Variance
−10
0
10
20
PC5 5.63% Variance
pcameta[, shape]
HSC
IPSC
Neuron
NPC
genotype
heterozygous_Vav1−iCre_and_homozygous_Setbp1−floxed_allele
homozygous_Setbp1−floxed_allele
PATH2
PATH3
SETBP1−KO
VUS2
WT


PCA of Combined Datasets
pcameta[, shape]
HSC
IPSC
Neuron
NPC
genotype
heterozygous_Vav1−iCre_and_homozygous_Setbp1−floxed_allele
homozygous_Setbp1−floxed_allele
PATH2
PATH3
SETBP1−KO
VUS2
WT
10
0
−10
−10
0
10
PC7 3.02% Variance
PC6 4.21% Variance