
PCA of Combined Datasets
20
10
0
−10
−20
PC2 22.47% Variance
−40
−20
0
PC1 27.05% Variance
pcameta[, shape]
Cardo
Shaw
Tanaka
Instrument
Illumina_HiSeq_4000
Illumina_NovaSeq_6000


PCA of Combined Datasets
PC3 13.46% Variance
PC2 22.47% Variance
20
10
0
−10
−20
−10
0
10
20
pcameta[, shape]
Cardo
Shaw
Tanaka
Instrument
Illumina_HiSeq_4000
Illumina_NovaSeq_6000


PCA of Combined Datasets
10
0
−10
−20
PC4 7.02% Variance
−10
0
10
20
PC3 13.46% Variance
pcameta[, shape]
Cardo
Shaw
Tanaka
Instrument
Illumina_HiSeq_4000
Illumina_NovaSeq_6000


PCA of Combined Datasets
20
10
0
−10
PC5 5.81% Variance
−20
−10
0
10
PC4 7.02% Variance
pcameta[, shape]
Cardo
Shaw
Tanaka
Instrument
Illumina_HiSeq_4000
Illumina_NovaSeq_6000


PCA of Combined Datasets
PC6 4.49% Variance
PC5 5.81% Variance
10
0
−10
−10
0
10
20
pcameta[, shape]
Cardo
Shaw
Tanaka
Instrument
Illumina_HiSeq_4000
Illumina_NovaSeq_6000


PCA of Combined Datasets
10
0
−10
PC7 3.1% Variance
−10
0
10
PC6 4.49% Variance
pcameta[, shape]
Cardo
Shaw
Tanaka
Instrument
Illumina_HiSeq_4000
Illumina_NovaSeq_6000