
PCA of Combined Datasets
20
10
0
−10
−20
−40
−20
0
PC2 22.47% Variance
PC1 27.05% Variance
pcameta[, shape]
Cardo
Shaw
Tanaka
genotype
heterozygous_Vav1−iCre_and_homozygous_Setbp1−floxed_allele
homozygous_Setbp1−floxed_allele
PATH2
PATH3
SETBP1−KO
VUS2
WT


PCA of Combined Datasets
PC3 13.46% Variance
PC2 22.47% Variance
20
10
0
−10
−20
−10
0
10
20
pcameta[, shape]
Cardo
Shaw
Tanaka
genotype
heterozygous_Vav1−iCre_and_homozygous_Setbp1−floxed_allele
homozygous_Setbp1−floxed_allele
PATH2
PATH3
SETBP1−KO
VUS2
WT


PCA of Combined Datasets
10
0
−10
−20
PC4 7.02% Variance
−10
0
10
20
PC3 13.46% Variance
pcameta[, shape]
Cardo
Shaw
Tanaka
genotype
heterozygous_Vav1−iCre_and_homozygous_Setbp1−floxed_allele
homozygous_Setbp1−floxed_allele
PATH2
PATH3
SETBP1−KO
VUS2
WT


PCA of Combined Datasets
20
10
0
−10
PC5 5.81% Variance
−20
−10
0
10
PC4 7.02% Variance
pcameta[, shape]
Cardo
Shaw
Tanaka
genotype
heterozygous_Vav1−iCre_and_homozygous_Setbp1−floxed_allele
homozygous_Setbp1−floxed_allele
PATH2
PATH3
SETBP1−KO
VUS2
WT


PCA of Combined Datasets
10
0
−10
PC6 4.49% Variance
−10
0
10
20
PC5 5.81% Variance
pcameta[, shape]
Cardo
Shaw
Tanaka
genotype
heterozygous_Vav1−iCre_and_homozygous_Setbp1−floxed_allele
homozygous_Setbp1−floxed_allele
PATH2
PATH3
SETBP1−KO
VUS2
WT


PCA of Combined Datasets
10
0
−10
PC7 3.1% Variance
−10
0
10
PC6 4.49% Variance
pcameta[, shape]
Cardo
Shaw
Tanaka
genotype
heterozygous_Vav1−iCre_and_homozygous_Setbp1−floxed_allele
homozygous_Setbp1−floxed_allele
PATH2
PATH3
SETBP1−KO
VUS2
WT