

- a) software
- b) hardware
- c) Development
- d) test cases

Answer: d

49. _____ tests have to be designed to ensure that the system can process its intended load.

- a) Performance
- b) hardware
- c) system
- d) user

Answer: a

50. In _____ testing, where customers test a system to decide whether or not it is ready to be accepted from the system developers and deployed in the customer environment.

- a) unit
- b) component
- c) system
- d) Acceptance

Answer: d

Unit 3

1. The price of a software product to a customer is _____

- a) development cost
- b) profit
- c) Travel cost
- d) both development cost and profit

Ans: d

2. If an organization is unsure of its cost estimate, it may increase its price by a contingency over and above its normal profit. This factor is called _____

- a) Cost estimate uncertainty
- b) Financial Health
- c) Market opportunity
- d) Requirements volatility

Ans: a

3. _____ means that a company has some idea of the price that the customer expects to pay and makes a bid for the contract based on the customer's expected price.

- a) Pricing to win
- b) Contractual terms
- c) Market opportunity
- d) Requirements volatility

ans: a

4. A _____ is agreed on the basis of an outline proposal.

- a) project cost b) Negotiation
- c) Contract d) Bid

ans: a

5. Which of the are parameters involved in computing the costs of a software development project?

- a) effort costs b) hardware and software costs including maintenance
- c) travel and training costs d) All choices are correct

ans: d

6. _____ is created that records the work to be done, who will do it, the development schedule, and the work products.

- b) project plan b) decision
- c) Strategy d) solution

ans: a

7. _____ describes the quality procedures and standards that will be used in a project.

- c) Quality plan b) Maintenance plan
- c) Staff development plan d) Software Planning

ans: a

8. _____ this shows the dependencies between activities, the estimated time required to reach each milestone, and the allocation of people to activities.

- a) Project contract b) Work breakdown
- c) Project organization d) Project schedule

ans: d

9. _____ is an iterative process that starts when you create an initial project plan during the project startup phase.

- a) Project planning b) Monitoring
- c) reporting mechanisms d) development

ans: a

10. _____ are work products that are delivered to the customer.

- a) Milestones b) Deliverables
- c) Contract d) Hardware

ans: b

11. _____ is the process of deciding how the work in a project will be organized as separate tasks, and when and how these tasks will be executed.

- a) monitoring b) Planning c) Documenting
- d) Project scheduling

ans: d

12. _____, which are calendar-based, show who is responsible for each activity, the expected elapsed time, and when the activity is scheduled to begin and end.

- a) Gantt charts b) Use-case diagrams
- c) activity diagram d) sequence chart

ans: a

13. _____ is the estimate of future effort requirements is based on the manager's experience of past projects and the application domain.

- a) Project Estimate b) Algorithmic cost modelling
- c) Experience-based techniques d) Automated modeling

ans: c

14. _____ is, a formulaic approach is used to compute the project effort based on estimates of product attributes

- a) Experience-based techniques b) Algorithmic cost modelling
- c) Project Estimate d) Random forest algorithm

ans: b

15 _____ is a well-documented and non-proprietary estimation model.

- a) COCOMO II b) COCOMO
- c) COCOMO III d) ANOVA

ans: a

16 _____ is used during early stages of the system design after the requirements have been established.

- a) mathematical modeling b) application-composition model
- c) reuse model d) early design model

ans: d

17 _____ models the effort required to develop systems that are created from reusable components, scripting or database programming.

- d) early design model b) application-composition model
- c) reuse model d) post design modeling

ans: b

18. Which of the following term is best defined by the statement: "The underlying technology on which the system is built is superseded by new technology."?

- a) Technology change
- b) Product competition
- c) Requirements change
- d) Organizational factor

Answer: a

19. _____ is not a risk management activity.

- (a) Risk assessment
- (b) Risk generation
- (c) Risk control
- (d) Risk monitoring

Answer: b

20. Risk management is one of the most important jobs for a _____.

- (a) Client
- (b) Investor
- (c) Production team
- (d) Project manager

Answer: d

21. COCOMO stands for _____.

- (a) Constructive cost model
- (b) Comprehensive cost model
- (c) Constructive cost estimation model
- (d) Complete cost estimation model

Answer: a

22. _____ reflects the previous experience of the organization with this type of project.

- a) Precedentedness b) Team cohesion
- c) Process maturity d) Congestion

ans: a

23. _____ reflects how well the development team knows each other and work together

- a) Precedentedness b) Team cohesion
- c) Process maturity d) Collaboration

ans: b

24. At the _____, quality management is concerned with establishing a framework of organizational processes and standards that will lead to high quality software.

- a) organizational level b) project level
- c) management level d) test level

ans: a

25. _____ is the definition of processes and standards that should lead to high-quality products and the introduction of quality processes into the manufacturing process.

- a) Quality assurance b) Quality control
- c) Quality management d) Quality test

ans: a

26. Quality Management is Essential for Project _____

- a) failure b) success
- c) delay d) degradation

ans: b

27. _____ apply to the software product being developed.

- a) Product standards b) Process standards
- c) Product and Process standards d) milestone

ans: a

28. _____define the processes that should be followed during software development.

- a) Product standards b) Process standards
- c) Product and Process standardsd) target

ans: b

29. _____is concerned with deriving a numeric value or profile for an attribute of a software component, system, or process.

- a) Software measurement b) Control metric
- c)Product metric d) Review

ans: a

30. _____are collected by measurements made of a program in execution.

- a) Dynamic metrics b) Static metrics
- c) Product metrics d) null metrics

ans: a

31. _____are collected by measurements made of representations of the system, such as the design, program, or documentation.

- a) Dynamic metrics b) Static metrics
- c) Product metrics d) null metrics

ans: b

32. _____is a measure of the number of functions or methods that call another function or method

- a) Fan-in b) Fan-out
- c)Fog index d) log index

ans: a

33. _____a measure of the average length of words and sentences in documents.

- a) Fan-in b) Fan-out
- c) Fog index d) none

ans: c

34. _____ a measure of the control complexity of a program

a) Fan-in b) Fan-out

c) Fog index d) Cyclomatic complexity

ans: d

40: _____ are the preparatory activities that are essential for the review to be effective.

a) Pre-review b) Peer review c) Inspection d) post-review

ans: a

41. _____ fault class checks if Is there any possibility of buffer overflow?

a) Data b) Control

c) Interface d) Loop

ans: a

42. The review process in agile software development is usually_____.

a) formal b) as planned

c) rigid d) informal

ans: d

43. _____ is a public process of error detection, compared with the more private component-testing process.

- a) Reviewing b) Inspection
c) Planning d) debugging

ans: a

44. _____ are responsible for planning, estimating and scheduling project development, and assigning people to tasks

- a) Clients b) Project managers c) developers d) testers

ans: b

45. Consider the risk : “There will be a larger number of changes to the requirements than anticipated”. To which category it belongs to?

- a) product b) project
c) Project and product d) business

ans: c

46. Organizational financial problems force reductions in the project budget. Identify the affect of this risk.

- a) Serious b) Tolerable
c) Insignificant d) Catastrophic

ans: d

47. Good project managers should always try to encourage group _____

- a) cohesiveness b) bias
c) divide and conquer d) miscommunication

ans: a

48. Good software _____ is essential if software engineering projects are to be developed on schedule and within budget.

- a) output b) project management
c) design d) price

ans: b