

QUIZ - W2

Total points 26/32 ?

This will act as your attendance.

B03 - Monday

B04 - Tuesday

Submit before the **end of the day** of your class day.

Put the questions & answers in your GitHub :)

The respondent's email (**suqraabdisead@gmail.com**) was recorded on submission of this form.

0 of 2 points

✗ Student ID *

.../1

52215124928

✗

Class *

☒ B03

☐ B04



✖ Name *

.../1

Sicidsukhra abdirahman

✖

Questions start

26 of 30 points

✓ Which IAM component contains permissions? *

1/1

- ☐ IAM Role
- ☐ IAM Group
- ☒ IAM Policy
- ☐ IAM User

✓

✓ Which tool creates a local Kubernetes cluster? *

1/1

- ☒ kind
- ☐ LocalStack
- ☐ Docker Desktop
- ☐ Amazon EC2

✓



✓ Which service model requires customers to manage the operating system? *1/1

- ☐ SaaS
- ☐ PaaS
- ☐ FaaS
- ☒ IaaS



✓ Which endpoint is commonly used with LocalStack? * 1/1

- ☒ <http://localhost:4566>
- ☐ <http://localhost:80>
- ☐ <http://localhost:22>
- ☐ <http://localhost:3389>



✓ In the ARN arn:aws:s3:::my-bucket, which component represents the AWS service? *1/1

- ☐ aws
- ☒ s3
- ☐ arn
- ☐ my-bucket



✓ Which AWS identity has unlimited privileges? *

1/1

- ☒ Root User
- ☐ IAM Role
- ☐ IAM Group
- ☐ IAM User



✗ Cloud computing refers to: *

0/1

- ☐ Buying more physical servers
- ☐ Running applications only on Windows
- ☒ Delivering computing resources over the Internet
- ☐ Installing software locally



Correct answer

- ☒ Buying more physical servers

✓ Which command lists Kubernetes nodes? *

1/1

- ☐ docker ps
- ☐ aws iam list-users
- ☒ kubectl get nodes
- ☐ kubectl get buckets



✗ Which ARN component identifies the AWS account that owns the resource?

*0/1

- ☐ Region
- ☐ Resource ID
- ☒ Account ID
- ☐ Service

✗

Correct answer

- ☒ Resource ID

✓ Which AWS-managed policy provides full administrative access? *

1/1

- ☒ AdministratorAccess
- ☐ AmazonS3ReadOnlyAccess
- ☐ RootPolicy
- ☐ IAMReadOnlyAccess

✓

✓ Which is NOT an essential characteristic of cloud computing? *

1/1

- ☐ Rapid Elasticity
- ☒ Manual Provisioning
- ☐ Resource Pooling
- ☐ Measured Service

✓



✓ Which account should never have access keys created for routine use? * 1/1

- ☐ Analyst User
- ☒ Root User
- ☐ IAM Role
- ☐ IAM User



✓ Docker is mainly used to: * 1/1

- ☐ Create databases
- ☐ Create AWS accounts
- ☒ Run containers
- ☐ Manage IAM



✓ LocalStack is used because it: * 1/1

- ☒ Simulates AWS services locally
- ☐ Creates AWS accounts
- ☐ Replaces Docker
- ☐ Installs Kubernetes



✓ Which deployment model provides the MOST control? *

1/1

- ☐ Community Cloud
- ☐ Public Cloud
- ☒ Private Cloud
- ☐ Hybrid Cloud



✓ Google Docs is an example of: *

1/1

- ☒ SaaS
- ☐ IaaS
- ☐ PaaS
- ☐ Virtual Machine



✗ If an access key is compromised, what should be done first? *

0/1

- ☐ Deactivate or rotate the key
- ☒ Restart Docker
- ☐ Ignore it
- ☐ Delete the IAM user immediately



Correct answer

- ☒ Deactivate or rotate the key



✓ Which IAM identity is normally used as a temporary identity? *

1/1

- ☐ Root User
- ☐ IAM Group
- ☒ IAM Role
- ☐ IAM User



✓ A node is: *

1/1

- ☐ A Docker image
- ☒ A worker machine
- ☐ A storage bucket
- ☐ A database



✓ A Kubernetes cluster consists of: *

1/1

- ☐ Multiple policies
- ☒ Multiple nodes
- ☐ Containers only
- ☐ Access keys



✓ Which service model provides virtual machines? *

1/1

- ☒ IaaS
- ☐ SaaS
- ☐ PaaS
- ☐ DBaaS



✓ Access keys are mainly used for: *

1/1

- ☒ Programmatic access
- ☐ AWS Management Console login
- ☐ Docker login
- ☐ Kubernetes dashboard login



✓ Which characteristic allows cloud resources to automatically grow or shrink?

*1/1

- ☐ On-demand Self-Service
- ☐ Broad Network Access
- ☐ Resource Pooling
- ☒ Rapid Elasticity



✓ Which AWS CLI command verifies the current identity? * 1/1

- ☐ aws identity
- ☒ aws sts get-caller-identity
- ☐ aws iam whoami
- ☐ aws login



✓ For easier permission management, policies should preferably be attached to: *1/1

- ☐ The Root User
- ☐ Access keys
- ☒ IAM Groups
- ☐ Individual users



✓ Which security principle gives users only the permissions required to perform their tasks? *1/1

- ☐ Zero Trust
- ☐ Confidentiality
- ☐ Defense in Depth
- ☒ Principle of Least Privilege



✗ What does ARN stand for? *

0/1

- ☐ Amazon Resource Number
- ☒ Amazon Registry Name
- ☐ AWS Resource Namespace
- ☐ Amazon Resource Name

✗

Correct answer

- ☒ Amazon Resource Name

✓ Which deployment model combines private and public cloud? *

1/1

- ☐ Public Cloud
- ☒ Hybrid Cloud
- ☐ Multi-cloud
- ☐ Community Cloud

✓

✓ A collection of IAM users is called: *

1/1

- ☐ S3 Bucket
- ☐ IAM Policy
- ☐ IAM Role
- ☒ IAM Group

✓



✓ The smallest deployable unit in Kubernetes is: *

1/1

- ☐ Cluster
- ☐ Node
- ☒ Pod
- ☐ Virtual Machine



DONE :)

0 of 0 points

Dont forget to submit your Github Link :)

https://1drv.ms/x/c/7a38c24f0604aa60/IQBG5_ybRu7JT50WvBpQ_rgoAZlmon3KdjWW13ULus2yQdY?e=BayPJ8

Thank You :)

This content is neither created nor endorsed by Google. - [Contact form owner](#) - [Terms of Service](#) - [Privacy Policy](#).

Does this form look suspicious? [Report](#)

Google Forms



