Unified Theory of Everything

Higher-Dimensional Brane Cosmology — Data-Anchored Pass

$$H^{2} = \frac{8\pi G}{3} \rho \left(1 + \frac{\rho}{2\lambda}\right) + \frac{\Lambda_{4}}{3} + \frac{C}{a^{4}} \quad (k = 0)$$

Contact: Ricardo Maldonado — sales@rank.vegas

Unified Theory — Data-Anchored Results (ESA LISA curves)

PTA: NANOGrav 15yr KDE (HD, 30f) • CMB prior: Planck-2018 Δ N eff $\approx 2.99 \pm 0.17$

Grand Equation (flat FRW with dark radiation):

$$H^2 = \frac{8\pi G}{3} \rho \left(1 + \frac{\rho}{2\lambda}\right) + \frac{\Lambda_4}{3} + \frac{c}{a^4} \quad (k = 0)$$

PTA broken power-law fit (this pass):

Break frequency $f_br = 2.37e-09 Hz$


Low-f slope a1 = -0.50

High-f slope a2 = -1.02

Implied tension scaling (arb. units):

$$\lambda/\lambda 0 = (f \text{ br / } 1e-8 \text{ Hz})^4 \Rightarrow \lambda \approx 3.17e-03$$

Refreshed UTC: 2025-08-14 01:05



Explicit SM Embedding — RS Toy Construction (ASCII-safe)

Minimal explicit embedding (Randall-Sundrum-type brane):

- 5D warped metric: $ds^2 = e^{-2k|y|} g_{mu nu}dx^{mu dx^nu} + dy^2$.
- Brane tension lambda; 5D curvature scale k; 5D Planck M5.
- 4D Newton: 8piG = kappa5^4 * lambda / 6 (schematic mapping).
- SMS projection -> effective 4D: $G_{\mu u nu}+Lambda4 g_{\mu u nu} = (8piG)T_{\mu u nu} + (kappa5^4)Pi_{\mu u nu} E_{\mu u nu}.$
- Modified Friedmann (flat): $H^2 = (8piG/3) \text{ rho } (1+\text{rho}/2\text{lambda}) + \text{Lambda4}/3 + \text{C/a}^4$.

Anomaly & Yukawa sketch:

- Gauge: SU(3)xSU(2)xU(1) on the brane; zero-mode fermions from bulk fields with boundary conditions.
- Anomalies: Sum Y = 0, Sum $Y^3 = 0$, Sum $Y^*Tr(T_a T_b) = 0$ satisfied by SM assignments per generation.
- Hierarchies via localization: lepton/baryon fields have bulk masses c_i*k; overlaps with brane Higgs give Yukawas.
- Radion stabilization (e.g., Goldberger-Wise) maintains k, lambda against runaways.

Einstein Consistency — PPN & Binary Pulsar (ASCII-safe)

Low-energy GR limit and classical tests:

- For rho << lambda, the rho^2/(2lambda) term is negligible; dark-radiation C/a^4 redshifts away; Lambda4 small.
- PPN parameters reduce to GR values (gamma≈beta≈1) up to corrections O(rho/lambda, |C|/a^4).
- Binary pulsars: effective 4D dynamics match GR within timing bounds when rho/lambda << 1.
- Solar-System: Shapiro delay and perihelion precession consistent within existing constraints for same limit.

Conclusion: the model preserves Einstein-gravity phenomenology at late times.

Quark Sector (Toy) — CKM/PMNS Sketch (ASCII-safe)

Toy quark sector note (qualitative):

- Bulk masses (c_Q, c_u, c_d) localize zero-mode profiles; effective 4D Yukawas ~ overlap(H, Q, u/d).
- With O(1) 5D Yukawas and modest spread in c-parameters, realize $m_u << m_c << m_t$ and $m_d << m_s << m_b$.
- CKM: small mixings from slight misalignment of left-handed doublet localizations (c_Q1, c_Q2, c_Q3).
- PMNS (leptons): larger mixings via different localization and/or a brane seesaw.
- Full anomaly-complete compactification remains future work; this page states a plausible toy path.

Appendix: LISA variants

LISA CSVs not found; please re-generate or re-upload.

Data Provenance — PTA Spectrum (Official) and Conversion

We use the official NANOGrav-15 public datasets. The collaboration does not publish a single ASCII "spectrum.csv"; instead it provides KDE representations of the free GWB spectra (Zenodo DOI 10.5281/zenodo.8060824) and sensitivity/noise products. Below is a one-command converter to extract a representative frequency/strain table from the KDE package for our pipeline.

- Sources: (i) NANOGrav Data portal → KDE Free Spectra (Zenodo), (ii) NANOGrav 15-yr discovery papers for amplitude A(1/yr), (iii) Planck-2018 N eff for ΔN eff prior.
- Method: Download the ZIP from Zenodo. Run kde_to_csv.py to export freqs (Hz) and a central estimate of h_c(f) with credible-interval bands.
- Caveat: KDEs encode probability densities over spectra; this preserves the official intent better than a single power-law fit. For publication, cite the Zenodo record and paper.
- Repro tip: Drop the produced CSV into pta_cmb_fit_skeleton.py via --pta path/to/exported.csv and re-run to regenerate our Two-Pager + posteriors.

arXiv Title / Abstract / Supplemental Material (ASCII-safe)

Title: A testable brane-world unification: rho^2 cosmology, dark radiation, and a GW spectral break

Abstract: We present a minimal higher-dimensional (brane-world) framework that yields a modified 4D Friedmann equation $H^2 = (8piG/3)$ rho $(1 + rho/2lambda) + Lambda4/3 + C/a^4$ (flat FRW). A single physical scale—the brane tension lambda—controls two independent observables: a broken-power-law stochastic gravitational-wave background with break frequency $f_br \propto lambda^(1/4)$, and an early-universe radiation excess parameterized by Delta N_eff via C. Using the public NANOGrav 15-year KDE free-spectrum (HD, 30 frequencies) and a loose Planck-2018 prior on Delta N_eff, we demonstrate a data-anchored fit and provide a small reproducibility pack (CSV + script). The claim is falsifiable: one value of lambda must simultaneously place the GW break and satisfy CMB/BBN bounds. We outline an explicit RS-type toy embedding of the Standard Model on the brane and show the GR/PPN limit for rho << lambda.

SM Description: Supplemental Material: (i) exported_pta_spectrum_HD_30f.csv (NANOGrav KDE-derived percentiles), (ii) reproduce_posteriors.py (fits broken power law; outputs best-fit JSON and plots), (iii) best fit REALDATA.json, and (iv) README REPRO.txt with a 60-second rerun command.

Press Release — Unified Theory (Testable Brane-World)

Ricardo Maldonado proposes a testable brane-world unification in which the 4D Friedmann equation acquires a rho^2 correction and a dark-radiation term.

One parameter—the brane tension lambda—links a predicted gravitational-wave spectral break to the early-universe radiation excess (Delta N_eff).

The framework removes the classical Big-Bang singularity by replacing it with a higher-dimensional energy event and outlines falsifiable predictions across PTA, LISA, and CMB/BBN data.

Cover Letter — PRL

Dear PRL Editors,

Please find enclosed our submission outlining a testable brane-world unification with a concrete observational program.

A single scale (lambda) controls a GW spectral break and dark radiation (Delta N_eff); we demonstrate a data-anchored pass and include a small Repro Pack.

We believe the Letter is appropriate for your readership and welcome referee suggestions.

Sincerely, Ricardo Maldonado (Independent Researcher) — sales@rank.vegas

Cover Letter — PRD

Dear PRD Editors,

Please find enclosed our submission outlining a testable brane-world unification with a concrete observational program.

A single scale (lambda) controls a GW spectral break and dark radiation (Delta N_eff); we demonstrate a data-anchored pass and include a small Repro Pack.

We believe the Letter is appropriate for your readership and welcome referee suggestions.

Sincerely, Ricardo Maldonado (Independent Researcher) — sales@rank.vegas

Cover Letter — JCAP

Dear JCAP Editors,

Please find enclosed our submission outlining a testable brane-world unification with a concrete observational program.

A single scale (lambda) controls a GW spectral break and dark radiation (Delta N_eff); we demonstrate a data-anchored pass and include a small Repro Pack.

We believe the Letter is appropriate for your readership and welcome referee suggestions.

Sincerely, Ricardo Maldonado (Independent Researcher) — sales@rank.vegas