Program decisions combine assay readouts into one advance/hold call

Across 7 advancement evaluations (230 runs), models pass only 35%; errors either advance weak candidates or discard supported ones.

CORRECT

Clean go/no-go

Organoid program with primary screen, mechanism image, tox counterscreen, and DMPK exposure for eight blinded compounds.

DATA-SUPPORTED CALL

Advance the one compound with the desired cytostatic mechanism, safety margin, and exposure coverage.

MOSTLY CORRECT (82% PASS)

Potency-only or exposure-only ranking advances the wrong compound.

WRONG SYNTHESIS

Wrong synthesis

Decision-gate set must combine experimental models with convergent support across several endpoints.

DATA-SUPPORTED CALL

Select the experimental models supported by multi-endpoint evidence.

COMMON FAILURE (27% PASS)

Overfit on one endpoint and nominate the wrong models for the next experiments.

FALSE-GO

False-go

Safety advancement task; a candidate may advance only with activity and healthy-tissue sparing.

DATA-SUPPORTED CALL

No candidate advances; the paired activity-and-safety evidence fails for every candidate.

COMMON FAILURE (36% PASS)

Advance on activity alone or a relative tumor-vs-healthy index, pushing an unsafe candidate forward.

FALSE NO-GO

False no-go

Long-term combination follow-up; colony-stain reduction must be read with short-term response.

DATA-SUPPORTED CALL

Keep the model where the combination remains supported by both short- and long-term evidence.

COMMON FAILURE (48% PASS)

Treat a strong colony-stain reduction as a reason to drop a still-supported model.