Assignment

Lab: 3

Task: 01

```
#Include <iostream>
  using namespace std;
int main( ){
   int number 1 = 10;
   int  number 2 = 4;
  float  quotient;
cout << "float Enter two numbers and I will
divide \n";
cout << " the first by the second for you\n";
cout << " You Entered:" << number1 << " and
" number 2 << endl;
quotient = static_cast <float >(number 1)/ number 2;
cout << " Quotient is : " << quotient << endl;
return 0;
  }
```

output:

```
Enter two numbers and I will divide
the first by the second for you:
You Entered: 10 and 4
Quotient : 2.5
```

Pixel PREMIUM PAPER

Task 2

```
# include <iostream>
  using namespace std;
int main (){
    // Task 1- Value put kar diye han
int age = 20;
double pay = 4500.75;
char section = 'A';
cout << "Age:" << age << endl;
cout << " pay:" << pay << endl;
cout << "Section" << section << endl;
cout << "-------" << endl;
}
```

output:

```
Age : 20
Pay : 4500.75
Section : A
```

Task: 3

```
# include <iostream>
using namespace std;
int main (){
 int units = 5;
float mass = 2.5f;
double weight;
weight = mass * units;
cout << "units (int):" << units << endl;
cout << "mass (float):" << mass << endl;
```

Pixel

```
cout << "weight (mass * units) double me: " << weight << endl;
return 0;
}
```

output:

units (int): 5

mass (float): 2.5

weight (mass * units) double me = 12.5

Task 4:

```
#include <iostream>
using namespace std;
int main(){
int a, b = 2;
float c = 4.2;
a = b * c;
cout << "b = " << b << endl;
cout << "c = " << c << endl;
cout << "b*c = " << b*c << endl;
cout << "a me store hua = " << a << endl;
return 0;
}
```

output:

b = 2

c = 4.2

b * c = 8.2

a me store hua = 8

Divol

Task 5

```
# include <iostream>
using namespace std;
int main(){
 int qty = 7;
int saleReps =2;
double unitsEach;
unitsEach=qty/saleReps;
cout << "without casting: " << unitsEach << endl; // output: 3
unitEach = static_cast<double>(qty)/ saleReps;
cout << "with casting: " << unitEach << endl; //output: 3.5
 return 0;
}
```

output:

without casting: 3
with casting: 3.5

Task: 6

```
# include<iostream>
# include <cstdlib>
# include<ctime>
using namespace std;
int main(){
srand(time(0));
int num1 = rand()% 900 + 100; // 100-999
int num2 = rand()% 900 + 100; //100-999
int answer = num1 + num2;
cout << "solve this addition problem:\n\n";
```

Pixel PREMIUM PAPER

```
cout << "  " << num1 << endl;
cout << " + " << num2 << endl;
cout << "-----" << endl;

cout << "\n press ENTER when you are ready to
check the answer...";
cin.get();
  cout << "\n Correct solution:\n\n";
 cout << "  " << num1 << endl;
 cout << " -----" << endl;
 cout "    " << answer << endl;
 return 0;
  }
```

output:

```
Solve this addition problem:
    555
  + 978
 -------
```

Task: 7

```
# include<iostream>
  using namespace std;
int main ()
{
  double number1 = 15.5;
  double number2 = 10.2;
  double sum;
Sum = number1 + number2;
cout << " First Number; " << number1 << endl;
```

Pixel

```
cout << "Second Number: " << number2 << endl;
Sum << endl;
return 0;
}
```

output:

First number = 15.5
Second number: 10.2
The Sum of two numbers is 25.7

Task: 8

```
# include <iostream>
using namespace std;
int main(){
int number1 = 20;
int number2 = 4;
float quotient;
cout << "Enter two number and I will divide\n
cout << "the first by the second for you.\n";
cout << " you Entered: " << number1 << "and "
<< number2 << endl;
quotient = static_cast<float>(number1) / number2;
cout << "Quotient is: " << quotient << endl;
return 0;
}
```

output:

Enter two numbers and I will divide
The first by the second for you:
You Entered: 10 and 4
Quotient is: 2.5

Pixel PREMIUM PAPER