

Paper Title

First Author

Department

Institution

City, Country

first.last@example.com

Abstract

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

ACM Reference Format:

First Author. 2025. Paper Title. In *Proceedings of full-conference-name (short-conference-name)*. ACM, New York, NY, USA, 6 pages. <https://doi.org/10.1145/9999997.9999999>

1 Introduction

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultrices et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

short-conference-name, City, Country

© 2025 Copyright held by the owner/author(s). Publication rights licensed to ACM.

ACM ISBN 978-x-xxxx-xxxx-x/YYYY/MM

<https://doi.org/10.1145/9999997.9999999>

parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa. TODO!

The remainder of the paper starts with a presentation of related work (Section 2). It is followed by a presentation of hints on \LaTeX (Section 3). Finally, a conclusion is drawn and outlook on future work is made (Section 4).

2 Related Work

Winery [2] is a graphical modeling tool. The whole idea of TOSCA is explained by Binz et al. [1].

3 LaTeX Hints

This section contains hints on writing LaTeX. It focuses on minimal examples, which can be directly adapted to the content

3.1 Handling of paragraphs

One sentence per line. This rule is important for the usage of version control systems. A new line is generated with a blank line. As you would do in Word: New paragraphs are generated by pressing enter. In LaTeX, this does not lead to a new paragraph as LaTeX joins subsequent lines. In case you want a new paragraph, just press enter twice! This leads to an empty line. In word, there is the functionality to press shift and enter. This leads to a hard line break. The text starts at the beginning of a new line. In LaTeX, you can do that by using two backslashes (`\`).

This is rarely used.

Please do *not* use two backslashes for new paragraphs. For instance, this sentence belongs to the same paragraph, whereas the last one started a new one. A long motivation for that is provided at <http://loopSPACE.mathforge.org/HowDidIDoThat/TeX/VCS/#section.3>.

Corresponding L^AT_EX code of ./paper-minted.tex

```

447 One sentence per line.
448 This rule is important for the usage of version
    ↳ control systems.
449 A new line is generated with a blank line.
450 As you would do in Word:
451 New paragraphs are generated by pressing enter.
452 In LaTeX, this does not lead to a new paragraph as
    ↳ LaTeX joins subsequent lines.
453 In case you want a new paragraph, just press enter
    ↳ twice!
454 This leads to an empty line.
455 In word, there is the functionality to press shift
    ↳ and enter.
456 This leads to a hard line break.
457 The text starts at the beginning of a new line.
458 In LaTeX, you can do that by using two backslashes
    ↳ (\textbackslash\textbackslash).
459 \\
460 This is rarely used.
461
462 Please do \textit{not} use two backslashes for new
    ↳ paragraphs.
463 For instance, this sentence belongs to the same
    ↳ paragraph, whereas the last one started a new
    ↳ one.
464 A long motivation for that is provided at
    ↳ \url{http://loopspace.mathforge.org/j
    ↳ HowDidIDoThat/TeX/VCS/#section.3}.

```

3.2 Notes separated from the text

The package mindflow enables writing down notes and annotations in a way so that they are separated from the main text.

This is a small note.

Corresponding L^AT_EX code of ./paper-minted.tex

```

472 \begin{mindflow}
473 This is a small note.
474 \end{mindflow}

```

3.3 Handling TODOs

Markierter Text.

Corresponding L^AT_EX code of ./paper-minted.tex

```

480 \textmarker{Markierter Text.}

```

Bei \textmarker wird nur die Textfarbe geändert, da dies auch bei einigen Worten gut funktioniert.

Markierter Text.

Corresponding L^AT_EX code of ./paper-minted.tex

```

486 \textcomment{Markierter Text.}{Kommentar dazu.}

```

Manuelle Markierung für Text, der seit der letzten Version geändert wurde.

Corresponding L^AT_EX code of ./paper-minted.tex

```

490 \modified{Manuelle Markierung für Text, der seit der
    ↳ letzten Version geändert wurde.}

```

Das ist ein Text. Geänderter Text.

Corresponding L^AT_EX code of ./paper-minted.tex

```

494 Das ist ein Text.
495 \change{FL1: Text angepasst}{Geänderter Text}.

```

Hier nur ein Kommentar.

Corresponding L^AT_EX code of ./paper-minted.tex

```

499 Hier nur ein Kommentar\sidecomment{Kommentar}.

```

TODO!

Corresponding L^AT_EX code of ./paper-minted.tex

```

503 \todo{Hier muss noch kräftig Text produziert werden}

```

3.4 Hyphenation

L^AT_EX automatically hyphenates words. When using microtype, there should be fewer hyphenations than in other settings. It might be necessary to tweak the hyphenations nevertheless. Here are some hints:

In case you write “application-specific”, then the word will only be hyphenated at the dash. You can also write `applica\allowbreak\}tion-specific` (result: application-specific), but this is much more effort.

You can now write words containing hyphens which are hyphenated at other places in the word. For instance, `application=specific` gets `application=specific`. This is enabled by an additional configuration of the babel package.

Corresponding L^AT_EX code of ./paper-minted.tex

```

514 In case you write \enquote{application-specific},
    ↳ then the word will only be hyphenated at the
    ↳ dash.
515 You can also write
    ↳ \verb|applica\allowbreak\}tion-specific| (result:
    ↳ applica\allowbreak\}tion-specific), but this is
    ↳ much more effort.
516
517 You can now write words containing hyphens which are
    ↳ hyphenated at other places in the word.
518 For instance, \verb|application=specific| gets
    ↳ application=specific.
519 This is enabled by an additional configuration of the
    ↳ babel package.

```

3.5 Typesetting Units

Numbers can be written plain text (such as 100), by using the siunitx package as follows: $100 \frac{\text{km}}{\text{h}}$, or by using plain L^AT_EX (and math mode): $100 \frac{\text{km}}{\text{h}}$.




Figure 1: Example figure for cref demo

Heading1	Heading2
One	Two
Thee	Four

Table 1: Example table for cref demo

Corresponding \LaTeX code of ./paper-minted.tex

```
525 Numbers can be written plain text (such as 100), by
    ↳ using the
    ↳ \href{https://ctan.org/pkg/siunitx}{siunitx}
    ↳ package as follows:
526 \SI{100}{\km\per\hour},
527 or by using plain \LaTeX{} (and math mode):
528 $100 \frac{\mathit{km}}{h}$.
```

5 % of 10 kg

Corresponding \LaTeX code of ./paper-minted.tex

```
532 \SI{5}{\percent} of \SI{10}{kg}
```

Numbers are automatically grouped: 123 456.

Corresponding \LaTeX code of ./paper-minted.tex

```
536 Numbers are automatically grouped: \num{123456}.
```

3.6 Surrounding Text by Quotes

Please use the “enquote command” to quote something. Quoting with “quote” or “quote” also works.

Corresponding \LaTeX code of ./paper-minted.tex

```
542 Please use the \enquote{enquote command} to quote
    ↳ something.
543 Quoting with “quote” or “quote” also works.
544
```

3.7 Cleveref examples

Cleveref demonstration: Cref at beginning of sentence, cref in all other cases.



Figure 2: Simple Figure. Based on Scharrer [3].

Figure 1 shows a simple fact, although Figure 1 could also show something else.

Table 1 shows a simple fact, although Table 1 could also show something else.

Section 3.7 shows a simple fact, although Section 3.7 could also show something else.

Corresponding \LaTeX code of ./paper-minted.tex

```
574 \Cref{fig:ex:cref} shows a simple fact, although
    ↳ \cref{fig:ex:cref} could also show something
    ↳ else.
575
576 \Cref{tab:ex:cref} shows a simple fact, although
    ↳ \cref{tab:ex:cref} could also show something
    ↳ else.
577
578 \Cref{sec:ex:cref} shows a simple fact, although
    ↳ \cref{sec:ex:cref} could also show something
    ↳ else.
```

3.8 Figures

Figure 2 shows something interesting.

Corresponding \LaTeX code of ./paper-minted.tex

```
584 \Cref{fig:label} shows something interesting.
585
586 \begin{figure}
587   \centering
588   \includegraphics[width=.8\linewidth]{example-
    ↳ image-golden}
589   \caption[Simple Figure]{
590     Simple Figure.
591     Based on \citet{mwe}.
592   }
593   \label{fig:label}
594 \end{figure}
```

3.9 Sub Figures

An example of two sub figures is shown in Figure 3.

Table 2: Simple Table

Heading1	Heading2
One	Two
Thee	Four

Table 3: Table with diagonal line

Diag Column Head I	Diag Column Head II	Second	Third
		foo	bar

Corresponding \LaTeX code of ./paper-minted.tex

```

602 \begin{figure}[!b]
603 \centering
604 \subfloat[Case I]{\includegraphics[width=.4]
  ↳ \linewidth}{example-image-a}%
605 \label{fig:first_case}}
606 \hfil
607 \subfloat[Case II]{\includegraphics[width=.4]
  ↳ \linewidth}{example-image-b}%
608 \label{fig:second_case}}
609 \caption{Example figure with two sub figures.}
610 \label{fig:two_sub_figures}
611 \end{figure}

```


3.10 Tables

Corresponding \LaTeX code of ./paper-minted.tex


```

617 \begin{table}
618 \caption{Simple Table}
619 \label{tab:simple}
620 \centering
621 \begin{tabular}{ll}
622 \toprule
623 Heading1 & Heading2 \\
624 \midrule
625 One & Two \\
626 Thee & Four \\
627 \bottomrule
628 \end{tabular}
629 \end{table}

```



(a) Case I



(b) Case II

Figure 3: Example figure with two sub figures.**Corresponding \LaTeX code of ./paper-minted.tex**

```

633 % Source: https://tex.stackexchange.com/a/468994/9075
634 \begin{table}
635 \caption{Table with diagonal line}
636 \label{tab:diag}
637 \begin{center}
638 \begin{tabular}{|l|c|c|}
639 \hline
640 \diagbox[width=10em]{Diag \Column Head I}{Diag
  ↳ Column\Head II} & Second & Third \\
641 \hline
642 & foo & bar \\
643 \hline
644 \end{tabular}
645 \end{center}
646 \end{table}

```

3.11 Source Code

minted is a sophisticated package to enable properly highlighted listings. It uses the pygments library, which in turn requires Python.

Listing 1 shows source code written in XML. line ?? contains a comment.

```

1
2
3 notinteresting
4

```

List. 1: Example XML listing using minted**Corresponding \LaTeX code of ./paper-minted.tex**

```

656 \Cref{lst:XML} shows source code written in XML.
657 \refline{line:comment} contains a comment.
658
659 \begin{listing}[htbp]
660 \begin{minted}[linenos=true,escapeinside=|]{xml}
661 <listing name="example">
662 <!-- comment --> |\labelline{line:comment}|
663 <content>not interesting</content>
664 </listing>
665 \end{minted}
666 \caption{Example XML listing using minted}
667 \label{lst:XML}
668 \end{listing}

```

One can also typeset JSON as shown in Listing 2.

```

1
2
3

```

List. 2: Example JSON listing using minted**Corresponding \LaTeX code of ./paper-minted.tex**

```

674 \begin{listing}[htbp]
675 \begin{minted}[linenos=true,escapeinside=|]{json}
676 {
677   key: "value"
678 }
679 \end{minted}
680 \caption{Example JSON listing using minted}
681 \label{lst:f1JSON}
682 \end{listing}

```

Java is also possible as shown in Listing 3.

1
2
3
4
5

List. 3: Java code rendered using minted

Corresponding \LaTeX code of ./paper-minted.tex

```
688 \begin{listing}[htbp]
689   \begin{minted}[linenos=true,escapeinside=|]{java}
690   public class Hello {
691     public static void main (String[] args) {
692       System.out.println("Hello World!");
693     }
694   }
695   \end{minted}
696   \caption{Java code rendered using minted}
697   \label{lst:flJava}
698 \end{listing}
```

3.12 Itemization

One can list items as follows:

- Item One
- Item Two

Corresponding \LaTeX code of ./paper-minted.tex

```
706 \begin{itemize}
707   \item Item One
708   \item Item Two
709 \end{itemize}
```

With the package paralist, one can create itemizations with lesser spacing:

- Item One
- Item Two

Corresponding \LaTeX code of ./paper-minted.tex

```
715 \begin{compactitem}
716   \item Item One
717   \item Item Two
718 \end{compactitem}
```

One can enumerate items as follows:

- (1) Item One
- (2) Item Two

Corresponding \LaTeX code of ./paper-minted.tex

```
724 \begin{enumerate}
725   \item Item One
726   \item Item Two
727 \end{enumerate}
```

With the package paralist, one can create enumerations with lesser spacing:

- (1) Item One

- (2) Item Two

Corresponding \LaTeX code of ./paper-minted.tex

```
733 \begin{compactenum}
734   \item Item One
735   \item Item Two
736 \end{compactenum}
```

With paralist, one can even have all items typeset after each other and have them clean in the TeX document:

(1) All these items... (2) ...appear in one line (3) This is enabled by the paralist package.

Corresponding \LaTeX code of ./paper-minted.tex

```
742 \begin{inparaenum}
743   \item All these items...
744   \item ...appear in one line
745   \item This is enabled by the paralist package.
746 \end{inparaenum}
```

3.13 Other Features

The words “workflow” and “dwarlike” can be copied from the PDF and pasted to a text file.

Corresponding \LaTeX code of ./paper-minted.tex

```
752 The words \enquote{workflow} and \enquote{dwarlike}
    ↪ can be copied from the PDF and pasted to a text
    ↪ file.
```

The symbol for powerset is now correct: \wp and not a Weierstrass p (\wp).

$\wp(1, 2, 3)$

Corresponding \LaTeX code of ./paper-minted.tex

```
756 The symbol for powerset is now correct:  $\wp$  and not a Weierstrass  $p$ .
    ↪ and not a Weierstrass  $p$  ( $\wp$ ).
757
758  $\wp(\{1, 2, 3\})$ 
```

Brackets work as designed: `<test>` One can also input backticks in verbatim text: ``test``.

Corresponding \LaTeX code of ./paper-minted.tex

```
762 Brackets work as designed:
763 <test>
764 One can also input backticks in verbatim text:
    ↪ \verb`test`.
```

4 Conclusion and Outlook

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus

sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Acknowledgments

Identification of funding sources and other support, and thanks to individuals and groups that assisted in the research and the preparation of the work should be included in an acknowledgment section, which is placed just before the reference section in your document [4].

For more \LaTeX hints for ACM read on at <https://www.acm.org/publications/taps/latex-best-practices>.

In the bibliography, use `\textsuperscript` for “st”, “nd”, ...: E.g., “The 2nd conference on examples”. When you use JabRef, you can use the clean up command to achieve that. See <https://help.jabref.org/en/CleanupEntries> for an overview of the cleanup functionality.

References

- [1] Tobias Binz, Gerd Breiter, Frank Leymann, and Thomas Spatzier. 2012. Portable Cloud Services Using TOSCA. *IEEE Internet Computing* 16, 03 (May 2012), 80–85. doi:10.1109/mic.2012.43
- [2] Oliver Kopp et al. 2013. Winery – A Modeling Tool for TOSCA-based Cloud Applications. In *Proceedings of 11th International Conference on Service-Oriented Computing (ICSOC’13) (LNCS, Vol. 8274)*. Springer Berlin Heidelberg, 700–704. doi:10.1007/978-3-642-45005-1_64
- [3] Martin Scharer. 2017. *The mwe Package*. <http://texdoc.net/mwe>
- [4] Boris Veytsman. 2021. LaTeX Class for the Association for Computing Machinery – Acknowledgement Information. Retrieved September 17, 2021 from <https://github.com/borisveytsman/acmart/blob/1704c8bf7eee92a1515ff755f5118b6a22bb1f8e/samples/samples.dtx#L709>

All links were last followed on October 5, 2020.