

Paper Title

First Author

Department

Institution

City, Country

first.last@example.com

Abstract

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

ACM Reference Format:

First Author. 2026. Paper Title. In *Proceedings of full-conference-name (short-conference-name)*. ACM, New York, NY, USA, 7 pages. <https://doi.org/10.1145/9999997.9999999>

1 Introduction

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultrices et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

short-conference-name, City, Country

© 2026 Copyright held by the owner/author(s). Publication rights licensed to ACM.

ACM ISBN 978-x-xxxx-xxxx-x/YYYY/MM

<https://doi.org/10.1145/9999997.9999999>

parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa. TODO!

The remainder of the paper starts with a presentation of related work (Section 2). It is followed by a presentation of hints on $\text{\LaTeX}$ (Section 3). The paper closes with a conclusion and an outlook on future work (Section 4).

2 Related Work

Winery [2] is a graphical **modeling** tool. The whole idea of TOSCA is explained by Binz et al. [1].

To search for related work, ScienceOS¹ can be used; it stores data in the EU and backs its answers with citations, which you still have to read and check yourself. Writing hints for student theses are given in the open-access book *Student Thesis Projects*². More hints are given in *Writing for Computer Science*³.

3 LaTeX Hints

This section contains hints on writing LaTeX. It focuses on minimal examples, which can be directly adapted to the content

3.1 Handling of paragraphs

One sentence per line. This rule is important for the usage of version control systems. A new line is generated with a blank line. As you would do in Word: New paragraphs are generated by pressing enter. In LaTeX, this does not lead to a new paragraph as LaTeX joins subsequent lines. To start a new paragraph, press enter twice. This leads to an empty line. In word, there is the functionality to press shift and enter. This leads to a hard line break. The text starts at the beginning of a new line. In LaTeX, you can do that by using two backslashes (`\`).

Running text seldom needs a hard line break.

¹<https://www.scienceos.ai/>

²<https://vdf.ch/product/student-thesis-projects-en.html>

³<https://doi.org/10.1007/978-1-4471-6639-9>

Please do *not* use two backslashes for new paragraphs. For instance, this sentence belongs to the same paragraph, whereas the last one started a new one. Andrew Stacey gives a long motivation for that in the section “Line Wrapping” of his *Document Revision System*⁴.

Corresponding $\LaTeX$ code of ./paper-minted.tex

```

501 One sentence per line.
502 This rule is important for the usage of version
    ↳ control systems.
503 A new line is generated with a blank line.
504 As you would do in Word:
505 New paragraphs are generated by pressing enter.
506 In LaTeX, this does not lead to a new paragraph as
    ↳ LaTeX joins subsequent lines.
507 To start a new paragraph, press enter twice.
508 This leads to an empty line.
509 In word, there is the functionality to press shift
    ↳ and enter.
510 This leads to a hard line break.
511 The text starts at the beginning of a new line.
512 In LaTeX, you can do that by using two backslashes
    ↳ (\textbackslash\textbackslash).
513 \\
514 Running text seldom needs a hard line break.
515
516 Please do \textit{not} use two backslashes for new
    ↳ paragraphs.
517 For instance, this sentence belongs to the same
    ↳ paragraph, whereas the last one started a new
    ↳ one.
518 Andrew Stacey gives a long motivation for that in the
    ↳ section \enquote{Line Wrapping} of his
    ↳ \href{https://loopspace.mathforge.org/}
    ↳ HowDidIDoThat/TeX/VCS/#section.3}{\emph{Document
    ↳ Revision System}}\footnote{\url{https://}
    ↳ loopspace.mathforge.org/HowDidIDoThat/TeX/VCS/}}.

```

3.2 Notes separated from the text

The package mindflow enables writing down notes and annotations in a way so that they are separated from the main text.

This is a small note.

Corresponding $\LaTeX$ code of ./paper-minted.tex

```

526 \begin{mindflow}
527 This is a small note.
528 \end{mindflow}

```

3.3 Handling TODOs

Marked text.

Corresponding $\LaTeX$ code of ./paper-minted.tex

```

534 \textmarker{Marked text.}

```

With `\textmarker`, only the text color is changed, since this also works well for individual words.

Marked text.

⁴<https://loopspace.mathforge.org/HowDidIDoThat/TeX/VCS/>

Corresponding $\LaTeX$ code of ./paper-minted.tex

```

540 \textcomment{Marked text.}{A comment on it.}

```

Manual marking for text that has been changed since the last version.

Corresponding $\LaTeX$ code of ./paper-minted.tex

```

544 \modified{Manual marking for text that has been
    ↳ changed since the last version.}

```

This is some text. Changed text.

Corresponding $\LaTeX$ code of ./paper-minted.tex

```

548 This is some text.
549 \change{FL1: text adjusted}{Changed text}.

```

Here is a comment.

Corresponding $\LaTeX$ code of ./paper-minted.tex

```

553 Here is a comment\sidecomment{Comment}.

```

TODO!

Corresponding $\LaTeX$ code of ./paper-minted.tex

```

557 \todo{A lot of text still needs to be produced here}

```

3.4 Hyphenation

$\LaTeX$ automatically hyphenates words. When using microtype, there should be fewer hyphenations than in other settings. You might still need to tweak the hyphenation. Here are some hints:

In case you write “application-specific”, then the word will only be hyphenated at the dash. You can also insert `\allowbreak` into the word, as in application-specific, but this is much more effort.

You can now write words containing hyphens which are hyphenated at other places in the word. For that, write “=” instead of “-”, as in application=specific. This is enabled by an additional configuration of the babel package.

Corresponding $\LaTeX$ code of ./paper-minted.tex

```

568 In case you write \enquote{application-specific},
    ↳ then the word will only be hyphenated at the
    ↳ dash.
569 You can also insert \verb1\allowbreak{}1 into the
    ↳ word, as in applica\allowbreak{}tion-specific,
    ↳ but this is much more effort.
570
571 You can now write words containing hyphens which are
    ↳ hyphenated at other places in the word.
572 For that, write \verb1"=1 instead of \verb1-1, as in
    ↳ application=specific.
573 This is enabled by an additional configuration of the
    ↳ babel package.

```




Figure 1: Example figure for zceref demo

3.5 Typesetting Units

Numbers can be written plain text (such as 100), by using the siunitx package as follows: $100 \frac{\text{km}}{\text{h}}$, or by using plain $\LaTeX$ (and math mode): $100 \frac{\text{km}}{\text{h}}$.

Corresponding $\LaTeX$ code of ./paper-minted.tex

```
579 Numbers can be written plain text (such as 100), by
    ↳ using the
    ↳ \href{https://ctan.org/pkg/siunitx}{siunitx}
    ↳ package as follows:
580 \SI{100}{\km\per\hour},
581 or by using plain \LaTeX{} (and math mode):
582 $100 \frac{\mathit{km}}{h}$.
```

5 % of 10 kg

Corresponding $\LaTeX$ code of ./paper-minted.tex

```
586 \SI{5}{\percent} of \SI{10}{kg}
```

Numbers are automatically grouped: 123 456.

Corresponding $\LaTeX$ code of ./paper-minted.tex

```
590 Numbers are automatically grouped: \num{123456}.
```

3.6 Surrounding Text by Quotes

Please use the “enquote command” to quote something. Quoting with “quote” or “quote” also works.

Corresponding $\LaTeX$ code of ./paper-minted.tex

```
596 Please use the \enquote{enquote command} to quote
    ↳ something.
597 Quoting with “quote” or “quote” also works.
598
```

3.7 Zref-clever examples

zref-clever demonstration: Zcref (short for zceref[S]) at beginning of sentence, zceref in all other cases.

Heading1	Heading2
One	Two
Three	Four

Table 1: Example table for zceref demo



Figure 2: Simple Figure. Based on Scharrer [3].

Figure 1 shows a simple fact, although Figure 1 could also show something else.

Table 1 shows a simple fact, although Table 1 could also show something else.

Section 3.7 shows a simple fact, although Section 3.7 could also show something else.

Corresponding $\LaTeX$ code of ./paper-minted.tex

```
628 \Zcref{fig:ex:cref} shows a simple fact, although
    ↳ \zceref{fig:ex:cref} could also show something
    ↳ else.
629
630 \Zcref{tab:ex:cref} shows a simple fact, although
    ↳ \zceref{tab:ex:cref} could also show something
    ↳ else.
631
632 \Zcref{sec:ex:cref} shows a simple fact, although
    ↳ \zceref{sec:ex:cref} could also show something
    ↳ else.
```

3.8 Figures

Figure 2 shows something interesting.

Corresponding $\LaTeX$ code of ./paper-minted.tex

```
638 \Zcref{fig:label} shows something interesting.
639
640 \begin{figure}
641   \centering
642   \includegraphics[width=.8\linewidth]{example-}
    ↳ image-golden}
643   \caption[Simple Figure]{
644     Simple Figure.
645     Based on \citet{mwe}.
646   }
647   \label{fig:label}
648 \end{figure}
```

Photos in JPEG or PNG format are included the same way, as shown in Figure 3.



Figure 3: Ulm Minster. Photo: wkrauth, CC0, via Wikimedia Commons.

Corresponding L^AT_EX code of ./paper-minted.tex

```

654 \begin{figure}
655 \centering
656 \includegraphics[width=.5\linewidth]{figures/ulm-}
    ↳ minster.jpg}
657 \caption{Ulm Minster. Photo: wkrauth, CC0, via
    ↳ Wikimedia Commons.}
658 \label{fig:jpg}
659 \end{figure}

```

3.9 Sub Figures

An example of two sub figures is shown in Figure 4.

Corresponding L^AT_EX code of ./paper-minted.tex

```

667 \begin{figure}[!b]
668 \centering
669 \subfloat[Case I]{\includegraphics[width=.4]
    ↪ \linewidth]{example-image-a}%
670 \label{fig:first_case}}
671 \hfil
672 \subfloat[Case II]{\includegraphics[width=.4]
    ↪ \linewidth]{example-image-b}%
673 \label{fig:second_case}}
674 \caption{Example figure with two sub figures.}
675 \label{fig:two_sub_figures}
676 \end{figure}

```




Figure 4: Example figure with two sub figures.

3.10 Figures with tikz

The tikz package creates graphics programmatically. This package generates grids and other regular structures.




Figure 5: A regular grid generated easily with two for loops.

Corresponding L^AT_EX code of ./paper-minted.tex

```

685 \begin{figure}[ht]
686 \centering
687 \begin{tikzpicture}
688 \draw(0,0) rectangle (4,4);
689 \foreach \x in {0.5,1,1.5,2,2.5,3,3.5}
690 \foreach \y in {0.5,1,1.5,2,2.5,3,3.5}
691 \draw(\x,\y) circle (1pt);
692 \end{tikzpicture}
693 \caption{A regular grid generated easily with two
694 ↪ for loops.}\label{fig:tikz_example}
695 \end{figure}

```

3.11 Plots with pgfplots

The `pgfplots` package plots functions directly in $\text{\LaTeX}$, similar to `MATLAB` or `gnuplot`. Some visual examples are available in the package documentation⁵.




Figure 6: Plot of $\sin(x)$ directly inside the figure environment with pgfplots.

⁵<http://texdoc.net/pkg/pgfplots>

Table 2: Simple Table

Heading1	Heading2
One	Two
Three	Four

Table 3: Table with diagonal line

Row \ Column	A	B
1	x	y

3.12 Tables

Corresponding $\text{\LaTeX}$ code of ./paper-minted.tex

```

703 \begin{figure}[ht]
704 \centering
705 \begin{tikzpicture}
706 \begin{axis}[xlabel=$x$, ylabel=$\sin(x)$]
707 \addplot {sin(deg(x))}; % Plot the sine
708 \end{axis}
709 \end{tikzpicture}
710 \caption{Plot of  $\sin(x)$  directly inside the
711 \label{fig:pgfplots_example}
712 \end{figure}

```


Corresponding $\text{\LaTeX}$ code of ./paper-minted.tex

```

732 \begin{table}
733 \caption{Simple Table}
734 \label{tab:simple}
735 \centering
736 \begin{tabular}{ll}
737 \toprule
738 Heading1 & Heading2 \\
739 \midrule
740 One & Two \\
741 Three & Four \\
742 \bottomrule
743 \end{tabular}
744 \end{table}

```

Coordinates can also be given explicitly instead of as a function:

**Figure 7: Explicit coordinates plotted with pgfplots.**

Corresponding $\text{\LaTeX}$ code of ./paper-minted.tex

```

717 \begin{figure}[ht]
718 \centering
719 \begin{tikzpicture}
720 \begin{axis}[xlabel=$x$, ylabel=$y$]
721 \addplot coordinates {(0,0) (1,1) (2,4) (3,9)};
722 \end{axis}
723 \end{tikzpicture}
724 \caption{Explicit coordinates plotted with
725 \label{fig:pgfplots_coords}
726 \end{figure}

```

Corresponding $\text{\LaTeX}$ code of ./paper-minted.tex

```

748 % Adapted from
749 \begin{table}
750 \caption{Table with diagonal line}
751 \label{tab:diag}
752 \begin{center}
753 \begin{tabular}{|l|c|c|}
754 \hline
755 \diagbox{Row}{Column} & A & B \\
756 \hline
757 1 & x & y \\
758 \hline
759 \end{tabular}
760 \end{center}
761 \end{table}

```

3.13 Source Code

minted is a sophisticated package to enable properly highlighted listings. It uses the pygments library, which in turn requires Python.

Listing 1 shows source code written in XML. line 2 contains a comment.

```

1 <listing name="example">
2 <!-- comment -->
3 <content>not interesting</content>
4 </listing>

```

List. 1: Example XML listing using minted

Corresponding $\text{\LaTeX}$ code of ./paper-minted.tex

```

771 \Zceref{lst:XML} shows source code written in XML.
772 \refline{line:comment} contains a comment.
773
774 \begin{listing}[htbp]
775 \begin{minted}[linenos=true,escapeinside=||]{xml}
776 <listing name="example">
777 <!-- comment --> |\labelline{line:comment}|

```

```

778 <content>not interesting</content>
779 </listing>
780 \end{minted}
781 \caption{Example XML listing using minted}
782 \label{lst:XML}
783 \end{listing}

```

One can also typeset JSON as shown in Listing 2.

```

1 {
2   key: "value"
3 }

```

List. 2: Example JSON listing using minted

Corresponding $\LaTeX$ code of ./paper-minted.tex

```

789 \begin{listing}[htbp]
790 \begin{minted}[linenos=true,escapeinside=||]{json}
791 {
792   key: "value"
793 }
794 \end{minted}
795 \caption{Example JSON listing using minted}
796 \label{lst:f1JSON}
797 \end{listing}

```

Java is also possible as shown in Listing 3.

```

1 public class Hello {
2   public static void main (String[] args) {
3     System.out.println("Hello World!");
4   }
5 }

```

List. 3: Java code rendered using minted

Corresponding $\LaTeX$ code of ./paper-minted.tex

```

803 \begin{listing}[htbp]
804 \begin{minted}[linenos=true,escapeinside=||]{java}
805 public class Hello {
806   public static void main (String[] args) {
807     System.out.println("Hello World!");
808   }
809 }
810 \end{minted}
811 \caption{Java code rendered using minted}
812 \label{lst:f1Java}
813 \end{listing}

```

3.14 Itemization

One can list items as follows:

- Item One
- Item Two

Corresponding $\LaTeX$ code of ./paper-minted.tex

```

821 \begin{itemize}
822 \item Item One
823 \item Item Two
824 \end{itemize}

```

With the package paralist, one can create itemizations with lesser spacing:

- Item One
- Item Two

Corresponding $\LaTeX$ code of ./paper-minted.tex

```

830 \begin{compactitem}
831 \item Item One
832 \item Item Two
833 \end{compactitem}

```

One can enumerate items as follows:

- (1) Item One
- (2) Item Two

Corresponding $\LaTeX$ code of ./paper-minted.tex

```

839 \begin{enumerate}
840 \item Item One
841 \item Item Two
842 \end{enumerate}

```

With the package paralist, one can create enumerations with lesser spacing:

- (1) Item One
- (2) Item Two

Corresponding $\LaTeX$ code of ./paper-minted.tex

```

848 \begin{compactenum}
849 \item Item One
850 \item Item Two
851 \end{compactenum}

```

With paralist, one can even have all items typeset after each other and have them clean in the TeX document:

(1) All these items... (2) ...appear in one line (3) This is enabled by the paralist package.

Corresponding $\LaTeX$ code of ./paper-minted.tex

```

857 \begin{inparaenum}
858 \item All these items...
859 \item ...appear in one line
860 \item This is enabled by the paralist package.
861 \end{inparaenum}

```

3.15 Other Features

The words “workflow” and “dwarflike” can be copied from the PDF and pasted to a text file.

Corresponding $\LaTeX$ code of ./paper-minted.tex

```

867 The words \enquote{workflow} and \enquote{dwarflike}
    ↪ can be copied from the PDF and pasted to a text
    ↪ file.

```

The symbol for powerset is now correct: $\wp$ and not a Weierstrass p ($\wp$).

$\wp(1, 2, 3)$
Corresponding $\text{\LaTeX}$ code of ./paper-minted.tex

```

871 The symbol for powerset is now correct:  $\wpowerset$ 
    ↪ and not a Weierstrass p ( $\wp$ ).
872
873  $\wpowerset(\{1,2,3\})$ 

```

Brackets work as designed: <test> One can also input backticks in verbatim text: `test`.

Corresponding $\text{\LaTeX}$ code of ./paper-minted.tex

```

877 Brackets work as designed:
878 <test>
879 One can also input backticks in verbatim text:
    ↪ \verb|`test`|.

```

Acronyms can be typeset in running text with `\initialism`, which sets them as small caps that blend into the surrounding lowercase text. It is the lightweight alternative to the full acronym and glossary management (`\gls`, with an automatic list of abbreviations) provided by the thesis variants: `\initialism` only typesets the acronym and does not add it to any list. The macro and the ready-made acronyms (`\OMG`, `\BPEL`, `\BPMN`, `\UML`) are defined in commands.tex, where you can add your own.

The UML is maintained by the OMG; related standards include BPEL and BPMN. Any acronym can be set inline with REST or HTTP.

Corresponding $\text{\LaTeX}$ code of ./paper-minted.tex

```

885 The \UML is maintained by the \OMG; related standards
    ↪ include \BPEL and \BPMN.
886 Any acronym can be set inline with \initialism{REST}
    ↪ or \initialism{HTTP}.

```

4 Conclusion and Outlook

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis

parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Acknowledgments

Identification of funding sources and other support, and thanks to individuals and groups that assisted in the research and the preparation of the work should be included in an acknowledgment section, which comes right before the reference section in your document [4].

For more $\text{\LaTeX}$ hints for ACM read on at <https://www.acm.org/publications/taps/latex-best-practices>.

References

- [1] Tobias Binz, Gerd Breiter, Frank Leymann, and Thomas Spatzier. 2012. Portable Cloud Services Using TOSCA. *IEEE Internet Computing* 16, 03 (May 2012), 80–85. doi:10.1109/mic.2012.43
- [2] Oliver Kopp et al. 2013. Winery – A Modeling Tool for TOSCA-based Cloud Applications. In *Proceedings of 11th International Conference on Service-Oriented Computing (ICSOC'13) (LNCS, Vol. 8274)*. Springer Berlin Heidelberg, 700–704. doi:10.1007/978-3-642-45005-1_64
- [3] Martin Scharrer. 2017. *The mwe Package*. <http://texdoc.net/mwe>
- [4] Boris Veytsman. 2021. *LaTeX Class for the Association for Computing Machinery – Acknowledgement Information*. Retrieved September 17, 2021 from <https://github.com/borisveytsman/acmart/blob/1704c8bf7eee92a1515ff755f5118b6a22bb1f8e/samples/samples.dtx#L709>

All links were last followed on October 5, 2020.