

Paper Title

First Author

Department

Institution

City, Country

first.last@example.com

Abstract

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

ACM Reference Format:

First Author. 2026. Paper Title. In *Proceedings of full-conference-name (short-conference-name)*. ACM, New York, NY, USA, 8 pages. <https://doi.org/10.1145/9999997.9999999>

1 Introduction

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultrices et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

short-conference-name, City, Country

© 2026 Copyright held by the owner/author(s). Publication rights licensed to ACM.

ACM ISBN 978-x-xxxx-xxxx-x/YYYY/MM

<https://doi.org/10.1145/9999997.9999999>

parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa. TODO!

The remainder of the paper starts with a presentation of related work (Section 2). It is followed by a presentation of hints on $\text{\LaTeX}$ (Section 3). Finally, a conclusion is drawn and outlook on future work is made (Section 4).

2 Related Work

Winery [2] is a graphical modeling tool. The whole idea of TOSCA is explained by Binz et al. [1].

3 LaTeX Hints

This section contains hints on writing LaTeX. It focuses on minimal examples, which can be directly adapted to the content

3.1 Handling of paragraphs

One sentence per line. This rule is important for the usage of version control systems. A new line is generated with a blank line. As you would do in Word: New paragraphs are generated by pressing enter. In LaTeX, this does not lead to a new paragraph as LaTeX joins subsequent lines. In case you want a new paragraph, just press enter twice! This leads to an empty line. In word, there is the functionality to press shift and enter. This leads to a hard line break. The text starts at the beginning of a new line. In LaTeX, you can do that by using two backslashes (`\`).

This is rarely used.

Please do *not* use two backslashes for new paragraphs. For instance, this sentence belongs to the same paragraph, whereas the last one started a new one. A long motivation for that is provided at <http://loopSPACE.mathforge.org/HowDidIDoThat/TeX/VCS/#section.3>.

Corresponding L^AT_EX code of ./paper.tex

```

532 %U000
533 One sentence per line.
534 This rule is important for the usage of version control
    systems.
535 A new line is generated with a blank line.
536 As you would do in Word:
537 New paragraphs are generated by pressing enter.
538 In LaTeX, this does not lead to a new paragraph as
    LaTeX joins subsequent lines.
539 In case you want a new paragraph, just press enter
    twice!
540 This leads to an empty line.
541 In word, there is the functionality to press shift and
    enter.
542 This leads to a hard line break.
543 The text starts at the beginning of a new line.
544 In LaTeX, you can do that by using two backslashes
    (\textbackslash\textbackslash).
545 \\
546 This is rarely used.
547
548 Please do \textit{not} use two backslashes for new
    paragraphs.
549 For instance, this sentence belongs to the same
    paragraph, whereas the last one started a new one.
550 A long motivation for that is provided at
    \url{http://loopspace.mathforge.org/HowDidIDoThat/TeX/VCS/#section.3}

```

Manual marking for text that has been changed since the last version.

Corresponding L^AT_EX code of ./paper.tex

```

575 %U000
576 \modified{Manual marking for text that has been changed
    since the last version.}

```



This is some text. **Changed text.**

Corresponding L^AT_EX code of ./paper.tex

```

579 %U000
580 This is some text.
581 \change{FL1: text adjusted}{Changed text}.

```



Here just a comment.

3.2 Notes separated from the text

The package mindflow enables writing down notes and annotations in a way so that they are separated from the main text.

This is a small note.

Corresponding L^AT_EX code of ./paper.tex

```

557 %U000
558 \begin{mindflow}
559 This is a small note.
560 \end{mindflow}

```

Corresponding L^AT_EX code of ./paper.tex

```

584 %U000
585 Here just a comment\sidecomment{Comment}.

```



TODO!

Corresponding L^AT_EX code of ./paper.tex

```

588 %U000
589 \todo{A lot of text still needs to be produced here}

```

3.3 Handling TODOs

Marked text.

Corresponding L^AT_EX code of ./paper.tex

```

565 %U000
566 \textmarker{Marked text.}

```

With `\textmarker`, only the text color is changed, since this also works well for individual words.

Marked text.

Corresponding L^AT_EX code of ./paper.tex

```

571 %U000
572 \textcomment{Marked text.}{A comment on it.}

```

3.4 Hyphenation

L^AT_EX automatically hyphenates words. When using microtype, there should be fewer hyphenations than in other settings. It might be necessary to tweak the hyphenations nevertheless. Here are some hints:

In case you write “application-specific”, then the word will only be hyphenated at the dash. You can also write `appla\allowbreak{tion-specific}` (result: application-specific), but this is much more effort.

You can now write words containing hyphens which are hyphenated at other places in the word. For instance, `application"=specific` gets `application"=specific`. This is enabled by an additional configuration of the babel package.

Corresponding $\LaTeX$ code of ./paper.tex

```
599 %U0000
600 In case you write \enquote{application-specific}, then
        the word will only be hyphenated at the dash.
601 You can also write
        \verb!applica\allowbreak{tion-specific}! (result:
        applica\allowbreak{tion-specific}), but this is
        much more effort.
602
603 You can now write words containing hyphens which are
        hyphenated at other places in the word.
604 For instance, \verb!application"=specific! gets
        application"=specific.
605 This is enabled by an additional configuration of the
        babel package.
```

3.5 Typesetting Units

Numbers can be written plain text (such as 100), by using the siunitx package as follows: $100 \frac{\text{km}}{\text{h}}$, or by using plain $\LaTeX$ (and math mode): $100 \frac{\text{km}}{\text{h}}$.

Corresponding $\LaTeX$ code of ./paper.tex

```
610 %U0000
611 Numbers can be written plain text (such as 100), by
        using the
        \href{https://ctan.org/pkg/siunitx}{siunitx}
        package as follows:
612 \SI{100}{\km\per\hour},
613 or by using plain \LaTeX{} (and math mode):
614 $100 \frac{\mathit{km}}{h}$.
```

5 % of 10 kg

Corresponding $\LaTeX$ code of ./paper.tex

```
617 %U0000
618 \SI{5}{\percent} of \SI{10}{kg}
```

Numbers are automatically grouped: 123 456.

Corresponding $\LaTeX$ code of ./paper.tex

```
621 %U0000
622 Numbers are automatically grouped: \num{123456}.
```

3.6 Surrounding Text by Quotes

Please use the “enquote command” to quote something. Quoting with “quote” or “quote” also works.

Corresponding $\LaTeX$ code of ./paper.tex

```
627 %U0000
628 Please use the \enquote{enquote command} to quote
        something.
629 Quoting with "quote" or "quote" also works.
```




Figure 1: Example figure for cref demo

Heading1	Heading2
One	Two
Thee	Four

Table 1: Example table for cref demo

3.7 Cleveref examples

Cleveref demonstration: Cref at beginning of sentence, cref in all other cases.

Figure 1 shows a simple fact, although Figure 1 could also show something else.

Table 1 shows a simple fact, although Table 1 could also show something else.

Section 3.7 shows a simple fact, although Section 3.7 could also show something else.

Corresponding $\LaTeX$ code of ./paper.tex

```
659 %U0000
660 \Cref{fig:ex:cref} shows a simple fact, although
        \cref{fig:ex:cref} could also show something else.
661
662 \Cref{tab:ex:cref} shows a simple fact, although
        \cref{tab:ex:cref} could also show something else.
663
664 \Cref{sec:ex:cref} shows a simple fact, although
        \cref{sec:ex:cref} could also show something else.
```

3.8 Figures

Figure 2 shows something interesting.



Figure 2: Simple Figure. Based on Scharrer [3].

Corresponding $\LaTeX$ code of ./paper.tex

```

669 \begin{figure}
670 \centering
671 \includegraphics[width=.8\linewidth]{example-image-golden}
672 \caption[Simple Figure]{
673   Simple Figure.
674   Based on \cite{mwe}.
675 }
676 \label{fig:label}
677 \end{figure}

```

3.9 Sub Figures


An example of two sub figures is shown in Figure 3.

Corresponding $\LaTeX$ code of ./paper.tex


```

687 \begin{figure}[!b]
688 \centering
689 \subfloat[Case
690   I]{\includegraphics[width=.4\linewidth]{example-image-a}%
691   \label{fig:first_case}}
692 \hfil
693 \subfloat[Case
694   II]{\includegraphics[width=.4\linewidth]{example-image-b}%
695   \label{fig:second_case}}
696 \caption{Example figure with two sub figures.}
697 \label{fig:two_sub_figures}
698 \end{figure}

```



(a) Case I



(b) Case II

Figure 3: Example figure with two sub figures.

3.10 Figures with tikz

The tikz package creates graphics programmatically. With this package, grids or other regular structures can be generated easily.




Figure 4: A regular grid generated easily with two for loops.

Corresponding $\LaTeX$ code of ./paper.tex

```

705 \begin{figure}[ht]
706 \centering
707 \begin{tikzpicture}
708   \draw(0,0) rectangle (4,4);
709   \foreach \x in {0.5,1,1.5,2,2.5,3,3.5}
710     \foreach \y in {0.5,1,1.5,2,2.5,3,3.5}
711       \draw(\x,\y) circle (1pt);
712 \end{tikzpicture}
713 \caption{A regular grid generated easily with two for
714   loops.}\label{fig:tikz_example}
715 \end{figure}

```

3.11 Plots with pgfplots

The pgfplots package plots functions directly in $\LaTeX$, similar to MATLAB or gnuplot. Some visual examples are available in the package documentation¹.

Corresponding $\LaTeX$ code of ./paper.tex

```

723 \begin{figure}[ht]
724 \centering
725 \begin{tikzpicture}
726   \begin{axis}[xlabel=$x$, ylabel=$\sin(x)$]
727     \addplot {sin(deg(x))}; % Plot the sine function
728   \end{axis}
729 \end{tikzpicture}
730 \caption{Plot of $\sin(x)$ directly inside the figure
731   environment with pgfplots.}
732 \label{fig:pgfplots_example}
733 \end{figure}

```

Coordinates can also be given explicitly instead of as a function:

¹<http://texdoc.net/pkg/pgfplots>




Figure 5: Plot of $\sin(x)$ directly inside the figure environment with pgfplots.




Figure 6: Explicit coordinates plotted with pgfplots.

Corresponding $\LaTeX$ code of ./paper.tex

```

737 \begin{figure}[ht]
738 \centering
739 \begin{tikzpicture}
740 \begin{axis}[xlabel=$x$, ylabel=$y$]
741 \addplot coordinates {(0,0) (1,1) (2,4) (3,9)};
742 % Plot explicit coordinates
743 \end{axis}
744 \end{tikzpicture}
745 \caption{Explicit coordinates plotted with pgfplots.}
746 \label{fig:pgfplots_coors}
747 \end{figure}

```

Table 2: Simple Table

Heading1	Heading2
One	Two
Thee	Four

Table 3: Table with diagonal line

	Diag Column Head II		
Diag Column Head I		Second	Third
		foo	bar

3.12 Tables

Corresponding $\LaTeX$ code of ./paper.tex

```

752 \begin{table}
753 \caption{Simple Table}
754 \label{tab:simple}
755 \centering
756 \begin{tabular}{ll}
757 \toprule
758 Heading1 & Heading2 \\
759 \midrule
760 One & Two \\
761 Thee & Four \\
762 \bottomrule
763 \end{tabular}
764 \end{table}

```

Corresponding $\LaTeX$ code of ./paper.tex

```

768 \begin{table}
769 % Source: https://tex.stackexchange.com/a/468994/9075
770 \caption{Table with diagonal line}
771 \label{tab:diag}
772 \centering
773 \begin{tabular}{|l|c|c|}
774 \hline
775 \diagbox[width=10em]{Diag \Column Head I}{Diag
776 Column\Head II} & Second & Third \\
777 \hline
778 \\
779 \hline
780 \end{tabular}
781 \end{center}
782 \end{table}

```

```

1 <listing name="example">
2   Floating
3 </listing>

```

Listing 2: Example XML listing – placed as floating figure

```

1 {
2   key: "value"
3 }

```

Listing 3: Example JSON listing – placed as floating figure

3.13 Source Code

Listing 1 shows source code written in XML. Line 2 contains a comment.

```

1 <listing name="example">
2   <!-- comment -->
3   <content>not interesting</content>
4 </listing>

```

Listing 1: Example XML Listing

Corresponding $\LaTeX$ code of ./paper.tex

```

788 %\begin{lstlisting}
789 \Cref{lst:XML} shows source code written in XML.
790 \Cref{line:comment} contains a comment.
791
792 \begin{lstlisting}[
793   language=XML,
794   caption={Example XML Listing},
795   label={lst:XML}]
796 <listing name="example">
797   <!-- comment --> (* \label{line:comment} *)
798   <content>not interesting</content>
799 </listing>
800 \end{lstlisting}

```

One can also add float as parameter to have the listing floating. Listing 2 shows the floating listing.

Corresponding $\LaTeX$ code of ./paper.tex

```

806 %\begin{lstlisting}
807 \begin{lstlisting}[
808   % one can adjust spacing here if required
809   % aboveskip=2.5\baselineskip,
810   % belowskip=-.8\baselineskip,
811   float,
812   language=XML,
813   caption={Example XML listing -- placed as floating
814           figure},
814   label={lst:fXML}]
815 <listing name="example">
816   Floating
817 </listing>
818 \end{lstlisting}

```

One can also typeset JSON as shown in Listing 3.

```

1 public class Hello {
2   public static void main (String[] args) {
3     System.out.println("Hello World!");
4   }
5 }

```

Listing 4: Example Java listing

Corresponding $\LaTeX$ code of ./paper.tex

```

823 %\begin{lstlisting}
824 \begin{lstlisting}[
825   float,
826   language=json,
827   caption={Example JSON listing -- placed as floating
828           figure},
828   label={lst:json}]
829 {
830   key: "value"
831 }
832 \end{lstlisting}

```

Java is also possible as shown in Listing 4.

Corresponding $\LaTeX$ code of ./paper.tex

```

837 %\begin{lstlisting}
838 \begin{lstlisting}[
839   caption={Example Java listing},
840   label=lst:java,
841   language=Java,
842   float]
843 public class Hello {
844   public static void main (String[] args) {
845     System.out.println("Hello World!");
846   }
847 }
848 \end{lstlisting}

```

3.14 Itemization

One can list items as follows:

- Item One
- Item Two

Corresponding $\LaTeX$ code of ./paper.tex

```

855 %\begin{itemize}
856 \begin{itemize}
857   \item Item One
858   \item Item Two
859 \end{itemize}

```

With the package paralist, one can create itemizations with lesser spacing:

- Item One
- Item Two

Corresponding L^AT_EX code of ./paper.tex

```

864 \begin{compactitem}
865   \item Item One
866   \item Item Two
867 \end{compactitem}

```

One can enumerate items as follows:

- (1) Item One
- (2) Item Two

Corresponding L^AT_EX code of ./paper.tex

```

873 \begin{enumerate}
874   \item Item One
875   \item Item Two
876 \end{enumerate}

```

With the package paralist, one can create enumerations with lesser spacing:

- (1) Item One
- (2) Item Two

Corresponding L^AT_EX code of ./paper.tex

```

882 \begin{compactenum}
883   \item Item One
884   \item Item Two
885 \end{compactenum}

```

With paralist, one can even have all items typeset after each other and have them clean in the TeX document:

- (1) All these items... (2) ...appear in one line (3) This is enabled by the paralist package.

Corresponding L^AT_EX code of ./paper.tex

```

891 \begin{inparaenum}
892   \item All these items...
893   \item ...appear in one line
894   \item This is enabled by the paralist package.
895 \end{inparaenum}

```

3.15 Other Features

The words “workflow” and “dwarflike” can be copied from the PDF and pasted to a text file.

Corresponding L^AT_EX code of ./paper.tex

```

901 \begin{verbatim}
902 The words \enquote{workflow} and \enquote{dwarflike}
    can be copied from the PDF and pasted to a text
    file.
\end{verbatim}

```

The symbol for powerset is now correct: $\wp$ and not a Weierstrass p ($\wp$).

$\wp(1, 2, 3)$

Corresponding L^AT_EX code of ./paper.tex

```

905 \begin{verbatim}
906 The symbol for powerset is now correct: \powerset$ and
    not a Weierstrass p (\wp$).
907
908 \powerset(\wp$)
\end{verbatim}

```

Brackets work as designed: <test> One can also input backticks in verbatim text: `test`.

Corresponding L^AT_EX code of ./paper.tex

```

911 \begin{verbatim}
912 Brackets work as designed:
913 <test>
914 One can also input backticks in verbatim text:
    \verb|`test`|.
\end{verbatim}

```

Acronyms can be typeset in running text with \initialism, which sets them as small caps that blend into the surrounding lowercase text. It is the lightweight alternative to the full acronym and glossary management (\gls, with an automatic list of abbreviations) provided by the thesis variants: \initialism only typesets the acronym and does not add it to any list. The macro and a few ready-made acronyms (\OMG, \BPEL, \BPMN, \UML) are defined in commands.tex, where you can add your own.

The UML is maintained by the OMG; related standards include BPEL and BPMN. Any acronym can be set inline with REST or HTTP.

Corresponding L^AT_EX code of ./paper.tex

```

919 \begin{verbatim}
920 The \UML is maintained by the \OMG; related standards
    include \BPEL and \BPMN.
921 Any acronym can be set inline with \initialism{REST} or
    \initialism{HTTP}.
\end{verbatim}

```

4 Conclusion and Outlook

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Acknowledgments

Identification of funding sources and other support, and thanks to individuals and groups that assisted in the research and the preparation of the work should be included in an acknowledgment section, which is placed just before the reference section in your document [4].

For more $\LaTeX$ hints for ACM read on at <https://www.acm.org/publications/taps/latex-best-practices>.

References

- [1] Tobias Binz, Gerd Breiter, Frank Leymann, and Thomas Spatzier. 2012. Portable Cloud Services Using TOSCA. *IEEE Internet Computing* 16, 03 (May 2012), 80–85. doi:10.1109/mic.2012.43
- [2] Oliver Kopp et al. 2013. Winery – A Modeling Tool for TOSCA-based Cloud Applications. In *Proceedings of 11th International Conference on Service-Oriented Computing (ICSOC’13) (LNCS, Vol. 8274)*. Springer Berlin Heidelberg, 700–704. doi:10.1007/978-3-642-45005-1_64
- [3] Martin Scharrer. 2017. *The mwe Package*. <http://texdoc.net/mwe>
- [4] Boris Veytsman. 2021. $\LaTeX$ Class for the Association for Computing Machinery – Acknowledgement Information. Retrieved September 17, 2021 from <https://github.com/borisveytsman/acmart/blob/1704c8bf7eee92a1515ff755f5118b6a22bb1f8e/samples/samples.dtx#L709>

All links were last followed on October 5, 2020.