

Paper Title

Firstname Lastname and Firstname Lastname

Institute

Abstract. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Keywords: First keyword · Second keyword · Third keyword

1 Introduction

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac

quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et  am vulputate metus eu enim. Vestibulum pellentesque felis eu massa.TODO!

The remainder of the paper starts with a presentation of related work (Sect. 2). It is followed by a presentation of hints on L^AT_EX (Sect. 3). Finally, a conclusion is drawn and outlook on future work is made (Sect. 4).

2 Related Work

Winery [2] is a graphical  modeling tool. The whole idea of TOSCA is explained by Binz et al. [1].

3 LaTeX Hints

This section contains hints on writing LaTeX. It focuses on minimal examples, which can be directly adapted to the content

3.1 Handling of paragraphs

One sentence per line. This rule is important for the usage of version control systems. A new line is generated with a blank line. As you would do in Word: New paragraphs are generated by pressing enter. In LaTeX, this does not lead to a new paragraph as LaTeX joins subsequent lines. In case you want a new paragraph, just press enter twice! This leads to an empty line. In word, there is the functionality to press shift and enter. This leads to a hard line break. The text starts at the beginning of a new line. In LaTeX, you can do that by using two backslashes (`\\`).

This is rarely used.

Please do *not* use two backslashes for new paragraphs. For instance, this sentence belongs to the same paragraph, whereas the last one started a new one. A long motivation for that is provided at <http://loopspace.mathforge.org/HowDidIDoThat/TeX/VCS/#section.3>.

Corresponding L^AT_EX code of ./paper-minted.tex

```

622 One sentence per line.
623 This rule is important for the usage of version control
    ↪ systems.
624 A new line is generated with a blank line.
625 As you would do in Word:
626 New paragraphs are generated by pressing enter.
627 In LaTeX, this does not lead to a new paragraph as LaTeX joins
    ↪ subsequent lines.
628 In case you want a new paragraph, just press enter twice!
629 This leads to an empty line.
630 In word, there is the functionality to press shift and enter.
631 This leads to a hard line break.
632 The text starts at the beginning of a new line.
633 In LaTeX, you can do that by using two backslashes
    ↪ (\textbackslash\textbackslash).
634 \\
635 This is rarely used.
636
637 Please do \textit{not} use two backslashes for new paragraphs.
638 For instance, this sentence belongs to the same paragraph,
    ↪ whereas the last one started a new one.
639 A long motivation for that is provided at \url{http://}
    ↪ loopspace.mathforge.org/HowDidIDoThat/TeX/VCS/#section.3}.

```

3.2 Notes separated from the text

The package mindflow enables writing down notes and annotations in a way so that they are separated from the main text.

This is a small note.

Corresponding L^AT_EX code of ./paper-minted.tex

```

647 \begin{mindflow}
648 This is a small note.
649 \end{mindflow}

```

3.3 Handling TODOs

Marked text.

Corresponding L^AT_EX code of ./paper-minted.tex

```

655 \textmarker{Marked text.}

```

With `\textmarker`, only the text color is changed, since this also works well for individual words.

Marked text.

Corresponding L^AT_EX code of `./paper-minted.tex`

```
661 \textcomment{Marked text.}{A comment on it.}
```

Manual marking for text that has been changed since the last version.

Corresponding L^AT_EX code of `./paper-minted.tex`

```
665 \modified{Manual marking for text that has been changed since
    ↪ the last version.}
```

This is some text. Changed text.

Corresponding L^AT_EX code of `./paper-minted.tex`

```
669 This is some text.
670 \change{FL1: text adjusted}{Changed text}.
```

Here just a comment.

Corresponding L^AT_EX code of `./paper-minted.tex`

```
674 Here just a comment\sidecomment{Comment}.
```

TODO!

Corresponding L^AT_EX code of `./paper-minted.tex`

```
678 \todo{A lot of text still needs to be produced here}
```

3.4 Hyphenation

L^AT_EX automatically hyphenates words. When using microtype, there should be fewer hyphenations than in other settings. It might be necessary to tweak the hyphenations nevertheless. Here are some hints:

In case you write “application-specific”, then the word will only be hyphenated at the dash. You can also write `applica\allowbreak{}tion-specific` (result: application-specific), but this is much more effort.

You can now write words containing hyphens which are hyphenated at other places in the word. For instance, `application=specific` gets application=specific. This is enabled by an additional configuration of the babel package.

Corresponding L^AT_EX code of ./paper-minted.tex

```

689 In case you write \enquote{application-specific}, then the
    ↪ word will only be hyphenated at the dash.
690 You can also write \verb!applica\allowbreak{}tion-specific!
    ↪ (result: applica\allowbreak{}tion-specific), but this is
    ↪ much more effort.
691
692 You can now write words containing hyphens which are
    ↪ hyphenated at other places in the word.
693 For instance, \verb!application"=specific! gets
    ↪ application"=specific.
694 This is enabled by an additional configuration of the babel
    ↪ package.

```

3.5 Typesetting Units

Numbers can be written plain text (such as 100), by using the siunitx package as follows: 100 $\frac{\text{km}}{\text{h}}$, or by using plain L^AT_EX (and math mode): 100 $\frac{\text{km}}{\text{h}}$.

Corresponding L^AT_EX code of ./paper-minted.tex

```

700 Numbers can be written plain text (such as 100), by using the
    ↪ \href{https://ctan.org/pkg/siunitx}{siunitx} package as
    ↪ follows:
701 \SI{100}{\km\per\hour},
702 or by using plain \LaTeX{} (and math mode):
703 $100 \frac{\mathit{km}}{h}$.

```

5 % of 10 kg

Corresponding L^AT_EX code of ./paper-minted.tex

```

707 \SI{5}{\percent} of \SI{10}{kg}

```

Numbers are automatically grouped: 123 456.

Corresponding L^AT_EX code of ./paper-minted.tex

```

711 Numbers are automatically grouped: \num{123456}.

```

3.6 Surrounding Text by Quotes

Please use the “enquote command” to quote something. Quoting with “quote” or “quote” also works.

Corresponding L^AT_EX code of ./paper-minted.tex

717 Please use the \enquote{enquote command} to quote something.
718 Quoting with "`quote'" or ``quote'" also works.
719

3.7 Cleveref examples

Cleveref demonstration: Cref at beginning of sentence, cref in all other cases.




Fig. 1: Example figure for cref demo

Heading1 Heading2	
One	Two
Thee	Four

Table 1: Example table for cref demo

Figure 1 shows a simple fact, although Fig. 1 could also show something else.
Table 1 shows a simple fact, although Table 1 could also show something else.
Section 3.7 shows a simple fact, although Sect. 3.7 could also show something else.

Corresponding L^AT_EX code of ./paper-minted.tex

```

749 \Cref{fig:ex:cref} shows a simple fact, although
      ↳ \cref{fig:ex:cref} could also show something else.
750
751 \Cref{tab:ex:cref} shows a simple fact, although
      ↳ \cref{tab:ex:cref} could also show something else.
752
753 \Cref{sec:ex:cref} shows a simple fact, although
      ↳ \cref{sec:ex:cref} could also show something else.

```

3.8 Theorem-like Environments and Mathematics

The `llncs` class already provides the theorem-like environments `theorem`, `proposition`, `lemma`, `corollary`, `definition`, `example`, `exercise`, `note`, `problem`, `question`, `remark`, and `solution` as well as the unnumbered `proof` environment – no additional package is required.

Definition 1 (Idempotence). *An operation f is idempotent if $f(f(x)) = f(x)$ holds for all inputs x .*

Proposition 1. *The identity operation is idempotent.*

Lemma 1. *An idempotent operation fixes every element of its image.*

Theorem 1. *If two idempotent operations f and g commute, their composition $f \circ g$ is idempotent.*

Proof. Since f and g commute and are idempotent,

$$(f \circ g)((f \circ g)(x)) = f(f(g(g(x)))) = f(g(x)) = (f \circ g)(x). \quad (1)$$

□

Corollary 1. *Applying $f \circ g$ a second time yields no further change, as Eq. (1) shows.*

Example 1. Trimming spaces in a string is idempotent: Lemma 1 applies to every already-trimmed string.

Corresponding L^AT_EX code of ./paper-minted.tex

```

761 \begin{definition}[Idempotence]
762   An operation  $f$  is \emph{idempotent} if  $f(f(x)) = f(x)$ 
763    $\hookrightarrow$  holds for all inputs  $x$ .
764 \end{definition}
765 \begin{proposition}
766   The identity operation is idempotent.
767 \end{proposition}
768 \begin{lemma}\label{lem:fixed}
769   An idempotent operation fixes every element of its image.
770 \end{lemma}
771 \begin{theorem}\label{thm:idempotent-composition}
772   If two idempotent operations  $f$  and  $g$  commute, their
773    $\hookrightarrow$  composition  $f \circ g$  is idempotent.
774 \end{theorem}
775 \begin{proof}
776   Since  $f$  and  $g$  commute and are idempotent,
777   \begin{equation}
778     (f \circ g)(f \circ g)(x) =
779     \hookrightarrow f(g(g(x))) = f(g(x)) = (f \circ g)(x).
780   \end{equation}
781   \label{eq:idempotent-composition}
782   \end{equation}
783   \qed
784 \end{proof}
785 \begin{corollary}
786   Applying  $f \circ g$  a second time yields no further change,
787    $\hookrightarrow$  as \cref{eq:idempotent-composition} shows.
788 \end{corollary}
789 \begin{example}
790   Trimming spaces in a string is idempotent: \cref{lem:fixed}
791    $\hookrightarrow$  applies to every already-trimmed string.
792 \end{example}

```

3.9 Figures

Figure 2 shows something interesting.




Fig. 2: Simple Figure. Based on Scharrer [3].

Corresponding L^AT_EX code of ./paper-minted.tex

```
798 \Cref{fig:label} shows something interesting.  
799  
800 \begin{figure}  
801   \centering  
802   \includegraphics[width=.8\linewidth]{example-image-golden}  
803   \caption[Simple Figure]{  
804     Simple Figure.  
805     Based on \citet{mwe}.  
806   }  
807   \label{fig:label}  
808 \end{figure}
```

One can also have pictures floating inside text:

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

**Fig. 3:** A floating figure

Corresponding L^AT_EX code of ./paper-minted.tex


```

815 \begin{floatingfigure}{.33\linewidth}
816   \includegraphics[width=.29\linewidth]{example-image-a}
817   \caption{A floating figure}
818 \end{floatingfigure}
819 \lipsum[2]

```

3.10 Sub Figures

An example of two sub figures is shown in Fig. 4.

**Fig. 4:** Example figure with two sub figures.

Corresponding L^AT_EX code of ./paper-minted.tex

```

827 \begin{figure}[!b]
828   \centering
829   \subfloat[Case I]{\includegraphics[width=.4\linewidth]{
      ↪ example-image-a}%
830     \label{fig:first_case}}
831   \hfil
832   \subfloat[Case II]{\includegraphics[width=.4\linewidth]{
      ↪ example-image-b}%
833     \label{fig:second_case}}
834   \caption{Example figure with two sub figures.}
835   \label{fig:two_sub_figures}
836 \end{figure}

```

3.11 Figures with tikz

The tikz package creates graphics programmatically. With this package, grids or other regular structures can be generated easily.




Fig. 5: A regular grid generated easily with two for loops.

Corresponding L^AT_EX code of ./paper-minted.tex

```

845 \begin{figure}[ht]
846   \centering
847   \begin{tikzpicture}
848     \draw(0,0) rectangle (4,4);
849     \foreach \x in {0.5,1,1.5,2,2.5,3,3.5}
850       \foreach \y in {0.5,1,1.5,2,2.5,3,3.5}
851         \draw(\x,\y) circle (1pt);
852   \end{tikzpicture}
853   \caption{A regular grid generated easily with two for
854     ↪ loops.}\label{fig:tikz_example}
855 \end{figure}

```

3.12 Plots with pgfplots

The pgfplots package plots functions directly in L^AT_EX, similar to MATLAB or gnuplot. Some visual examples are available in the package documentation¹.




Fig. 6: Plot of $\sin(x)$ directly inside the figure environment with pgfplots.

¹ <http://texdoc.net/pkg/pgfplots>

Corresponding L^AT_EX code of ./paper-minted.tex

```

863 \begin{figure}[ht]
864   \centering
865   \begin{tikzpicture}
866     \begin{axis}[xlabel=$x$, ylabel=$\sin(x)$]
867       \addplot {sin(deg(x))}; % Plot the sine function
868     \end{axis}
869   \end{tikzpicture}
870   \caption{Plot of  $\sin(x)$  directly inside the figure
871     ↪ environment with pgfplots.}
872   \label{fig:pgfplots_example}
873 \end{figure}

```

Coordinates can also be given explicitly instead of as a function:




Fig. 7: Explicit coordinates plotted with pgfplots.

Corresponding L^AT_EX code of ./paper-minted.tex

```

877 \begin{figure}[ht]
878   \centering
879   \begin{tikzpicture}
880     \begin{axis}[xlabel=$x$, ylabel=$y$]
881       \addplot coordinates {(0,0) (1,1) (2,4) (3,9)}; % Plot
882       ↪ explicit coordinates
883     \end{axis}
884   \end{tikzpicture}
885   \caption{Explicit coordinates plotted with pgfplots.}
886   \label{fig:pgfplots_coords}
887 \end{figure}

```

3.13 Tables

Table 2: Simple Table

Heading1	Heading2
One	Two
Thee	Four

Corresponding L^AT_EX code of ./paper-minted.tex

```

892 \begin{table}
893   \caption{Simple Table}
894   \label{tab:simple}
895   \centering
896   \begin{tabular}{ll}
897     \toprule
898     Heading1 & Heading2 \\
899     \midrule
900     One      & Two      \\
901     Thee     & Four     \\
902     \bottomrule
903   \end{tabular}
904 \end{table}

```

Table 3: Table with diagonal line

Diag Column Head I	Diag Column Head II	Second	Third
		foo	bar

Corresponding L^AT_EX code of ./paper-minted.tex

```
908 % Source: https://tex.stackexchange.com/a/468994/9075
909 \begin{table}
910   \caption{Table with diagonal line}
911   \label{tab:diag}
912   \begin{center}
913     \begin{tabular}{|l|c|c|}
914       \hline
915       \diagbox[width=10em]{Diag \Column Head I}{Diag
916       \Column\Head II} & Second & Third \\\hline
917
918       \hline
919     \end{tabular}
920   \end{center}
921 \end{table}
```

↪ &
↪ foo
↪ &
↪ bar
↪ |
↪ \\\

3.14 Tables spanning multiple pages

The longtable package typesets tables that automatically break across page boundaries. The header (\endhead) and footer (\endfoot) rows are repeated on every page; once enough rows are added, the table spans several pages on its own.

Table 4: A sample long table.

First column	Second column	Third column
A	BC	D
Continued on next page		

Table 4 – continued from previous page

[illegible]

Corresponding L^AT_EX code of ./paper-minted.tex

```

931 \begin{longtable}{|l|l|l|}
932   \caption{A sample long table.}\label{tab:long} \\
933   \hline
934   \multicolumn{1}{|c|}{\textbf{First column}} &
    ⇨ \multicolumn{1}{c|}{\textbf{Second column}} &
    ⇨ \multicolumn{1}{c|}{\textbf{Third column}} \\ \hline
935 \endfirsthead
936
937 \multicolumn{3}{c}{\bfseries \tablename\ \thetable{} --
    ⇨ continued from previous page}} \\
938 \hline
939 \multicolumn{1}{|c|}{\textbf{First column}} &
    ⇨ \multicolumn{1}{c|}{\textbf{Second column}} &
    ⇨ \multicolumn{1}{c|}{\textbf{Third column}} \\ \hline
940 \endhead
941
942 \hline \multicolumn{3}{|r|}{Continued on next page}} \\
943 ⇨ \hline
944 \endfoot
945
946 \hline\hline
947 \endlastfoot
948 A & BC & D \\
949 A & BC & D \\
950 A & BC & D \\
951 A & BC & D \\
952 A & BC & D \\
953 A & BC & D \\
954 A & BC & D \\
955 A & BC & D \\
956 A & BC & D \\
957 A & BC & D \\
958 A & BC & D \\
959 A & BC & D \\
960 \end{longtable}

```

3.15 Source Code

minted is a sophisticated package to enable properly highlighted listings. It uses the pygments library, which in turn requires Python.

Listing 1 shows source code written in XML. line 2 contains a comment.

```

1 <listing name="example">
2   <!-- comment -->
3   <content>not interesting</content>
4 </listing>

```

List. 1: Example XML listing using mintedCorresponding L^AT_EX code of ./paper-minted.tex

```

969 \Cref{lst:XML} shows source code written in XML.
970 \refline{line:comment} contains a comment.
971
972 \begin{listing}[htbp]
973   \begin{minted}[linenos=true,escapeinside=||]{xml}
974   <listing name="example">
975     <!-- comment --> |\labelline{line:comment}|
976     <content>not interesting</content>
977   </listing>
978   \end{minted}
979   \caption{Example XML listing using minted}
980   \label{lst:XML}
981 \end{listing}

```

One can also typeset JSON as shown in Listing 2.

```

1 {
2   key: "value"
3 }

```

List. 2: Example JSON listing using mintedCorresponding L^AT_EX code of ./paper-minted.tex

```

987 \begin{listing}[htbp]
988   \begin{minted}[linenos=true,escapeinside=||]{json}
989   {
990     key: "value"
991   }
992   \end{minted}
993   \caption{Example JSON listing using minted}
994   \label{lst:f1JSON}
995 \end{listing}

```

Java is also possible as shown in Listing 3.

```

1 public class Hello {
2     public static void main (String[] args) {
3         System.out.println("Hello World!");
4     }
5 }

```

List. 3: Java code rendered using minted

Corresponding L^AT_EX code of ./paper-minted.tex

```

1001 \begin{listing}[htbp]
1002     \begin{minted}[linenos=true,escapeinside=||]{java}
1003     public class Hello {
1004         public static void main (String[] args) {
1005             System.out.println("Hello World!");
1006         }
1007     }
1008 \end{minted}
1009 \caption{Java code rendered using minted}
1010 \label{lst:flJava}
1011 \end{listing}

```

3.16 Itemization

One can list items as follows:

- Item One
- Item Two

Corresponding L^AT_EX code of ./paper-minted.tex

```

1019 \begin{itemize}
1020     \item Item One
1021     \item Item Two
1022 \end{itemize}

```

One can enumerate items as follows:

1. Item One
2. Item Two

Corresponding L^AT_EX code of ./paper-minted.tex

```

1029 \begin{enumerate}
1030     \item Item One
1031     \item Item Two
1032 \end{enumerate}

```

With paralist, one can even have all items typeset after each other and have them clean in the TeX document:

1. All these items... 2. ...appear in one line 3. This is enabled by the paralist package.

Corresponding L^AT_EX code of ./paper-minted.tex

```
1039 \begin{inparaenum}
1040     \item All these items...
1041     \item ...appear in one line
1042     \item This is enabled by the paralist package.
1043 \end{inparaenum}
```

3.17 Other Features

The words “workflow” and “dwarflike” can be copied from the PDF and pasted to a text file.

Corresponding L^AT_EX code of ./paper-minted.tex

```
1049 The words \enquote{workflow} and \enquote{dwarflike} can be
      ↪ copied from the PDF and pasted to a text file.
```

The symbol for powerset is now correct: $\wp$ and not a Weierstrass p ($\wp$).
 $\wp(1, 2, 3)$

Corresponding L^AT_EX code of ./paper-minted.tex

```
1053 The symbol for powerset is now correct:  $\wp$  and not a
      ↪ Weierstrass  $p$  ( $\wp$ ).
1054
1055  $\wp(\{1, 2, 3\})$ 
```

Brackets work as designed: <test> One can also input backticks in verbatim text: `test`.

Corresponding L^AT_EX code of ./paper-minted.tex

```
1059 Brackets work as designed:
1060 <test>
1061 One can also input backticks in verbatim text: \verb|`test`|.
```

Acronyms can be typeset in running text with `\initialism`, which sets them as small caps that blend into the surrounding lowercase text. It is the lightweight alternative to the full acronym and glossary management (`\gls`, with an automatic list of abbreviations) provided by the thesis variants: `\initialism`

only typesets the acronym and does not add it to any list. The macro and a few ready-made acronyms (`\OMG`, `\BPEL`, `\BPMN`, `\UML`) are defined in `commands.tex`, where you can add your own.

The UML is maintained by the OMG; related standards include BPEL and BPMN. Any acronym can be set inline with REST or HTTP.

Corresponding L^AT_EX code of `./paper-minted.tex`

```

1067 The \UML is maintained by the \OMG; related standards include
      ↪ \BPEL and \BPMN.
1068 Any acronym can be set inline with \initialism{REST} or
      ↪ \initialism{HTTP}.
```

4 Conclusion and Outlook

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Acknowledgments Identification of funding sources and other support, and thanks to individuals and groups that assisted in the research and the preparation of the work should be included in an acknowledgment section, which is placed just before the reference section in your document [4].

References

1. Binz, T., Breiter, G., Leymann, F., Spatzier, T.: Portable Cloud Services Using TOSCA. IEEE Internet Computing **16**(03), 80–85 (May 2012), ISSN 1089-7801, <https://doi.org/10.1109/mic.2012.43>

2. Kopp, O., et al.: Winery – A Modeling Tool for TOSCA-based Cloud Applications. In: Proceedings of 11th International Conference on Service-Oriented Computing (ICSOC'13), LNCS, vol. 8274, pp. 700–704, Springer Berlin Heidelberg (2013), https://doi.org/10.1007/978-3-642-45005-1_64
3. Scharer, M.: The `mwe` Package (2017), URL <http://texdoc.net/mwe>
4. Veytsman, B.: Latex class for the association for computing machinery – acknowledgment information (Aug 2021), URL <https://github.com/borisveytsman/acmart/blob/1704c8bf7eee92a1515ff755f5118b6a22bb1f8e/samples/samples.dtx#L709>

All links were last followed on October 5, 2020.