

Institut für Architektur von Anwendungssystemen

Universität Stuttgart
Universitätsstraße 38
D-70569 Stuttgart

Bachelorarbeit

Is Oil the future?

Lars K.

Studiengang:	Medieninformatik
Prüfer/in:	Prof. Dr. Uwe Fessor
Betreuer/in:	Dipl.-Inf. Roman Tiker, Dipl.-Inf. Laura Stern, Otto Normalverbraucher, M.Sc.
Beginn am:	July 5, 2018
Beendet am:	January 5, 2019

Kurzfassung

*Write an abstract for your work. Replace each of the points below with one sentence (two if you must) and you have your abstract. Write it when you finished your entire report.*¹

Introduction. In one sentence, what's the topic? Phrase it in a way that your reader will understand. If you're writing a PhD thesis, your readers are the examiners – assume they are familiar with the general field of research, so you need to tell them specifically what topic your thesis addresses. Same advice works for scientific papers – the readers are the peer reviewers, and eventually others in your field interested in your research, so again they know the background work, but want to know specifically what topic your paper covers.

State the problem you tackle. What's the key research question? Again, in one sentence. (Note: For a more general essay, I'd adjust this slightly to state the central question that you want to address) Remember, your first sentence introduced the overall topic, so now you can build on that, and focus on one key question within that topic. If you can't summarize your thesis/paper/essay in one key question, then you don't yet understand what you're trying to write about. Keep working at this step until you have a single, concise (and understandable) question.

Summarize (in one sentence) why nobody else has adequately answered the research question yet. For a PhD thesis, you'll have an entire chapter, covering what's been done previously in the literature. Here you have to boil that down to one sentence. But remember, the trick is not to try and cover all the various ways in which people have tried and failed; the trick is to explain that there's this one particular approach that nobody else tried yet (hint: it's the thing that your research does). But here you're phrasing it in such a way that it's clear it's a gap in the literature. So use a phrase such as "previous work has failed to address...". (if you're writing a more general essay, you still need to summarize the source material you're drawing on, so you can pull the same trick – explain in a few words what the general message in the source material is, but expressed in terms of what's missing)

Explain, in one sentence, how you tackled the research question. What's your big new idea? (Again for a more general essay, you might want to adapt this slightly: what's the new perspective you have adopted? or: What's your overall view on the question you introduced in step 2?)

In one sentence, how did you go about doing the research that follows from your big idea. Did you run experiments? Build a piece of software? Carry out case studies? This is likely to be the longest sentence, especially if it's a PhD thesis – after all you're probably covering several years worth of research. But don't overdo it – we're still looking for a sentence that you could read aloud without having to stop for breath. Remember, the word 'abstract' means a summary of the main ideas with most of the detail left out. So feel free to omit detail! (For those of you who got

¹<https://www.easterbrook.ca/steve/2010/01/how-to-write-a-scientific-abstract-in-six-easy-steps/>

this far and are still insisting on writing an essay rather than signing up for a PhD, this sentence is really an elaboration of sentence 4 – explore the consequences of your new perspective).

As a single sentence, what's the key impact of your research? Here we're not looking for the outcome of an experiment. We're looking for a summary of the implications. What's it all mean? Why should other people care? What can they do with your research. (Essay folks: all the same questions apply: what conclusions did you draw, and why would anyone care about them?)

Inhaltsverzeichnis

Abkürzungsverzeichnis	13
1. Introduction	15
1.1. Context and Topic (SM1)	16
1.2. State of the Art (SM1)	16
1.3. Research Question (SM2)	17
1.4. Method or Approach (SM3, SM4)	17
1.5. Findings (SM5, SM6)	18
1.6. Background (SM1)	18
1.7. Problem Exposition (optional)	19
1.8. Context/Business Understanding (SM1)	19
1.9. Data Understanding (SM1)	19
1.10. Detailed Research Questions (SM2)	20
1.11. Detailed Method (SM3)	20
1.12. First Real Chapter addressing first Research Problem	20
1.13. First Sub-Problem	20
1.14. Second Sub-Problem	21
1.15. Second Real Chapter	22
1.16. Evaluation	22
1.17. Objective (SM2)	22
1.18. Setup (SM3)	22
1.19. Execution (SM4)	23
1.20. Results (SM5)	23
1.21. Discussion (SM6)	23
2. LaTeX Hinweise	25
2.1. Trennung von Absätzen	25
2.2. Notes separated from the text	26
2.3. Handling TODOs	27
2.4. Hyphenation	28
2.5. Typesetting Units	29
2.6. Surrounding Text by Quotes	29
2.7. Cleveref examples	30

2.8. Abbildungen	31
2.9. Sub Figures	31
2.10. Tables	33
2.11. Quellcode	34
2.12. Itemization	36
2.13. Abkürzungen	38
2.14. Other Features	39
2.15. Varioref examples	40
2.16. Citations	40
2.17. Miscellaneous Examles	41
2.17.1. Algorithmen	43
2.17.2. Definitionen	43
2.17.3. Aufzählungen	43
2.17.4. fquote	45
3. Zusammenfassung und Ausblick	47
Literatur	49
Anhang	50
A. My first appendix	51

Abbildungsverzeichnis

1.1.	A scientific figure that has to be explained in the text	21
1.2.	Another scientific figure that has to be explained in the text	23
2.1.	Example figure for cref demo	30
2.2.	Bildunterschrift.	31
2.3.	Example figure with two sub figures.	32
2.4.	Abbildung	41
2.5.	Gedrehte Abbildung	42

Tabellenverzeichnis

2.1. Example table for cref demo	30
2.2. Simple Table	32
2.3. Table with diagonal line	33

Listings

2.1. Beispiel-XML-Listing	34
2.2. Beispiel-XML-Listing – gleitend	35
2.3. Beispiel-JSON-listing	35
2.4. Example Java listing	36

Abkürzungsverzeichnis

This document is incomplete. The external file associated with the glossary ‘abbreviations’ (which should be called `main-german.gls-abr`) hasn’t been created.

Check the contents of the file `main-german.glo-abr`. If it’s empty, that means you haven’t indexed any of your entries in this glossary (using commands like `\gls` or `\glsadd`) so this list can’t be generated. If the file isn’t empty, the document build process hasn’t been completed.

Try one of the following:

- Add `automake` to your package option list when you load `glossaries-extra.sty`. For example:

```
\usepackage[automake]{glossaries-extra}
```

- Run the external (Lua) application:

```
makeglossaries-lite.lua "main-german"
```

- Run the external (Perl) application:

```
makeglossaries "main-german"
```

Then rerun \LaTeX on this document.

This message will be removed once the problem has been fixed.

1. Introduction

Purpose and scope of your entire report. The purpose of your entire report is to make a *scientific argument using the scientific method*. A scientific argument always has the following steps that all must come in this order.

SM1 *Explicate the assumptions and state of the art* on which you are going to conduct your research to investigate your research problem/test the hypothesis.

SM2 Clearly and precisely *formulate a research problem or hypothesis*.

SM3 *Describe the (research) method* that you followed to investigate the problem / to test the hypothesis in a way that *allows someone else to reproduce your steps*. The method must include steps and criteria for evaluating whether you answered your question successfully or not.

SM4 *Provide execution details* on how you followed the method in the given, specific situation.

SM5 *Report your results* by describing and summarizing your measurements. You must not interpret your results.

SM6 *Now interpret your results* by contextualizing the measurements and drawing conclusion that lead to answering your research problem or defining further follow-up research problems.

This template will mark various parts of the structure with SM1-SM6 to recall to you which step of a scientific argument is used and where.

Purpose and scope of Kapitel 1. The introduction chapter is a summary of your work and your scientific argument that shall be understandable to anyone in your scientific field, e.g., anyone in Data Science. A reader must be able to comprehend the problem, method, relevant execution details, results, and their interpretation by reading the introduction and the introduction alone. Section 1.1 introduces the general topic of your research. Section 1.2 discusses the state of the art and identifies a research. Section 1.3 then states the research problem to investigate. Section 1.4 explains the research method that was followed, possibly with execution details. Section 1.5 then presents the results and their interpretation. Only if a reader thinks they are not convinced or they need more details to reproduce your study, they shall have to read further. The individual chapters and sections provide the details for each of the steps in your scientific argument.

1. Introduction

You usually write the introduction chapter *after* you wrote all other chapters, but you should keep on making notes for each of the sections as you write the later chapters. .

Purpose and scope of the introduction paragraph to a chapter. The paragraph you are reading above is a typical introductory paragraph to a chapter. It is a high-level summary of the chapters' topic (SM1 and SM2). It gives the reader some guidance by breaking down the chapter topic into subtopics that are clearly named (SM3) in the right order with forward references to the corresponding sections (SM4). It may close with announcing the result you obtain (SM6) but this is usually not done in the opening paragraph of the introduction.

1.1. Context and Topic (SM1)

Purpose and scope. You begin with providing the general scientific audience an introduction into the specific topic of your work. The aim of this section is to first introduce the *general subject of study* ("Giraffes are well-known animals and everyone's favorite"), the *specific topic of societal or scientific interest* to investigate ("Giraffes have blue tongues") and the *objective of society/science towards* this topic ("it is unknown at the moment how the blue color tone evolved"). It must be understandable by the general scientific public. Every *term* with a specific meaning must be highlighted and introduced in precise language/concepts that only builds on a general scientific background.

At the end of this section, you have explained and established a general goal that society/science universally agrees to be worth achieving ("knowing how everyone's favorite animal evolved the colour of their tongue").

1.2. State of the Art (SM1)

Purpose and scope. You provide a more in-depth introduction into the research topic by contrasting the current state of the art in society/science in relation to the research topic you introduced in Abschnitt 1.1. This introduction has to

- present established facts, methods, and results that provide a deeper understanding of the research topic ("prior work on giraffe genomes, relevance of giraffes for societal well-being, giraffes being a model-animal for various other studies, etc.")
- discuss in which ways prior and recent ideas still fall short of reaching the general goal you explained in Abschnitt 1.1 ("prior work only sequenced the genome of one giraffe and did not consider genes of ancient ancestors")

You have to provide citations/literature references for each of the statements and claims you are making. This section is usually a summary of the related work discussion in Abschnitt 1.6.

At the end of this section, you have established a *knowledge gap* between the state of the art and the general objective you developed in Abschnitt 1.1. *Stating a (knowledge) gap between a status quo and a desired situation is the first step of a writing scientific argument.*

1.3. Research Question (SM2)

Purpose and scope. In this section you state in which way you will address the knowledge gap you identified at the end of Abschnitt 1.2. You usually cannot address and resolve the entire knowledge gap in your work. The purpose of this section is to clearly detail the specific part of the knowledge that you will address. You thereby make all the assumptions explicit that underlie your work (“in this report we focus on genomes of female giraffes who lived in the years 1950-2000 in South Africa”).

Your general research question states

- The starting point/assumptions you are making from which your research starts (“for the given 13 genomes of female giraffes...”), and
- the final objective/solution you want to reach (“...identify the genes involved in color expression of giraffe tongues...”)
- and the evaluation criteria that will determine whether you are successful (“...that are present in at least 75% of the studied giraffes”)

You will usually break your general research question down into sub-research questions. You may do this here. The sub-research questions have to form a chain that take you in smaller steps from the starting point/assumptions of your general research question to your final objective and evaluation.

1.4. Method or Approach (SM3, SM4)

Purpose and scope. In this section you outline the method that you applied to answer the research questions, or the new technical approach that you developed to answer it. It is a summary of the steps that someone else has to take in order to reproduce your steps. Mention here the data sets you had to obtain/gather/analyze, interviews with stakeholders you had to make to further develop the research questions, technical artifacts (programs, algorithms, models) you could apply or that you had to develop (and how they work).

1. Introduction

The section is most readable if you give each of the steps in your method its own paragraph. In each paragraph you first briefly explain the concept of the step in your method (SM3, “we explored the data through visual analytics”) and then provide details in execution (SM4, “we used tool X, we developed dashboard Y”) include a forward reference to the respective chapter that provides more details.

1.5. Findings (SM5, SM6)

Purpose and scope. You close the introduction by clearly stating the evaluation setup you designed to evaluate the success of your study regarding the research objective, which comes in two steps. It is most likely a summary of your evaluation in Abschnitt 1.16.

Results (SM5)

You state the evaluation method that is in line with your research question from Abschnitt 1.3 and summarize the measurements you obtained but you do not interpret them, i.e., you only report the numbers but you do not include judging statements.

Interpretation (SM6)

You summarize your interpretation of the results and draw conclusions. State whether and to which degree the research question from Abschnitt 1.3 has been answered successfully or not.

Finally state briefly how much closer society and science have come in answering the general objective you outlined in Abschnitt 1.1.

1.6. Background (SM1)

Purpose and scope. The background chapter has multiple roles.

- *Preliminaries.* It has to provide all (and exactly the) information that is necessary to understand the methodological and technical parts of your work in the specific area of study. Assume as starting point another student in your degree who did not study the specific subject you are studying but has the task to understand your work. Which concepts, terms, definitions, etc. does the student have to know? Which formulas, symbols, etc. are standard

in this topic? Only introduce definitions if you actually need them in any of the subsequent chapters.

- *Related Work.* It has to provide a comprehensive discussion of all prior work in the area on this subject. Your discussion has to summarize these prior works and has to explain in which way the research question you are solving (Abschnitt 1.3) has not been solved yet because prior work had more limiting assumptions, addressed a different angle, their results are not complete etc. Depending on the subject you are studying, the related work part can be larger and warrant an entire chapter on its own, or be fully concluded within Abschnitt 1.2.

You can close the related work discussion by clarifying the positioning and formulation of your research question (SM2) in relation to all the prior work, making more explicit whether you address an existing research question under different premises or whether you work on a modified or completely new research question.

1.7. Problem Exposition (optional)

Purpose and scope. Introduce the problem context in more detail if Abschnitt 1.1 does not provide all necessary information about the problem to follow the rest of the report. This can include further details on the data you studied, context assumptions and requirements, etc.

If you have to expose the problem in more detail here, then this chapter should also provide a more detailed explanation of research question and the method you are applying, i.e., you can now provide more concrete sub-problems compared to Abschnitt 1.3 more details for the method Abschnitt 1.4 because you now have explained the problem much better. A typical structure can be.

1.8. Context/Business Understanding (SM1)

provide details

1.9. Data Understanding (SM1)

provide details

1.10. Detailed Research Questions (SM2)

provide details based on Abschnitt 1.8 and 1.9

1.11. Detailed Method (SM3)

provide details based on Abschnitt 1.8 and 1.9

1.12. First Real Chapter addressing first Research Problem

Purpose and scope. After you stated research context (SM1), research problem (SM2), and research method (SM3) in Kapitel 1 and possibly Abschnitt 1.7, the remainder of your entire report addresses execution (SM4), results (SM5), and interpretation (SM6). You usually do this by addressing various sub-problems again through scientific arguments following the 6 steps SM1-SM6.

Have a short chapter introduction that recalls and explains the first research problem of your thesis. The problem has to show up in the introduction in Abschnitt 1.3 or in Abschnitt 1.10 already. This provides the background (SM1) for this chapter while the first research problem of the thesis becomes the research question/hypothesis (SM2) for this chapter.

Next, explain in the chapter intro how you solve the research problem in this chapter by breaking it down in further sub-problems. By this, you outline the method (SM3) through which you are going to solve the problem of this chapter. This is necessary to give the reader guidance of what's to come in this chapter and how it fits into the thesis as a whole. Explain that you will address the first sub-problem in Abschnitt 1.13 and the second sub-problem in Abschnitt 1.14, etc. The sections then provide the details for execution and results.

1.13. First Sub-Problem

The first paragraph describes the first sub-problem and develops the requirements a solution has to satisfy (SM2 for this section). The requirements have to be based on the knowledge and reasoning developing in the preceding chapters and sections. Try to use an example to illustrate the problem and the desired properties of the solution. Check that every term/concept you use here has already been defined already in a previous section. If you cannot describe your problem without defining new terms, you may have to add another section before this one that develops the terms and concepts you need to explain the problem.

Abbildung 1.1.: A scientific figure that has to be explained in the text

The second paragraph describes the method/approach how you address the problem (SM3 for this section). Describe the method in a level of detail that allows another student to reproduce your steps. Make use of appendices if certain details take too much space.

The third, fourth, and following paragraph provides details on applying the method or developing a new approach, i.e., execution (SM4) and may explain results (SM5), i.e. details on the steps needed to reproduce the results.

Results (SM5) can come in many forms, e.g., conceptual diagrams, algorithms, tables, charts, a list of articles from a literature research etc. You must reference them (“Abbildung 1.1 shows. ..”) and describe the results in text. If you use diagrams, tables, or charts, you cannot expect the reader to know what to you expect them to see in a diagram, table or chart. Describe to them how to read these, explain the meaning of particular elements, point out special observations. But you may only describe the results you must not interpret them. Make use of appendices if certain details take too much space.

After describing the results, you may interpret them (SM6). Here you can infer what a particular observation means (for you), how it can be applied, or what others can do with it. You must not write interpretations before completely describing your results. This is a common mistake done by most beginner writers. You want to quickly get to the point, which is the final finding or interpretation. But you forget that your reader does not understand yet what you are interpreting - they do not know yet what you do know. An interpretation can only be followed after all results have been described. The interpretation must be based on the written description only. Then you can be sure that your readers can follow your interpretation and reach the same conclusions as you have.

Ideally, your interpretation leads to the next sub-problem in Abschnitt 1.14.

1.14. Second Sub-Problem

You now build on the solution to the first sub-problem of Abschnitt 1.13 (SM1) and recall second sub-problem (SM2, you detailed in the introduction of this chapter) and follow the same pattern as before (SM3-SM6).

Note that not all sections may not include all parts SM1-SM6 in all detail. Some sections do not require to repeatedly state the background (SM1) or the research problem (SM2) if they were already clearly defined in a previous section. Sometimes, a section is only dedicated to describing

the method (SM3) and execution (SM4) and does not contain any results or interpretations. Sometimes results (SM5) and interpretations (SM6) only come in the evaluation chapter.

What is important for you when you are writing a scientific argument is not to slavishly have SM1-SM6 in each section explicitly, but that you are always fully aware of the following:

- Which step of a scientific argument am I currently writing (SM1, SM2, ..., SM6)?
- Does the step that I am writing come in the right order, i.e., if you are writing about execution (SM4, e.g., details of building a model), is there a preceding paragraph or section that describes the method (SM3) and is that one preceded by a clear statement of the (sub-)problem addressed (SM2)?
- Are you really *not* writing interpretation SM6 before SM5, SM4, or SM3?
- Is it clear to the reader which part of the scientific argument you are currently making?

1.15. Second Real Chapter

Have a short chapter introduction that recalls what you already achieved in Abschnitt 1.12 and explain the second research problem of your thesis. The problem has to show up in the introduction in Abschnitt 1.3 or in Abschnitt 1.10 already. etc.

1.16. Evaluation

Purpose and scope. The evaluation chapter should be the most formal and rigorously structured chapter of your thesis as the validity of your evaluation argument depends on it.

1.17. Objective (SM2)

Clearly state what you want to evaluate and what you want to measure.

1.18. Setup (SM3)

State which data, participants, tools, etc. you chose and why. Clearly state how you measure outcomes and how you compare them to baselines, reference groups, etc.

Abbildung 1.2.: Another scientific figure that has to be explained in the text

1.19. Execution (SM4)

Provide all details on the execution that are necessary to allow another person to reproduce your results at a later point.

1.20. Results (SM5)

You only report the measurements. You must present and reference them (“Abbildung 1.2 shows. ..”) and describe the results in text. If you use diagrams, tables, or charts, you cannot expect the reader to know what to expect them to see in a diagram, table or chart. Describe to them how to read these, explain the meaning of particular elements, point out special observations. But you may only describe the results you must not interpret them. Make use of appendices if certain details take too much space.

1.21. Discussion (SM6)

An interpretation can only be followed after all results have been described. The interpretation must be based on the written description in Abschnitt 1.20 only. Then you can be sure that your readers can follow your interpretation and reach the same conclusions as you have.

2. LaTeX Hinweise

Hier sollen allgemeine \LaTeX -Hinweise gegeben werden, damit man Minimalbeispiele vorliegen hat, um sofort loszulegen.

2.1. Trennung von Absätzen

Pro Satz eine neue Zeile. Das ist wichtig, um sauber versionieren zu können. In LaTeX werden Absätze durch eine Leerzeile getrennt. Analogie zu Word: Bei Word werden neue Absätze durch einmal Eingabetaste herbeigeführt. Dies führt bei LaTeX jedoch nicht zu einem neuen Absatz, da LaTeX direkt aufeinanderfolgende Zeilen zu einer Zeile zusammenfügt. Mächte man nun einen Absatz haben, muss man zweimal die Eingabetaste drücken. Dies führt zu einer leeren Zeile. In Word gibt es die Funktion Großschreibetaste und Eingabetaste gleichzeitig. Wenn man dies drückt, wird einer harter Umbruch erzwungen. Der Text fängt am Anfang der neuen Zeile an. In LaTeX erreicht man dies durch Doppelbackslashes (`\`) erzeugt.

Dies verwendet man quasi nie.

Folglich werden neue Abstände insbesondere *nicht* durch Doppelbackslashes erzeugt. Beispielsweise begann der letzte Satz in einem neuen Absatz. Eine ausführliche Motivation hierfür findet sich in <http://loopspace.mathforge.org/HowDidIDoThat/TeX/VCS/#section.3>.

2. LaTeX Hinweise

Zugehöriger L^AT_EX-Quelltext aus ./main-german.tex

```

1368 Pro Satz eine neue Zeile.
1370 Das ist wichtig, um sauber versionieren zu können.
1371 In LaTeX werden Absätze durch eine Leerzeile getrennt.
1372 Analogie zu Word: Bei Word werden neue Absätze durch einmal Eingabetaste herbeigeführt.
1373 Dies führt bei LaTeX jedoch nicht zu einem neuen Absatz, da LaTeX direkt
    aufeinanderfolgende Zeilen zu einer Zeile zusammenfügt.
1374 Mächte man nun einen Absatz haben, muss man zweimal die Eingabetaste drücken.
1375 Dies führt zu einer leeren Zeile.
1376 In Word gibt es die Funktion Großschreibetaste und Eingabetaste gleichzeitig.
1377 Wenn man dies drückt, wird einer harter Umbruch erzwungen.
1378 Der Text fängt am Anfang der neuen Zeile an.
1379 In LaTeX erreicht man dies durch Doppelbackslashes (\textbackslash\textbackslash) erzeugt.
1380 \\
1381 Dies verwendet man quasi nie.
1382
1383 Folglich werden neue Abstände insbesondere \emph{nicht} durch Doppelbackslashes erzeugt.
1384 Beispielsweise begann der letzte Satz in einem neuen Absatz.
1385 Eine ausführliche Motivation hierfür findet sich in
    \url{http://loopspacemathforge.org/HowDidIDoThat/TeX/VCS/#section.3}.

```

Möchte man die Art des Absatzes ändern, so kann man die Dokumentklassenoption `parskip` verwenden. Beispielsweise kann man mit `parskip=off` erreichen, dass statt eines freien Bereichs die erste Zeile des Absatzes eingezogen wird.

2.2. Notes separated from the text

The package mindflow enables writing down notes and annotations in a way so that they are separated from the main text.

This is a small note.

Zugehöriger L^AT_EX-Quelltext aus ./main-german.tex

```

1395 æŒÛöð','_''''''''''''''''''''_''_''_''_''_''_''
1396 \begin{mindflow}
1397 This is a small note.
1398 \end{mindflow}

```



```

1427 æÉúÖö''--'''''''''''''''..._'''''_-'_'_''''
1428 Hier nur ein Kommentar\sidecomment{Kommentar}.

```



```

1431 æÉúŮöÖ''--''''''''''''''''_...''''_''''_-'(''_-''''
1432 \todo{Hier muss noch kräftig Text produziert werden}

```

1442 æfûöð'-'-'-'-'-'_'-'-'-'-'-'_-'-'-'-'_

1443 In case you write \enquote{application-specific}, then the word will only be hyphenated at
the dash.

1444 You can also write \verb1applica\allowbreak{}tion-specific1 (result:
applica\allowbreak{}tion-specific), but this is much more effort.

1445

1446 You can now write words containing hyphens which are hyphenated at other places in the word.
For instance, \verb1application"=specific1 gets application"=specific.

1448 This is enabled by an additional configuration of the babel package.

Zugehöriger L^AT_EX-Quelltext aus ./main-german.tex

```
1453 @EüÜöÖ''—,,,,,,,,,,,,,"""_—'_—'_—'_,',,,,'
1454 Numbers can be written plain text (such as 100), by using the
      \href{https://ctan.org/pkg/siunitx}{siunitx} package as follows:
1455 \SI{100}{\km\per\hour},
1456 or by using plain \LaTeX{} (and math mode):
1457 $100 \frac{\mathrm{km}}{h}$.
```

[illegible][illegible][illegible]




Abbildung 2.1.: Example figure for cref demo

Heading1	Heading2
One	Two
Thee	Four

Tabelle 2.1.: Example table for cref demo

2.7. Cleveref examples

Cleveref demonstration: Cref at beginning of sentence, cref in all other cases.

Abbildung 2.1 shows a simple fact, although Abbildung 2.1 could also show something else.

Tabelle 2.1 shows a simple fact, although Tabelle 2.1 could also show something else.

Abschnitt 2.7 shows a simple fact, although Abschnitt 2.7 could also show something else.

Füge deine Abbildung hier ein.

Abbildung 2.2.: Bildunterschrift.

Zugehöriger L^AT_EX-Quelltext aus ./main-german.tex

```

1502 %Überschrift
1503 \Cref{fig:ex:cref} shows a simple fact, although \cref{fig:ex:cref} could also show
      something else.
1504
1505 \Cref{tab:ex:cref} shows a simple fact, although \cref{tab:ex:cref} could also show
      something else.
1506
1507 \Cref{sec:ex:cref} shows a simple fact, although \cref{sec:ex:cref} could also show
      something else.

```

2.8. Abbildungen

Abbildung 2.2 zeigt etwas Interessantes

Zugehöriger L^AT_EX-Quelltext aus ./main-german.tex

```

1512 %Überschrift
1513 \Cref{fig:label} zeigt etwas Interessantes
1514
1515 \begin{figure}
1516   \centering
1517   Füge deine Abbildung hier ein.
1518   \caption{Bildunterschrift.}
1519   \label{fig:label}
1520 \end{figure}

```


2.9. Sub Figures

An example of two sub figures is shown in Abbildung 2.3.


```

1527 \begin{figure}[!b]
1528 \centering
1529 \subfloat[Case I]{\includegraphics[width=.4\linewidth]{example-image-a}%
1530 \label{fig:first_case}}
1531 \hfil
1532 \subfloat[Case II]{\includegraphics[width=.4\linewidth]{example-image-b}%
1533 \label{fig:second_case}}
1534 \caption{Example figure with two sub figures.}
1535 \label{fig:two_sub_figures}
1536 \end{figure}

```



(a) Case I



(b) Case II

Abbildung 2.3.: Example figure with two sub figures.

Diag Column Head I	Diag Column Head II	Second	Third
		foo	bar

Zugehöriger L^AT_EX-Quelltext aus ./main-german.tex

```

1542 \begin{table}
1543 \caption{Simple Table}
1544 \label{tab:simple}
1545 \centering
1546 \begin{tabular}{ll}
1547 \toprule
1548   Heading1 & Heading2 \\
1549 \midrule
1550   One      & Two      \\
1551   Three    & Four     \\
1552 \bottomrule
1553 \end{tabular}
1554 \end{table}

```

Zugehöriger L^AT_EX-Quelltext aus ./main-german.tex

```

1558 % Source: https://tex.stackexchange.com/a/468994/9075
1559 % Source: https://tex.stackexchange.com/a/468994/9075
1560 \begin{table}
1561 \caption{Table with diagonal line}
1562 \label{tab:diag}
1563 \begin{center}
1564 \begin{tabular}{|l|c|c|}
1565 \hline
1566 \diagbox[width=10em]{Diag \Column Head I}{Diag Column\Head II} & Second & Third \\
1567 \hline
1568 & foo & bar \\
1569 \hline
1570 \end{tabular}
1571 \end{center}
1572 \end{table}

```

```
1 <listing name="example">
2   <!-- comment -->
3   <content>not interesting</content>
4 </listing>
```

Listing 2.1: Beispiel-XML-Listing

Zugehöriger L^AT_EX-Quelltext aus ./main-german.tex

```

1578 \Cref{lst:XML} zeigt XML-Quelltext.
1579 \Cref{line:comment} enthält einen Kommentar.
1581
1582 \begin{lstlisting}[
1583   language=XML,
1584   caption={Beispiel-XML-Listing},
1585   label={lst:XML}]
1586 <listing name="example">
1587   <!-- comment --> (* \label{line:comment} *)
1588   <content>not interesting</content>
1589 </listing>
1590 \end{lstlisting}

```

```
1 {
2   key: "value"
3 }
```

Der zusätzliche Parameter `float` führt dazu, dass das Listing auch floated. Listing 2.2 zeigt das gleitende Listing.

Zugehöriger L^AT_EX-Quelltext aus ./main-german.tex

```

1596 \begin{lstlisting}[
1597   % Es ist möglich, die Abstände bei Bedarf einzustellen
1598   % aboveskip=2.5\baselineskip,
1599   % belowskip=-.8\baselineskip,
1600   float,
1601   language=XML,
1602   caption={Beispiel-XML-Listing -- gleitend},
1603   label={lst:f\XML}]
1604 <listing name="example">
1605     Floating
1606 </listing>
1607 \end{lstlisting}

```

Es ist möglich auch JSON zu setzen, wie in Listing 2.3 gezeigt.

2. LaTeX Hinweise

```
1 public class Hello {
2     public static void main (String[] args) {
3         System.out.println("Hello World!");
4     }
5 }
```

Listing 2.4: Example Java listing

Zugehöriger L^AT_EX-Quelltext aus ./main-german.tex

```
1613 %Überschrift des Listings
1614 \begin{lstlisting}[
1615     float,
1616     language=json,
1617     caption={Beispiel-JSON-listing},
1618     label={lst:json}]
1619 {
1620     key: "value"
1621 }
1622 \end{lstlisting}
```

Java ist auch möglich – Listing 2.4.

Zugehöriger L^AT_EX-Quelltext aus ./main-german.tex

```
1627 %Überschrift des Listings
1628 \begin{lstlisting}[
1629     caption={Example Java listing},
1630     label=lst:java,
1631     language=Java,
1632     float]
1633 public class Hello {
1634     public static void main (String[] args) {
1635         System.out.println("Hello World!");
1636     }
1637 }
1638 \end{lstlisting}
```

2.12. Itemization

One can list items as follows:

- Item One

Zugehöriger L^AT_EX-Quelltext aus ./main-german.tex

```
1672 %Überschrift: „Liste von Beispielen“
1673 \begin{compactenum}
1674   \item Item One
1675   \item Item Two
1676 \end{compactenum}
```

With paralist, one can even have all items typeset after each other and have them clean in the TeX document:

1. All these items... 2. ...appear in one line 3. This is enabled by the paralist package.

Zugehöriger L^AT_EX-Quelltext aus ./main-german.tex

```
1681 %Überschrift: „Liste von Beispielen“
1682 \begin{inparaenum}
1683   \item All these items...
1684   \item ...appear in one line
1685   \item This is enabled by the paralist package.
1686 \end{inparaenum}
```

2.13. Abkürzungen

Mit `\gls{...}` können Abkürzungen eingebaut werden, beim ersten Aufrufen wird die lange Form eingesetzt. Beim wiederholten Verwenden von `\gls{...}` wird automatisch die Kurzform angezeigt. Außerdem wird die Abkürzung automatisch in die Abkürzungsliste eingefügt. Mit `\glspl{...}` wird die Pluralform verwendet. Möchte man, dass bei der ersten Verwendung direkt die Kurzform erscheint, so kann man mit `\glsunset{...}` eine Abkürzung als bereits verwendet markieren. Das Gegenteil erreicht man mit `\glsreset{...}`.

Definiert werden Abkürzungen in der Datei *abbreviationstex* mithilfe von `\newacronym{...}{...}{...}`.

Mehr Infos unter: <https://ctan.org/pkg/bib2gls>.

Beim ersten Durchlauf betrug die Fehlerrate (FR) 5. Beim zweiten Durchlauf war die FR 3. Die Pluralform sieht man hier: error rates (ERs). Um zu demonstrieren, wie das Abkürzungsverzeichnis bei längeren Beschreibungstexten aussieht, muss hier noch RDBMS (RDBMS) erwähnt werden.

Deutschsprachige Anwendervereinigung T_EX e.V. (DANTE e.V.) is a local T_EX user group. The German-speaking local T_EX user group is DANTE e.V.. A General Practitioner (G.P.) is a medical doctor. I went to my surgery to see the G.P..

Zugehöriger L^AT_EX-Quelltext aus ./main-german.tex

```

1702 æÉÜÖ'__''''''''''''''''_''_'_''''
1703 Beim ersten Durchlauf betrug die \gls{fr} 5.
1704 Beim zweiten Durchlauf war die \gls{fr} 3.
1705 Die Pluralform sieht man hier: \glspl{er}.
1706 Um zu demonstrieren, wie das Abkürzungsverzeichnis bei längeren Beschreibungstexten
    aussieht, muss hier noch \glspl{rdbms} erwähnt werden.
1707
1708 \gls{dante} is a local \TeX\ user group.
1709 The German-speaking local \TeX\ user group is \gls{dante}.
1710 A \gls{gp} is a medical doctor.
1711 I went to my surgery to see the \gls{gp}.

```

2.14. Other Features

The words „workflow“ and „dwarflike“ can be copied from the PDF and pasted to a text file.

Zugehöriger L^AT_EX-Quelltext aus ./main-german.tex

```

1716 œœŮôö' _ , , , , , , , , , „ ... ” ’ _ , , , , , , _ , _ , ‘ _ , , , ,
1717 The words \enquote{workflow} and \enquote{dwarflike} can be copied from the PDF and pasted
      to a text file.
```

The symbol for powerset is now correct: \mathcal{P} and not a Weierstrass p (\wp).

$$\wp(1, 2, 3)$$

Zugehöriger L^AT_EX-Quelltext aus ./main-german.tex

[illegible]

Brackets work as designed: <test> One can also input backticks in verbatim text: `test`.

Zugehöriger L^AT_EX-Quelltext aus ./main-german.tex

[illegible]

2.15. Varioref examples

Varioref demonstration: Vref at beginning of sentence, vref in all other cases.

Abbildung 2.1 auf Seite 30 shows a simple fact, although Abbildung 2.1 auf Seite 30 could also show something else.

Tabelle 2.1 auf Seite 30 shows a simple fact, although Tabelle 2.1 auf Seite 30 could also show something else.

Abschnitt 2.7 auf Seite 30 shows a simple fact, although Abschnitt 2.7 auf Seite 30 could also show something else.

Zugehöriger \LaTeX -Quelltext aus `./main-german.tex`

```
1738 %Übersicht über die verschiedenen Varioren
1739 \Vref{fig:ex:cref} shows a simple fact, although \vref{fig:ex:cref} could also show
      something else.
1740
1741 \Vref{tab:ex:cref} shows a simple fact, although \vref{tab:ex:cref} could also show
      something else.
1742
1743 \Vref{sec:ex:cref} shows a simple fact, although \vref{sec:ex:cref} could also show
      something else.
```

2.16. Citations

When referencing something from the bibliography file, it will automatically appear in the references section. If a reference is not cited, it is not appearing there.

Standard case: Citing indirectly citing something [Sch17]. In case one wants to name the author: Scharrer [Sch17] shows a minimal \LaTeX example.

Zugehöriger \LaTeX -Quelltext aus `./main-german.tex`

```
1751 %Übersicht über die verschiedenen Varioren
1752 Standard case: Citing indirectly citing something~\cite{mwe}.
1753 In case one wants to name the author: \textcite{mwe} shows a minimal \LaTeX{} example.
```

Note that `\textcite{mwe}` prints both the author and the reference to the bibliography entry.

Remember that you have to call `biber main-german` to generate the bibliography data for `lualatex`. You will need to run `lualatex` twice to ensure that the page numbers are updated correctly.

... missing figure ...

Abbildung 2.5.: Gedrehte Abbildung

2.17.1. Algorithmen

Algorithmus 2.1 *algo*

1: $a \leftarrow 0$
 2: State 2

Algorithmus 2.2 Algorithmus 2

1: $a \leftarrow 0$
 2: State 2

Algorithmus 2.1 hat bereits einen Algorithmus gezeigt. Test der Zeilenreferenzierung: Zeile 2 (Algorithmus 2.1) und Zeile 2 (Algorithmus 2.2).

2.17.2. Definitionen

Definition 2.1 (Title)

Definition Text

Definition 2.1 zeigt ...

2.17.3. Aufzählungen

- a) a
- b) b
- c) c
- d) d

Equivalent to paralist's inparaenum: a) a b) b c) c d) d

first Erstens

second Zweitens

third Drittens

first Erstens

second Zweitens

third Drittens

first Erstens

second Zweitens

third Drittens

first label with a long description text breaking over one line. Enabled by enumitem package Erstens

second Zweitens

third Drittens

first label with a long description text breaking over one line. Defined in template.tex

Erstens

second

Zweitens

third

Drittens

- Erstens
- Zweitens
- Drittens

Optionaler Parameter ändert den Marker, der vorangestellt ist. Siehe <http://www.weinelt.de/latex/item.html>.

A Erstens

B Zweitens

C Drittens

Falsche Benutzung des optionalen Parameters wie folgt:

first Erstens

second Zweitens

third Drittens

Dabei ist zu beachten, dass es sich bei Einbindung von `enumitem` anders verhält als bei `paralist`.

2.17.4. fquote

“ *Bis nächsten Freitag ist das Programm fertig.* ”
— *T. INFORMATIKER*

” *Bis nächsten Freitag ist das Programm fertig.* “
— *T. INFORMATIKER*

3. Zusammenfassung und Ausblick

Your conclusions are not just a factual summary of your work, but they position, interpret, and defend your findings against the state of the art that you discussed in Abschnitt 1.2. You specifically outline which concrete findings or methodological contributions advance our knowledge towards the general objective you introduced in Abschnitt 1.1. Objectively discuss which parts you solved and in which parts you failed.

You should explicitly discuss limitations and shortcomings of your work and detail what kind of future studies are needed to overcome these limitations. Be specific in the sense that your arguments for future work should be based on concrete findings and insights you obtained in your report.

Literatur

[Sch17] M. Scharrer. *The mwe Package*. 2017. URL: <http://texdoc.net/mwe> (siehe S. 40).

Alle Links wurden zuletzt am 29.03.2021 geprüft.

A. My first appendix

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Erklärung

Ich versichere, diese Arbeit selbstständig verfasst zu haben. Ich habe keine anderen als die angegebenen Quellen benutzt und alle wörtlich oder sinngemäß aus anderen Werken übernommene Aussagen als solche gekennzeichnet. Weder diese Arbeit noch wesentliche Teile daraus waren bisher Gegenstand eines anderen Prüfungsverfahrens. Ich habe diese Arbeit bisher weder teilweise noch vollständig veröffentlicht. Das elektronische Exemplar stimmt mit allen eingereichten Exemplaren überein.

Ort, Datum, Unterschrift