

Started on	Thursday, 18 September 2025, 9:36 AM
State	Finished
Completed on	Friday, 19 September 2025, 9:13 PM
Time taken	1 day 11 hours
Marks	1.00/1.00
Grade	10.00 out of 10.00 (100%)

Question 1 | Correct Mark 1.00 out of 1.00

Write a Program to Implement the Quick Sort Algorithm

Input Format:

The first line contains the no of elements in the list-n

The next n lines contain the elements.

Output:

Sorted list of elements

For example:

Input	Result
5 67 34 12 98 78	12 34 67 78 98

Answer:

```
1 #include<stdio.h>
2 void quicksort(int arr[], int low, int high)
3 {
4     if(low<high)
5     {
6         int pivot=arr[high];
7         int i=low-1;
8         for(int j=low;j<high;j++)
9         {
10             if(arr[j]<pivot)
11             {
12                 i++;
13                 int temp=arr[i];
```

```

14         arr[i]=arr[j];
15         arr[j]=temp;
16     }
17 }
18 int temp=arr[i+1];
19 arr[i+1]=arr[high];
20 arr[high]=temp;
21 int pi=i+1;
22 quicksort(arr,low,pi-1);
23 quicksort(arr,pi+1,high);
24 }
25 }
26 int main()
27 {
28     int n;
29     scanf("%d",&n);
30     int arr[n];
31     for(int i=0;i<n;i++)
32     {
33         scanf("%d",&arr[i]);
34     }
35     quicksort(arr,0,n-1);
36     for(int i=0;i<n;i++)
37     {
38         printf("%d ",arr[i]);
39     }
40     return 0;
41 }

```

	Input	Expected	Got	
✓	5 67 34 12 98 78	12 34 67 78 98	12 34 67 78 98	✓

	Input	Expected	Got	
✓	10 1 56 78 90 32 56 11 10 90 114	1 10 11 32 56 56 78 90 90 114	1 10 11 32 56 56 78 90 90 114	✓
✓	12 9 8 7 6 5 4 3 2 1 10 11 90	1 2 3 4 5 6 7 8 9 10 11 90	1 2 3 4 5 6 7 8 9 10 11 90	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.